

पी.ए.बी.एक्स / PABX : 26588980, 26588707,26589336,26589745
26589873, 26589414
फैक्स / FAX : 011-26588662, 011-26859791, 011-26589258

तार/GRAM: विज्ञानी/SCIENTIFICO
web-site : www.icmr.nic.in
E-mail : icmrhqds@sansad.nic.in



भारतीय आयुर्विज्ञान अनुसंधान परिषद
INDIAN COUNCIL OF MEDICAL RESEARCH
स्वास्थ्य अनुसंधान विभाग (स्वास्थ्य एवं परिवार कल्याण मंत्रालय)

DEPARTMENT OF HEALTH RESEARCH (MINISTRY OF HEALTH & FAMILY WELFARE)

वी. रामलिंगस्वामी भवन, अन्सारी नगर, पोस्ट बॉक्स 4911, नई दिल्ली-110 029
V.RAMALINGASWAMI BHAWAN, ANSARI NAGAR, POST BOX-4911, NEW DELHI-110029

No. 18/4/2013-Admn.-II

Dated: 1.4.2013.

To,

The Directors/Director-in-Charge
of all permanent Institutes/Centers
of the Council.

Subject: Regarding enforcement of Ammonium Nitrate Rules 2012

Sir/Madam,

I am directed to send herewith a copy of above mentioned letter No. 1270/Addl.C.P. Lic.(Expl.) dated 12.3.2013 received Office of the Addl. Commissioner of Police: Licensing, New Delhi for your information and strict compliance of the Govt. instructions as laid down therein.

Yours faithfully,

(Bharat Bhushan)
Administrative Officer
for Director General

OFFICE OF THE ADDL. COMMISSIONER OF POLICE : LICENSING
1ST FLOOR, P.S. DEFENCE COLONY, NEW DELHI- 110049.

No. 12270 /Addl.C.P./Lic.(Expl.), Dated New Delhi the 19-3-13

To
 DG, ICMR OFFICE
 DIARY NO. 816
 DATE: 20/3/13

The Chairman,
 University Grant Commission,
 Bahadur Shah Zafar Marg,
 New Delhi.


Head (A)
Head (A)
Sr. E (A&E)
Subd
18/3/13

Subject:- Regarding enforcement of Ammonium Nitrate Rules, 2012.

Sir,

This is in continuation to this office advertisement dated 26.03.2009 published in various leading Newspapers (copy attached herewith for reference) and it is to bring to your kind notice that Government of India has notified Ammonium Nitrate Rules, 2012 vide GSR 553(E) dated 11.07.2012. As per Rule 2 (b) of the Ammonium Nitrate Rules, 2012, Ammonium Nitrate means the compound having the chemical formula NH₄NO₃ and includes any mixture or compound having more than 45 percent Ammonium Nitrate by weight including emulsions, suspensions, melts or gels (with or without inorganic nitrates) but excluding emulsion or slurry explosives and non-explosives emulsion matrix and fertilizers from which the Ammonium Nitrate can not be extracted by any physical or chemical process. However, no license is required by the established laboratories, educational institutions, medical institutions, hospitals and health clinics for scientific and educational purposes upto the quantity not exceeding five kilograms but these institutions shall inform the local police of the quantity under possession for the aforesaid purpose (Rule 3 (3) of the Ammonium Nitrate Rules, 2012).

In view of the above and sensitivity of the issue, it is therefore requested that the concerned head of the institutions/ colleges/schools under your kind control may be advised to inform the concerned Station House Officer of their Police Station area in writing about the quantity of Ammonium Nitrate and also its source in their possession



Yours faithfully,
12-0313

(MOHAMMAD ALI) Addl. DCP/A&E
 For ADDL. COMMISSIONER OF POLICE:
 LICENSING UNIT: DELHI

Encls: As above.

DATE: 20.3.13-12.00pm
 DIARY NO. 816
 Sr. DCP (A), ICMR OFFICE

2095
05/3/13

Kul Shah
18
25/3/13

P. S to A. C.

37' km
done &
compliance
report
for
12/3/13
Sr. DCP (A)

DG (A)
take
1-2
20/3/2013

Adm-II
J.P.
21/03/13

Head (NCD)
18/03/13

No. 12271-77 /Addl.C.P./Lic.(Expl.), Dated New Delhi the 12-3-13

Copy for information and similiary necessary action to:-

1. The Director, Directorate of Education, Govt of NCT of Delhi, Delhi Sachivalay, I.P. Estate, Delhi.
2. The Director, All India Counsel for Technical Education, NBCC Place, 4th Floor; Eastern Tower, Bhisham Pitmah Marg, Pargati Vihar, Lodhi Road, New Delhi-03.
3. The Commissioners, East Delhi Municipal Corporation, North Delhi Municipal Corporation and South Delhi Municipal Corpotation, Civic Centre, J.L.Nehru Marg, Minto Road, Delhi.
4. The Director, Indian Institute of Technology, Delhi, Hauz Khas, New Delhi-110016.
- ✓ 5. The Director, Indian Council of Medical Research, PO Box No.4911, Ansari Nagar, New Delhi-110029.
6. The Director, National Physical Laboratory, Dr. K.S. Krishanan Marg, South Patel Nagar, Pusa, New Delhi-110012.
7. The Administrative Officer, Shree Ram Institute for Industrial Research, 19, University Road, Delhi-7.

12-03-13
(MOHAMMAD ALI) Addl. DCP/A&E
For ADDL. COMMISSIONER OF POLICE:
LICENSING UNIT: DELHI

The Times of India dated 26.3.09.



DELHI POLICE

PUBLIC NOTICE

Keeping in view the widespread and increasing use of **Ammonium Nitrate** as explosives by terrorists and extremist groups, Ministry of Home Affairs, Govt. of India vide notification No.1749 dated 15.12.2008 has declared "**Ammonium Nitrate** or a combination thereof" as a "Special Category Explosive Substance" under clause (b) of section 2 of the Explosive Substance Act, 1908 (6 of 1908). The maximum punishment in case of violation of the law is up to life imprisonment.

Hence all dealers of **Ammonium Nitrate** are required to register themselves with the Explosives Section of the Licensing Branch, Delhi Police at 1st Floor, Police Station Defence Colony, New Delhi-110049 with the following documents:-

1. Identity proof (copy of passport, voter ID Card)
2. Documents showing ownership/tenancy of shop.
3. Documents showing source/s of procurement of **Ammonium Nitrate**.
4. Quantity of stock held month-wise at the end of month during 2009 till 31st March.
5. Quantity sold month-wise during 2009 till 31st March.

✓ This registration will commence on 1st April, 2009 and continue till 30th April, 2009. After that prosecution will be initiated against unregistered/unauthorised dealers.

All dealers are required to submit end user certificates for the quantity of **Ammonium Nitrate** sold by them to various users, and maintain a register as well. The exact format will be communicated when the registration commences on 1st April, 2009. ✓

(S. SUNDARI NANDA)
ADDL. COMMISSIONER OF POLICE,
LICENSING BRANCH, DELHI POLICE

DP/8192/08-09