

# POPULATION BASED CANCER REGISTRY, AURANGABAD

## Indian Cancer Society

### Dr Purvish Parikh

Hon. Secretary & Managing Trustee & Principal Investigator *(from Nov. 2012)*

### Dr A.P. Kurkure

Hon. Secretary & Managing Trustee & Principal Investigator *(till July 2012)*

**Dr B.K. Shewalkar**, Hon. Secretary of ACRD

**Mrs Shravani Koyande**, Executive In-charge and Co-Investigator

With the experience of Mumbai and Poona Cancer Registry, the Indian Cancer Society established another satellite registry at Aurangabad City in year 1978. The aim was to identify the difference in the site patterns and incidence rates of cancer amongst various communities living in different geographical areas, exposed to different climatic conditions, dietary habits and social customs. Aurangabad Registry covers an area of 50.96 sq. kms.

Registration of cancer cases is done by active method. Information on cancer patients is obtained from various Govt. hospitals, private hospitals, nursing homes and diagnostic centres. Mortality information is collected from Vital Statistics Division of the Municipal Corporation of Aurangabad and the registry enjoys good co-operation from all the health care facilities.

The reliability of the data and quality has considerably improved over the years. The percentage of cases microscopically confirmed and cases diagnosed through Death Certificate is 92.2% and 3.3% respectively for the period 2009-2010 whereas the percentage of microscopically confirmed cases was 84% and Death Certificate was 6.1% for the period 1995-2004.

### *Staff of Aurangabad Cancer Registry*


**Mr A.M. Waghmare** : Medical Social Worker  
**Mr Sayed Ayub Ali** : Part time Clerk-cum-Typist

**TABLE AUR-1: Main Sources of Registration of Incident Cases of Cancer: 2009-2010  
Aurangabad**

Name of the Institution	Number	%
Government Hospital	576	55.2
Lokmanya Hospital	218	20.9
Dhoot Radiotherapy	106	10.2
TMH Mumbai	69	6.6
Unmatch	34	3.3
Other Small Hospital	20	1.9
Pune Hospital	15	1.4
Others	6	0.6
<b>Total</b>	<b>1044</b>	<b>100.0</b>

1. Institutions listed have registered at least one percent of all cases in the registry for the combined years 2009-2010.
2. The numbers and proportion listed are the minimum number of cases. Institutions could have registered/ reported more cases, since duplicate registrations and non-resident/registry cases are not included.

**Figure AUR -1**  
**Population Pyramid showing Age Distribution: 2009-2010**  
**AURANGABAD**



**TABLE AUR-2**  
**Population by Five Year Age Group and Gender: 2009-2010**  
*Number and Relative Proportion (%)*  
**AURANGABAD**

Age Group	Males		Females	
	Number	%	Number	%
00-04	134975	10.19	109245	9.00
05-09	144491	10.90	128963	10.62
10-14	173931	13.13	149957	12.35
15-19	145482	10.98	120069	9.89
20-24	120761	9.11	124397	10.25
25-29	118536	8.95	127960	10.54
30-34	114759	8.66	106265	8.75
35-39	101736	7.68	92670	7.63
40-44	80365	6.07	58013	4.78
45-49	56009	4.23	46343	3.82
50-54	37946	2.86	28350	2.34
55-59	24243	1.83	26791	2.21
60-64	21296	1.61	30684	2.53
65-69	23307	1.76	30602	2.52
70-74	15052	1.14	17681	1.46
75+	12155	0.92	16052	1.32
<b>Total</b>	<b>1325044</b>	<b>100.00</b>	<b>1214042</b>	<b>100.00</b>

## TABLE AUR-3(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2009-2010 - Males

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	3	0.60
C01-C02	Tongue	-	-	-	-	-	1	2	8	3	3	4	4	1	3	-	2	-	31	6.15
C03-C06	Mouth	-	-	-	-	2	2	5	12	8	5	9	4	7	3	2	5	-	64	12.70
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	3	0.60
C09	Tonsil	-	-	-	-	-	-	-	1	-	2	1	-	2	1	1	-	-	8	1.59
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	3	0.60
C11	Nasopharynx	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	3	0.60
C12-C13	Hypopharynx	-	-	-	-	-	-	1	-	3	2	-	1	7	5	3	3	-	25	4.96
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	3	0.60
C15	Oesophagus	-	-	-	-	-	2	1	3	1	3	6	3	1	5	3	-	-	28	5.56
C16	Stomach	-	-	-	1	-	-	-	2	1	3	3	1	-	4	-	-	-	15	2.98
C17	Small Intestine	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	0.40
C18	Colon	-	-	-	-	-	-	1	-	1	-	3	1	1	1	-	-	-	8	1.59
C19-C20	Rectum	-	-	1	2	-	-	2	4	3	2	-	3	2	3	-	1	-	23	4.56
C21	Anus & Anal Canal	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	3	0.60
C22	Liver	-	-	-	-	1	-	1	1	-	-	-	2	1	2	-	1	-	9	1.79
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	0.40
C25	Pancreas	-	-	-	-	-	1	-	1	3	-	-	-	-	1	1	-	-	7	1.39
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	4	0.79
C32	Larynx	-	-	-	-	1	-	1	1	-	2	6	9	4	5	2	1	-	32	6.35
C33-C34	Lung etc.	1	-	-	-	-	1	2	2	5	3	2	3	3	11	4	2	-	39	7.74
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	1	-	4	2	-	-	-	1	-	8	1.59
C40-C41	Bone	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	3	0.60
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	1	1	1	-	2	1	-	2	-	-	-	2	1	-	11	2.18
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	1	-	-	-	1	1	1	1	-	-	1	1	-	1	-	8	1.59
C50	Breast	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	0.40
C60	Penis	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	2	0.40
C61	Prostate	-	-	-	-	-	-	-	-	-	1	-	1	1	3	-	4	-	10	1.98
C62	Testis	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	0.40
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	1	-	-	1	-	-	-	-	-	2	1	1	-	-	1	-	-	7	1.39
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	1	-	-	-	2	5	3	4	2	2	1	-	20	3.97
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, NS	-	1	1	-	2	3	-	2	1	-	1	5	2	1	-	-	-	19	3.77
C73	Thyroid	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	2	0.40
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	2	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	5	0.99
C82-C85,C96	NHL	-	1	1	1	1	-	1	5	2	-	1	2	3	1	3	2	-	24	4.76
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	2	-	1	1	1	-	2	2	1	-	-	10	1.98
C91	Lymphoid Leuk.	1	1	1	2	1	2	-	-	-	1	-	-	1	2	-	-	-	12	2.38
C92-C94	Myeloid Leukaemia	-	1	2	-	-	1	-	3	-	2	1	1	1	-	-	-	-	12	2.38
C95	Leukaemia Uns	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	0.20
O&U*	Other and Uns	-	1	-	-	1	-	-	1	2	3	1	3	8	7	1	3	-	31	6.15
	<b>All Sites</b>	<b>3</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>13</b>	<b>17</b>	<b>25</b>	<b>49</b>	<b>40</b>	<b>43</b>	<b>52</b>	<b>53</b>	<b>59</b>	<b>67</b>	<b>28</b>	<b>31</b>	<b>-</b>	<b>504</b>	<b>100.0</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

## TABLE AUR-3(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2009-2010 - Females

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	-	-	-	-	-	-	1	-	-	2	1	-	2	3	1	-	-	10	1.85
C03-C06	Mouth	-	-	-	-	-	-	1	1	1	4	3	2	1	3	-	-	-	16	2.96
C07-C08	Salivary Gland	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-	-	4	0.74
C09	Tonsil	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.19
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.19
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-C13	Hypopharynx	-	-	-	-	-	-	1	1	1	-	-	1	1	1	1	1	-	8	1.48
C14	Pharynx Unspecified	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	3	0.56
C15	Oesophagus	-	-	-	-	-	-	-	-	4	1	1	1	4	4	5	3	-	23	4.26
C16	Stomach	-	-	-	-	1	1	-	1	-	2	1	1	-	-	-	-	-	7	1.30
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	2	1	1	1	1	2	-	-	-	-	-	8	1.48
C19-C20	Rectum	-	-	-	-	1	1	-	1	1	1	2	-	2	1	-	1	-	11	2.04
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	4	0.74
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.19
C25	Pancreas	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	4	0.74
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	3	0.56
C32	Larynx	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	3	0.56
C33-C34	Lung etc.	-	-	-	-	-	1	1	1	2	1	-	3	2	3	2	2	-	18	3.33
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	3	0.56
C40-C41	Bone	-	-	1	2	-	2	-	-	-	-	-	-	1	-	-	-	-	6	1.11
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	2	1	-	-	1	1	2	-	-	-	7	1.30
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	1	1	1	-	1	-	1	2	-	-	-	-	-	7	1.30
C50	Breast	-	-	-	-	-	7	11	14	25	30	20	17	12	18	4	4	-	162	30.00
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	3	0.56
C53	Cervix Uteri	-	-	-	-	-	-	4	7	14	17	13	16	9	18	10	5	-	113	20.93
C54	Corpus Uteri	-	-	-	-	-	-	-	-	-	2	3	2	-	2	-	-	-	9	1.67
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C56	Ovary etc.	-	-	-	-	1	-	1	6	-	5	1	5	3	4	1	-	-	27	5.00
C57	Other Female Genital	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	0.19
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	0.56
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	3	0.56
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.19
C70-C72	Brain, NS	-	-	3	1	-	1	-	-	1	-	-	2	1	-	1	-	-	10	1.85
C73	Thyroid	-	-	-	-	1	-	-	1	2	1	-	1	-	-	-	-	-	6	1.11
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	3	0.56
C82-C85,C96	NHL	-	-	1	-	-	1	-	1	-	1	1	-	1	1	3	1	-	11	2.04
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	4	0.74
C91	Lymphoid Leuk.	1	2	1	-	1	-	-	-	-	-	1	1	-	1	-	-	-	8	1.48
C92-C94	Myeloid Leukaemia	-	-	1	-	2	-	-	-	2	1	1	2	-	1	-	-	-	10	1.85
C95	Leukaemia Uns	-	-	-	-	1	1	-	-	-	-	-	-	-	2	-	-	-	4	0.74
O&U*	Other and Uns	-	-	-	-	1	-	-	-	1	1	1	3	2	3	2	-	-	14	2.59
	<b>All Sites</b>	<b>1</b>	<b>4</b>	<b>7</b>	<b>3</b>	<b>11</b>	<b>17</b>	<b>25</b>	<b>41</b>	<b>59</b>	<b>76</b>	<b>53</b>	<b>65</b>	<b>52</b>	<b>72</b>	<b>34</b>	<b>20</b>	<b>-</b>	<b>540</b>	<b>100.0</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE AUR-4(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2009-2010 - Males**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	0.9	-	1.2	1.8	-	-	-	-	-	-	0.2	0.23	0.14	0.6
C01-C02	-	-	-	-	-	0.8	1.7	7.9	3.7	5.4	10.5	16.5	4.7	12.9	-	16.5	2.3	3.28	0.64	7.7
C03-C06	-	-	-	-	1.7	1.7	4.4	11.8	10.0	8.9	23.7	16.5	32.9	12.9	13.3	41.1	4.8	7.00	0.95	16.1
C07-C08	-	-	-	-	-	-	-	-	-	-	-	4.1	4.7	-	-	8.2	0.2	0.52	0.30	1.1
C09	-	-	-	-	-	-	-	1.0	-	3.6	2.6	-	9.4	4.3	6.6	-	0.6	1.04	0.39	2.5
C10	-	-	-	-	-	-	-	-	-	-	-	4.1	4.7	-	-	8.2	0.2	0.52	0.30	1.1
C11	-	-	-	-	0.8	-	-	-	-	-	-	-	4.7	-	6.6	-	0.2	0.39	0.24	0.6
C12-C13	-	-	-	-	-	-	0.9	-	3.7	3.6	-	4.1	32.9	21.5	19.9	24.7	1.9	3.51	0.73	6.2
C14	-	-	-	-	-	-	-	-	1.2	-	-	-	4.7	-	6.6	-	0.2	0.40	0.24	0.8
C15	-	-	-	-	-	1.7	0.9	2.9	1.2	5.4	15.8	12.4	4.7	21.5	19.9	-	2.1	3.28	0.65	6.6
C16	-	-	-	0.7	-	-	-	2.0	1.2	5.4	7.9	4.1	-	17.2	-	-	1.1	1.65	0.44	3.5
C17	-	-	-	-	-	-	-	-	-	1.8	-	4.1	-	-	-	-	0.2	0.27	0.20	0.9
C18	-	-	-	-	-	-	0.9	-	1.2	-	7.9	4.1	4.7	4.3	-	-	0.6	1.00	0.37	2.7
C19-C20	-	-	0.6	1.4	-	-	1.7	3.9	3.7	3.6	-	12.4	9.4	12.9	-	8.2	1.7	2.38	0.55	5.0
C21	-	-	-	-	-	0.8	-	-	1.2	-	2.6	-	-	-	-	-	0.2	0.27	0.17	0.7
C22	-	-	-	-	0.8	-	0.9	1.0	-	-	-	8.2	4.7	8.6	-	8.2	0.7	1.12	0.40	1.9
C23-C24	-	-	-	-	-	-	-	-	-	-	-	-	4.7	4.3	-	-	0.2	0.32	0.23	0.6
C25	-	-	-	-	-	0.8	-	1.0	3.7	-	-	-	-	4.3	6.6	-	0.5	0.61	0.24	0.9
C30-C31	-	-	-	-	-	0.8	0.9	-	-	1.8	-	-	4.7	-	-	-	0.3	0.41	0.23	1.0
C32	-	-	-	-	0.8	-	0.9	1.0	-	3.6	15.8	37.1	18.8	21.5	13.3	8.2	2.4	4.49	0.82	10.6
C33-C34	0.7	-	-	-	-	0.8	1.7	2.0	6.2	5.4	5.3	12.4	14.1	47.2	26.6	16.5	2.9	4.67	0.79	6.9
C37-C38	-	-	-	-	-	-	-	-	1.2	-	10.5	8.2	-	-	-	8.2	0.6	1.10	0.40	3.0
C40-C41	-	-	-	0.7	-	-	0.9	-	-	-	-	-	4.7	-	-	-	0.2	0.30	0.20	0.6
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	0.7	0.8	0.8	-	2.0	1.2	-	5.3	-	-	-	13.3	8.2	0.8	1.08	0.35	1.5
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	0.6	-	-	-	0.9	1.0	1.2	1.8	-	-	4.7	4.3	-	8.2	0.6	0.83	0.32	1.4
C50	-	-	-	-	-	-	-	-	-	-	-	4.1	-	4.3	-	-	0.2	0.29	0.21	0.5
C60	-	-	-	-	0.8	-	-	-	-	1.8	-	-	-	-	-	-	0.2	0.17	0.13	0.3
C61	-	-	-	-	-	-	-	-	-	1.8	-	4.1	4.7	12.9	-	32.9	0.8	1.50	0.48	1.5
C62	-	-	-	-	-	-	-	-	-	1.8	-	-	-	4.3	-	-	0.2	0.24	0.17	0.3
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	0.7	-	-	0.7	-	-	-	-	-	3.6	2.6	4.1	-	-	6.6	-	0.5	0.79	0.31	1.6
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	0.8	-	-	-	3.6	13.2	12.4	18.8	8.6	13.3	8.2	1.5	2.87	0.66	6.8
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	0.7	0.6	-	1.7	2.5	-	2.0	1.2	-	2.6	20.6	9.4	4.3	-	-	1.4	2.11	0.53	4.9
C73	-	-	-	-	-	-	0.9	-	-	-	-	-	-	-	-	8.2	0.2	0.22	0.17	-
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	1.4	0.6	-	-	-	0.9	-	-	-	-	-	-	4.3	-	-	0.4	0.37	0.18	-
C82-C85,C96	-	0.7	0.6	0.7	0.8	-	0.9	4.9	2.5	-	2.6	8.2	14.1	4.3	19.9	16.5	1.8	2.63	0.59	4.7
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	1.7	-	1.2	1.8	2.6	-	9.4	8.6	6.6	-	0.8	1.18	0.40	2.2
C91	0.7	0.7	0.6	1.4	0.8	1.7	-	-	-	1.8	-	-	4.7	8.6	-	-	0.9	1.09	0.34	1.0
C92-C94	-	0.7	1.1	-	-	0.8	-	2.9	-	3.6	2.6	4.1	4.7	-	-	-	0.9	1.12	0.36	2.8
C95	-	-	-	-	0.8	-	-	-	-	-	-	-	-	-	-	-	0.1	0.07	0.07	-
O&U*	-	0.7	-	-	0.8	-	-	1.0	2.5	5.4	2.6	12.4	37.6	30.0	6.6	24.7	2.3	4.32	0.81	8.6
<b>All</b>	<b>2.2</b>	<b>4.8</b>	<b>4.6</b>	<b>6.2</b>	<b>10.8</b>	<b>14.3</b>	<b>21.8</b>	<b>48.2</b>	<b>49.8</b>	<b>76.8</b>	<b>137.0</b>	<b>218.6</b>	<b>277.0</b>	<b>287.5</b>	<b>186.0</b>	<b>255.0</b>	<b>38.0</b>	<b>59.6</b>	<b>2.84</b>	<b>119.9</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE AUR-4(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2009-2010 - Females**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	-	-	-	-	-	-	0.9	-	-	4.3	3.5	-	6.5	9.8	5.7	-	0.8	1.16	0.38	2.2
C03-C06	-	-	-	-	-	-	0.9	1.1	1.7	8.6	10.6	7.5	3.3	9.8	-	-	1.3	1.99	0.52	5.3
C07-C08	-	-	-	-	-	0.8	-	-	1.7	-	-	-	3.3	3.3	-	-	0.3	0.39	0.20	0.8
C09	-	-	-	-	-	-	-	-	-	2.2	-	-	-	-	-	-	0.1	0.13	0.13	0.4
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.7	-	0.1	0.11	0.11	-
C11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-C13	-	-	-	-	-	-	0.9	1.1	1.7	-	-	3.7	3.3	3.3	5.7	6.2	0.7	0.84	0.31	1.4
C14	-	-	-	-	-	-	-	1.1	-	2.2	-	-	-	3.3	-	-	0.2	0.29	0.17	0.6
C15	-	-	-	-	-	-	-	-	6.9	2.2	3.5	3.7	13.0	13.1	28.3	18.7	1.9	2.72	0.57	4.5
C16	-	-	-	-	0.8	0.8	-	1.1	-	4.3	3.5	3.7	-	-	-	-	0.6	0.78	0.31	2.1
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	1.9	1.1	1.7	2.2	3.5	7.5	-	-	-	-	0.7	0.89	0.34	2.5
C19-C20	-	-	-	-	0.8	0.8	-	1.1	1.7	2.2	7.1	-	6.5	3.3	-	6.2	0.9	1.26	0.40	2.9
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	-	-	-	-	-	-	-	-	-	-	3.5	3.7	-	-	11.3	-	0.3	0.55	0.28	1.1
C23-C24	-	-	-	-	-	-	-	-	-	-	-	-	3.3	-	-	-	0.1	0.13	0.13	0.4
C25	-	-	-	-	-	-	-	-	-	2.2	3.5	-	3.3	3.3	-	-	0.3	0.53	0.27	1.4
C30-C31	-	-	-	-	-	-	-	-	-	2.2	-	-	3.3	-	-	6.2	0.2	0.38	0.22	0.8
C32	-	-	-	-	-	-	-	-	1.7	-	-	3.7	3.3	-	-	-	0.2	0.38	0.22	1.2
C33-C34	-	-	-	-	-	0.8	0.9	1.1	3.4	2.2	-	11.2	6.5	9.8	11.3	12.5	1.5	2.00	0.49	3.6
C37-C38	-	-	-	-	-	-	-	2.2	-	-	-	-	-	3.3	-	-	0.2	0.23	0.13	0.4
C40-C41	-	-	0.7	1.7	-	1.6	-	-	-	-	-	-	3.3	-	-	-	0.5	0.47	0.20	0.4
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	2.2	1.7	-	-	3.7	3.3	6.5	-	-	0.6	0.71	0.28	1.7
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	0.8	0.8	0.9	-	1.7	-	3.5	7.5	-	-	-	-	0.6	0.76	0.31	1.9
C50	-	-	-	-	-	5.5	10.4	15.1	43.1	64.7	70.5	63.5	39.1	58.8	22.6	24.9	13.3	18.78	1.54	48.4
C51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	-	-	-	-	-	-	0.9	1.1	-	-	-	-	3.3	-	-	-	0.2	0.25	0.16	0.6
C53	-	-	-	-	-	-	3.8	7.6	24.1	36.7	45.9	59.7	29.3	58.8	56.6	31.1	9.3	13.70	1.33	32.1
C54	-	-	-	-	-	-	-	-	4.3	10.6	7.5	-	6.5	-	-	-	0.7	1.28	0.44	3.5
C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C56	-	-	-	-	0.8	-	0.9	6.5	-	10.8	3.5	18.7	9.8	13.1	5.7	-	2.2	2.98	0.60	7.6
C57	-	-	-	-	-	-	0.9	-	-	-	-	-	-	-	-	-	0.1	0.06	0.06	-
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	1.6	-	-	-	-	-	-	-	-	-	-	3.3	-	-	-	0.2	0.29	0.17	0.4
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	2.2	-	-	-	-	5.7	6.2	0.2	0.37	0.21	0.4
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	3.3	-	-	-	0.1	0.13	0.13	0.4
C70-C72	-	-	2.0	0.8	-	0.8	-	-	1.7	-	-	7.5	3.3	-	5.7	-	0.8	0.96	0.32	1.7
C73	-	-	-	-	0.8	-	-	1.1	3.4	2.2	-	3.7	-	-	-	-	0.5	0.61	0.26	1.8
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	0.8	-	-	-	-	-	-	3.7	3.3	-	-	-	0.2	0.34	0.21	0.9
C82-C85,C96	-	-	0.7	-	-	0.8	-	1.1	-	2.2	3.5	-	3.3	3.3	17.0	6.2	0.9	1.19	0.37	1.6
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	2.2	-	-	3.3	3.3	-	6.2	0.3	0.48	0.24	0.8
C91	0.9	1.6	0.7	-	0.8	-	-	-	-	-	3.5	3.7	-	3.3	-	-	0.7	0.81	0.31	1.1
C92-C94	-	-	0.7	-	1.6	-	-	-	3.4	2.2	3.5	7.5	-	3.3	-	-	0.8	1.10	0.37	2.6
C95	-	-	-	-	0.8	0.8	-	-	-	-	-	-	-	6.5	-	-	0.3	0.32	0.17	-
O&U *	-	-	-	-	0.8	-	-	-	1.7	2.2	3.5	11.2	6.5	9.8	11.3	-	1.2	1.70	0.47	3.6
<b>All</b>	<b>0.9</b>	<b>3.1</b>	<b>4.7</b>	<b>2.5</b>	<b>8.8</b>	<b>13.3</b>	<b>23.5</b>	<b>44.2</b>	<b>101.7</b>	<b>164.0</b>	<b>186.9</b>	<b>242.6</b>	<b>169.5</b>	<b>235.3</b>	<b>192.3</b>	<b>124.6</b>	<b>44.5</b>	<b>62.1</b>	<b>2.78</b>	<b>143.3</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE AUR-5(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2009-2010 - Males**

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C01-C02	Tongue	-	-	31	100.0	-	-	-	-	-	-	-	-	31	100.0
C03-C06	Mouth	-	-	64	100.0	-	-	-	-	-	-	-	-	64	100.0
C07-C08	Salivary Gland	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C09	Tonsil	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C10	Oth. Oropharynx	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C11	Nasopharynx	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C12-C13	Hypopharynx	-	-	25	100.0	-	-	-	-	-	-	-	-	25	100.0
C14	Pharynx Unspecified	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C15	Oesophagus	1	3.6	27	96.4	-	-	-	-	-	-	-	-	28	100.0
C16	Stomach	-	-	14	93.3	-	-	1	6.7	-	-	-	-	15	100.0
C17	Small Intestine	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C18	Colon	-	-	7	87.5	-	-	1	12.5	-	-	-	-	8	100.0
C19-C20	Rectum	-	-	22	95.7	-	-	1	4.3	-	-	-	-	23	100.0
C21	Anus & Anal Canal	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C22	Liver	-	-	6	66.7	-	-	3	33.3	-	-	-	-	9	100.0
C23-C24	Gallbladder etc.	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C25	Pancreas	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C30-C31	Nose, Sinuses etc.	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C32	Larynx	-	-	31	96.9	-	-	1	3.1	-	-	-	-	32	100.0
C33-C34	Lung etc.	-	-	35	89.7	-	-	4	10.3	-	-	-	-	39	100.0
C37-C38	Other Thoracic Organs	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C40-C41	Bone	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	11	100.0	-	-	-	-	-	-	-	-	11	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C50	Breast	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C60	Penis	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C61	Prostate	-	-	9	90.0	-	-	1	10.0	-	-	-	-	10	100.0
C62	Testis	1	50.0	1	50.0	-	-	-	-	-	-	-	-	2	100.0
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	20	100.0	-	-	-	-	-	-	-	-	20	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, Nervous System	-	-	19	100.0	-	-	-	-	-	-	-	-	19	100.0
C73	Thyroid	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C82-C85,C96	NHL	-	-	24	100.0	-	-	-	-	-	-	-	-	24	100.0
C88	Malignant Imm. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	10	100.0	-	-	-	-	-	-	-	-	10	100.0
C91	Lymphoid Leuk.	-	-	12	100.0	-	-	-	-	-	-	-	-	12	100.0
C92-C94	Myeloid Leukaemia	-	-	12	100.0	-	-	-	-	-	-	-	-	12	100.0
C95	Leukaemia Uns	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
O&U *	Other and Uns	-	-	25	80.6	-	-	6	19.4	-	-	-	-	31	100.0
	<b>All Sites</b>	<b>2</b>	<b>0.4</b>	<b>484</b>	<b>96.0</b>	<b>-</b>	<b>-</b>	<b>18</b>	<b>3.6</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>504</b>	<b>100.0</b>

\* O&U includes the Sites ( ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)



**TABLE AUR-5(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2009-2010 - Females**

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	-	-	9	90.0	-	-	1	10.0	-	-	-	-	10	100.0
C03-C06	Mouth	-	-	15	93.8	-	-	1	6.3	-	-	-	-	16	100.0
C07-C08	Salivary Gland	1	25.0	3	75.0	-	-	-	-	-	-	-	-	4	100.0
C09	Tonsil	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C10	Oth. Oropharynx	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-C13	Hypopharynx	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C14	Pharynx Unspecified	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C15	Oesophagus	-	-	23	100.0	-	-	-	-	-	-	-	-	23	100.0
C16	Stomach	-	-	6	85.7	-	-	1	14.3	-	-	-	-	7	100.0
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C19-C20	Rectum	-	-	11	100.0	-	-	-	-	-	-	-	-	11	100.0
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	3	75.0	-	-	1	25.0	-	-	-	-	4	100.0
C23-C24	Gallbladder etc.	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C25	Pancreas	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C30-C31	Nose, Sinuses etc.	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C32	Larynx	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C33-C34	Lung etc.	-	-	16	88.9	-	-	2	11.1	-	-	-	-	18	100.0
C37-C38	Other Thoracic Organs	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C40-C41	Bone	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C50	Breast	-	-	161	99.4	-	-	1	0.6	-	-	-	-	162	100.0
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C53	Cervix Uteri	-	-	109	96.5	-	-	4	3.5	-	-	-	-	113	100.0
C54	Corpus Uteri	-	-	9	100.0	-	-	-	-	-	-	-	-	9	100.0
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C56	Ovary etc.	-	-	26	96.3	-	-	1	3.7	-	-	-	-	27	100.0
C57	Other Female Genital	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C70-C72	Brain, Nervous System	-	-	10	100.0	-	-	-	-	-	-	-	-	10	100.0
C73	Thyroid	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C82-C85,C96	NHL	-	-	11	100.0	-	-	-	-	-	-	-	-	11	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C91	Lymphoid Leuk.	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C92-C94	Myeloid Leukaemia	-	-	10	100.0	-	-	-	-	-	-	-	-	10	100.0
C95	Leukaemia Uns	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
O&U *	Other and Uns	-	-	10	71.4	-	-	4	28.6	-	-	-	-	14	100.0
	<b>All Sites</b>	<b>2</b>	<b>0.4</b>	<b>522</b>	<b>96.7</b>	<b>-</b>	<b>-</b>	<b>16</b>	<b>3.0</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>540</b>	<b>100.0</b>

\* O&amp;U includes the Sites ( ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE AUR-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2009-2010 - Males**

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C01-C02	Tongue	31	100.0	-	-	-	-	-	-	-	-	-	-	31	100.0
C03-C06	Mouth	64	100.0	-	-	-	-	-	-	-	-	-	-	64	100.0
C07-C08	Salivary Gland	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C09	Tonsil	8	100.0	-	-	-	-	-	-	-	-	-	-	8	100.0
C10	Oth. Oropharynx	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C11	Nasopharynx	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C12-C13	Hypopharynx	25	100.0	-	-	-	-	-	-	-	-	-	-	25	100.0
C14	Pharynx Unspecified	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C15	Oesophagus	27	96.4	-	-	-	-	-	-	-	-	1	3.6	28	100.0
C16	Stomach	14	93.3	-	-	-	-	-	-	-	-	1	6.7	15	100.0
C17	Small Intestine	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C18	Colon	7	87.5	-	-	-	-	-	-	-	-	1	12.5	8	100.0
C19-C20	Rectum	22	95.7	-	-	-	-	-	-	-	-	1	4.3	23	100.0
C21	Anus & Anal Canal	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C22	Liver	6	66.7	-	-	-	-	-	-	-	-	3	33.3	9	100.0
C23-C24	Gallbladder etc.	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C25	Pancreas	7	100.0	-	-	-	-	-	-	-	-	-	-	7	100.0
C30-C31	Nose, Sinuses etc.	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C32	Larynx	31	96.9	-	-	-	-	-	-	-	-	1	3.1	32	100.0
C33-C34	Lung etc.	34	87.2	-	-	1	2.6	-	-	-	-	4	10.3	39	100.0
C37-C38	Other Thoracic Organs	8	100.0	-	-	-	-	-	-	-	-	-	-	8	100.0
C40-C41	Bone	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	11	100.0	-	-	-	-	-	-	-	-	-	-	11	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	8	100.0	-	-	-	-	-	-	-	-	-	-	8	100.0
C50	Breast	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C60	Penis	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C61	Prostate	9	90.0	-	-	-	-	-	-	-	-	1	10.0	10	100.0
C62	Testis	1	50.0	-	-	-	-	-	-	-	-	1	50.0	2	100.0
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	7	100.0	-	-	-	-	-	-	-	-	-	-	7	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	20	100.0	-	-	-	-	-	-	-	-	-	-	20	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, Nervous System	19	100.0	-	-	-	-	-	-	-	-	-	-	19	100.0
C73	Thyroid	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C82-C85,C96	NHL	24	100.0	-	-	-	-	-	-	-	-	-	-	24	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	10	100.0	-	-	10	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	12	100.0	-	-	12	100.0
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	-	-	12	100.0	-	-	12	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	1	100.0	-	-	1	100.0
O&U *	Other and Uns	10	32.3	15	48.4	-	-	-	-	-	-	6	19.4	31	100.0
	<b>All Sites</b>	<b>433</b>	<b>85.9</b>	<b>15</b>	<b>3.0</b>	<b>1</b>	<b>0.2</b>	<b>-</b>	<b>-</b>	<b>35</b>	<b>6.9</b>	<b>20</b>	<b>4.0</b>	<b>504</b>	<b>100.0</b>

\* O&amp;U includes the Sites ( ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE AUR-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2009-2010 - Females**

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	9	90.0	-	-	-	-	-	-	-	-	1	10.0	10	100.0
C03-C06	Mouth	15	93.8	-	-	-	-	-	-	-	-	1	6.3	16	100.0
C07-C08	Salivary Gland	3	75.0	-	-	-	-	-	-	-	-	1	25.0	4	100.0
C09	Tonsil	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C10	Oth. Oropharynx	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-C13	Hypopharynx	8	100.0	-	-	-	-	-	-	-	-	-	-	8	100.0
C14	Pharynx Unspecified	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C15	Oesophagus	23	100.0	-	-	-	-	-	-	-	-	-	-	23	100.0
C16	Stomach	6	85.7	-	-	-	-	-	-	-	-	1	14.3	7	100.0
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	8	100.0	-	-	-	-	-	-	-	-	-	-	8	100.0
C19-C20	Rectum	11	100.0	-	-	-	-	-	-	-	-	-	-	11	100.0
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	3	75.0	-	-	-	-	-	-	-	-	1	25.0	4	100.0
C23-C24	Gallbladder etc.	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C25	Pancreas	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C30-C31	Nose, Sinuses etc.	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C32	Larynx	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C33-C34	Lung etc.	16	88.9	-	-	-	-	-	-	-	-	2	11.1	18	100.0
C37-C38	Other Thoracic Organs	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C40-C41	Bone	6	100.0	-	-	-	-	-	-	-	-	-	-	6	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	7	100.0	-	-	-	-	-	-	-	-	-	-	7	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	7	100.0	-	-	-	-	-	-	-	-	-	-	7	100.0
C50	Breast	160	98.8	1	0.6	-	-	-	-	-	-	1	0.6	162	100.0
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C53	Cervix Uteri	109	96.5	-	-	-	-	-	-	-	-	4	3.5	113	100.0
C54	Corpus Uteri	9	100.0	-	-	-	-	-	-	-	-	-	-	9	100.0
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C56	Ovary etc.	26	96.3	-	-	-	-	-	-	-	-	1	3.7	27	100.0
C57	Other Female Genital	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C70-C72	Brain, Nervous System	10	100.0	-	-	-	-	-	-	-	-	-	-	10	100.0
C73	Thyroid	6	100.0	-	-	-	-	-	-	-	-	-	-	6	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C82-C85,C96	NHL	11	100.0	-	-	-	-	-	-	-	-	-	-	11	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	4	100.0	-	-	4	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	8	100.0	-	-	8	100.0
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	-	-	10	100.0	-	-	10	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	4	100.0	-	-	4	100.0
O&U*	Other and Uns	7	50.0	3	21.4	-	-	-	-	-	-	4	28.6	14	100.0
	<b>All Sites</b>	<b>492</b>	<b>91.1</b>	<b>4</b>	<b>0.7</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>26</b>	<b>4.8</b>	<b>18</b>	<b>3.3</b>	<b>540</b>	<b>100.0</b>

\* O&amp;U includes the Sites ( ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

## TABLE AUR-7(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2009-2010 – Males

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	4	3.36
C03-C06	Mouth	-	-	-	-	-	-	-	2	-	-	-	-	1	1	1	1	-	6	5.04
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	3	2.52
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	3	2.52
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.84
C15	Oesophagus	-	-	-	-	-	-	1	-	-	-	2	1	-	1	1	-	-	6	5.04
C16	Stomach	-	-	-	1	-	-	-	1	-	1	-	1	-	2	-	-	-	6	5.04
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.84
C18	Colon	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.84
C19-C20	Rectum	-	-	1	1	-	-	1	1	-	1	-	-	1	1	-	-	-	7	5.88
C21	Anus & Anal Canal	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	0.84
C22	Liver	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	1	-	4	3.36
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.84
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	3	2.52
C33-C34	Lung etc.	-	-	-	-	-	-	2	1	3	1	2	1	-	6	2	2	-	20	16.81
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.84
C40-C41	Bone	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.84
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.84
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	2	1.68
C50	Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C60	Penis	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.84
C61	Prostate	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	3	2.52
C62	Testis	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.84
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	1.68
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	3	2.52
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, Nervous System	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.84
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.84
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.84
C82-C85, C96	NHL	-	-	-	1	-	-	-	1	1	1	-	1	2	-	-	-	-	7	5.88
C88	Malignant Imm. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	2	-	1	-	-	-	-	1	1	-	-	5	4.20
C91	Lymphoid Leuk.	-	1	-	2	-	1	-	-	-	-	-	-	1	1	-	-	-	6	5.04
C92-C94	Myeloid Leukaemia	-	-	-	-	-	1	-	-	-	2	-	2	1	-	-	-	-	6	5.04
C95	Leukaemia Uns	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	0.84
O&U*	Other and Uns	-	-	-	-	-	-	1	-	1	1	-	1	3	2	-	-	-	9	7.56
	<b>All Sites</b>	-	<b>1</b>	<b>1</b>	<b>5</b>	<b>2</b>	<b>3</b>	<b>8</b>	<b>6</b>	<b>9</b>	<b>11</b>	<b>8</b>	<b>11</b>	<b>16</b>	<b>19</b>	<b>9</b>	<b>10</b>	-	<b>119</b>	<b>100.00</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

## TABLE AUR-7(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2009-2010 – Females

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1.20
C03-C06	Mouth	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	2	2.41
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1.20
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	4	4.82
C16	Stomach	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1.20
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	2.41
C19-C20	Rectum	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	3	3.61
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	3	3.61
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C33-C34	Lung etc.	-	-	-	-	-	-	-	-	1	1	-	1	2	1	2	1	-	9	10.84
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1.20
C50	Breast	-	-	-	-	-	-	1	-	2	1	2	-	1	5	1	2	-	15	18.07
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	Cervix Uteri	-	-	-	-	-	-	-	-	-	-	1	1	2	4	3	1	-	12	14.46
C54	Corpus Uteri	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C56	Ovary etc.	-	-	-	-	-	-	-	1	-	-	1	2	-	1	1	-	-	6	7.23
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1.20
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1.20
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	-	-	4	4.82
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	2	2.41
C92-C94	Myeloid Leukaemia	-	-	1	-	2	-	-	-	-	1	1	2	-	1	-	-	-	8	9.64
C95	Leukaemia Uns	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	3	3.61
O&U*	Other and Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	4	4.82
	<b>All Sites</b>	-	-	<b>1</b>	-	<b>4</b>	<b>4</b>	<b>1</b>	<b>2</b>	<b>5</b>	<b>3</b>	<b>7</b>	<b>9</b>	<b>7</b>	<b>17</b>	<b>15</b>	<b>8</b>	-	<b>83</b>	<b>100.00</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE AUR-8(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2009-2010 - Males**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	-	-	-	-	-	-	-	-	3.7	1.8	-	-	-	-	-	-	0.3	0.3	0.17	1.1
C03-C06	-	-	-	-	-	-	-	2.0	-	-	-	-	4.7	4.3	6.6	8.2	0.5	0.7	0.32	1.0
C07-C08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	-	-	-	-	-	-	-	-	-	1.8	-	-	4.7	-	6.6	-	0.2	0.4	0.25	1.0
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-C13	-	-	-	-	-	-	-	-	-	-	-	-	4.7	-	-	16.5	0.2	0.5	0.30	0.6
C14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.6	-	0.1	0.1	0.13	-
C15	-	-	-	-	-	-	0.9	-	-	-	5.3	4.1	-	4.3	6.6	-	0.5	0.7	0.31	1.4
C16	-	-	-	0.7	-	-	-	1.0	-	1.8	-	4.1	-	8.6	-	-	0.5	0.7	0.28	1.1
C17	-	-	-	-	-	-	-	-	-	-	-	4.1	-	-	-	-	0.1	0.2	0.16	0.5
C18	-	-	-	-	-	-	-	-	-	-	-	-	4.7	-	-	-	0.1	0.2	0.19	0.6
C19-C20	-	-	0.6	0.7	-	-	0.9	1.0	-	1.8	-	-	4.7	4.3	-	-	0.5	0.6	0.28	1.1
C21	-	-	-	-	-	0.8	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.07	-
C22	-	-	-	-	0.8	-	-	-	-	-	-	-	4.7	4.3	-	8.2	0.3	0.5	0.29	0.6
C23-C24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.6	-	0.1	0.1	0.13	-
C30-C31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	-	-	-	-	-	-	5.3	-	4.7	-	-	-	0.2	0.5	0.26	1.5
C33-C34	-	-	-	-	-	-	1.7	1.0	3.7	1.8	5.3	4.1	-	25.7	13.3	16.5	1.5	2.3	0.54	2.6
C37-C38	-	-	-	-	-	-	-	-	-	-	2.6	-	-	-	-	-	0.1	0.1	0.13	0.4
C40-C41	-	-	-	-	-	-	-	-	-	-	-	-	4.7	-	-	-	0.1	0.2	0.19	0.6
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.2	0.1	0.2	0.16	-
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	0.9	-	-	-	-	-	-	-	-	8.2	0.2	0.2	0.17	-
C50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C60	-	-	-	-	-	-	-	-	-	1.8	-	-	-	-	-	-	0.1	0.1	0.11	0.3
C61	-	-	-	-	-	-	-	-	-	-	-	8.2	-	-	-	8.2	0.2	0.5	0.29	1.1
C62	-	-	-	-	-	-	-	-	-	-	-	-	4.3	-	-	-	0.1	0.1	0.13	-
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	1.8	-	-	-	4.3	-	-	-	0.2	0.2	0.17	0.3
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	2.6	-	4.7	-	6.6	-	0.2	0.5	0.27	1.0
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	-	-	-	-	-	-	-	-	-	-	4.1	-	-	-	-	0.1	0.2	0.16	0.5
C73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.2	0.1	0.2	0.16	-
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	4.3	-	-	-	0.1	0.1	0.13	-
C82-C85,C96	-	-	-	0.7	-	-	-	1.0	1.2	1.8	-	4.1	9.4	-	-	-	0.5	0.8	0.35	2.5
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	1.7	-	1.2	-	-	-	-	4.3	6.6	-	0.4	0.4	0.21	0.2
C91	-	0.7	-	1.4	-	0.8	-	-	-	-	-	-	4.7	4.3	-	-	0.5	0.6	0.26	0.6
C92-C94	-	-	-	-	-	0.8	-	-	-	3.6	-	8.2	4.7	-	-	-	0.5	0.8	0.34	2.4
C95	-	-	-	-	0.8	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.07	-
O&U *	-	-	-	-	-	-	0.9	-	1.2	1.8	-	4.1	14.1	8.6	-	-	0.7	1.2	0.43	2.9
All	-	0.7	0.6	3.4	1.7	2.5	7.0	5.9	11.2	19.6	21.1	45.4	75.1	81.5	59.8	82.3	9.0	14.5	1.42	26.1

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE AUR-8(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2009-2010 - Females**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	-	-	-	-	-	-	-	-	-	-	3.5	-	-	-	-	-	0.1	0.2	0.18	0.6
C03-C06	-	-	-	-	-	-	-	-	-	-	3.5	3.7	-	-	-	-	0.2	0.3	0.23	1.1
C07-C08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-C13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.7	-	0.1	0.1	0.11	-
C14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	-	-	-	-	-	-	-	-	-	-	-	-	3.3	-	5.7	12.5	0.3	0.5	0.25	0.4
C16	-	-	-	-	-	0.8	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.06	-
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	-	1.1	1.7	-	-	-	-	-	-	-	0.2	0.2	0.12	0.5
C19-C20	-	-	-	-	0.8	0.8	-	-	-	-	-	-	-	-	-	6.2	0.2	0.3	0.15	-
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	-	-	-	-	-	-	-	-	-	-	-	3.7	-	-	11.3	-	0.2	0.4	0.22	0.5
C23-C24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30-C31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C33-C34	-	-	-	-	-	-	-	-	1.7	2.2	-	3.7	6.5	3.3	11.3	6.2	0.7	1.1	0.37	2.1
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	-	1.7	-	-	-	-	-	-	-	0.1	0.1	0.10	0.3
C50	-	-	-	-	-	-	0.9	-	3.4	2.2	7.1	-	3.3	16.3	5.7	12.5	1.2	1.7	0.46	2.6
C51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	-	-	-	-	-	-	-	-	-	-	3.5	3.7	6.5	13.1	17.0	6.2	1.0	1.4	0.42	1.9
C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C56	-	-	-	-	-	-	-	1.1	-	-	3.5	7.5	-	3.3	5.7	-	0.5	0.8	0.32	1.7
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	-	-	3.3	-	-	-	0.1	0.1	0.13	0.4
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.2	0.1	0.1	0.12	-
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	-	-	-	-	-	0.8	-	-	-	-	-	-	-	3.3	11.3	-	0.3	0.4	0.20	-
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	-	-	-	-	0.8	-	-	-	-	-	-	3.7	-	-	-	-	0.2	0.2	0.16	0.5
C92-C94	-	-	0.7	-	1.6	-	-	-	-	2.2	3.5	7.5	-	3.3	-	-	0.7	0.9	0.34	1.9
C95	-	-	-	-	-	0.8	-	-	-	-	-	-	-	6.5	-	-	0.2	0.3	0.15	-
O&U *	-	-	-	-	-	-	-	-	-	-	-	-	-	6.5	11.3	-	0.3	0.4	0.21	-
<b>All</b>	<b>-</b>	<b>-</b>	<b>0.7</b>	<b>-</b>	<b>3.2</b>	<b>3.1</b>	<b>0.9</b>	<b>2.2</b>	<b>8.6</b>	<b>6.5</b>	<b>24.7</b>	<b>33.6</b>	<b>22.8</b>	<b>55.6</b>	<b>84.8</b>	<b>49.8</b>	<b>6.8</b>	<b>9.5</b>	<b>1.08</b>	<b>14.6</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE AUR-9(a): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)  
of individual sites (ICD-10) based on age specific rates  
(from 0-64 years and from 0-74 Years ) 2009-2010 - Males**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-C02	Tongue	0.3	0.3	0.3	0.3
C03-C06	Mouth	0.6	0.6	0.7	0.7
C07-C08	Salivary Gland	-	-	-	-
C09	Tonsil	0.1	0.1	0.1	0.1
C10	Oth. Oropharynx	-	-	-	-
C11	Nasopharynx	-	-	0.1	0.1
C12-C13	Hypopharynx	0.2	0.2	0.4	0.4
C14	Pharynx Unspecified	-	-	0.1	0.1
C15	Oesophagus	0.2	0.2	0.4	0.4
C16	Stomach	0.1	0.1	0.2	0.2
C17	Small Intestine	-	-	-	-
C18	Colon	0.1	0.1	0.1	0.1
C19-C20	Rectum	0.2	0.2	0.2	0.2
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	0.1	0.1	0.1	0.1
C23-C24	Gallbladder etc.	-	-	-	-
C25	Pancreas	-	-	0.1	0.1
C30-C31	Nose, Sinuses etc.	-	-	-	-
C32	Larynx	0.4	0.4	0.6	0.6
C33-C34	Lung etc.	0.2	0.2	0.6	0.6
C37-C38	Other Thoracic Organs	0.1	0.1	0.1	0.1
C40-C41	Bone	-	-	-	-
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.1	0.1	0.1	0.1
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	0.1	0.1	0.1	0.1
C50	Breast	-	-	-	-
C60	Penis	-	-	-	-
C61	Prostate	0.1	0.1	0.1	0.1
C62	Testis	-	-	-	-
C63	Other Male Genital	-	-	-	-
C64	Kidney etc.	0.1	0.1	0.1	0.1
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	0.2	0.2	0.4	0.4
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.2	0.2	0.2	0.2
C73	Thyroid	-	-	-	-
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	-	-	-	-
C82-C85,C96	NHL	0.2	0.2	0.3	0.3
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	0.1	0.1	0.2	0.2
C91	Lymphoid Leuk.	0.1	0.1	0.1	0.1
C92-C94	Myeloid Leukaemia	0.1	0.1	0.1	0.1
C95	Leukaemia Uns	-	-	-	-
O&U*	Other and Uns	0.3	0.3	0.5	0.5
	<b>All Sites</b>	<b>4.36</b>	<b>4.27</b>	<b>6.73</b>	<b>6.51</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)



**TABLE AUR-9(b): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)  
of individual sites (ICD-10) based on age specific rates  
(from 0-64 years and from 0-74 Years ) 2009-2010 - Females**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-C02	Tongue	0.1	0.1	0.2	0.2
C03-C06	Mouth	0.2	0.2	0.2	0.2
C07-C08	Salivary Gland	-	-	-	-
C09	Tonsil	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-
C11	Nasopharynx	-	-	-	-
C12-C13	Hypopharynx	0.1	0.1	0.1	0.1
C14	Pharynx Unspecified	-	-	-	-
C15	Oesophagus	0.1	0.1	0.4	0.4
C16	Stomach	0.1	0.1	0.1	0.1
C17	Small Intestine	-	-	-	-
C18	Colon	0.1	0.1	0.1	0.1
C19-C20	Rectum	0.1	0.1	0.1	0.1
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	-	-	0.1	0.1
C23-C24	Gallbladder etc.	-	-	-	-
C25	Pancreas	-	-	0.1	0.1
C30-C31	Nose, Sinuses etc.	-	-	-	-
C32	Larynx	-	-	-	-
C33-C34	Lung etc.	0.1	0.1	0.2	0.2
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	-	-	-	-
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.1	0.1	0.1	0.1
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	0.1	0.1	0.1	0.1
C50	Breast	1.6	1.5	1.9	2.0
C51	Vulva	-	-	-	-
C52	Vagina	-	-	-	-
C53	Cervix Uteri	1.0	1.0	1.6	1.6
C54	Corpus Uteri	0.1	0.1	0.1	0.1
C55	Uterus Unspecified	-	-	-	-
C56	Ovary etc.	0.3	0.3	0.3	0.3
C57	Other Female Genital	-	-	-	-
C58	Placenta	-	-	-	-
C64	Kidney etc.	-	-	-	-
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	-	-	-	-
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.1	0.1	0.1	0.1
C73	Thyroid	0.1	0.1	0.1	0.1
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	-	-	-	-
C82-C85,C96	NHL	0.1	0.1	0.2	0.2
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	-	-	-	-
C91	Lymphoid Leuk.	0.1	0.1	0.1	0.1
C92-C94	Myeloid Leukaemia	0.1	0.1	0.1	0.1
C95	Leukaemia Uns	-	-	-	-
O&U*	Other and Uns	0.1	0.1	0.2	0.2
	<b>All Sites</b>	<b>4.83</b>	<b>4.71</b>	<b>6.97</b>	<b>6.73</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)