

# POPULATION BASED CANCER REGISTRY, CACHAR DISTRICT

## Silchar Medical College, Silchar

### **Dr Sekhar Chakravarty**

Principal Investigator & Vice Principal, Silchar Medical College, Silchar, Assam

The Population Based Cancer Registry (PBCR) Cachar District was established at the Department of Pathology, Silchar Medical College & Hospital, Silchar in 2007 under National Cancer Registry Programme (NCRP), ICMR with the objective to generate reliable data on cancer in the population of Cachar District of Assam, in a systematic and scientific manner.

Silchar town is the head quarter of Cachar District. The 'Population Based Cancer Registry – Cachar' covers a population of about 14,44,921 (2001 census) with an area of about 3786 sq. km. which includes two sub-divisions (Silchar and Lakhipur) and 895 villages.

Direct interview of the patients or attendants/relatives and information from medical records are used for case registration. Diagnostic information is collected in ICD-O-3 format, coded and entered into the PBCRDM software along with identifying and demographic information. The data is sent to the co-ordinating unit for subsequent checks, duplicate identification and matching. The registry interacts with NCRP closely during this time to send clarifications and confirmation of duplicates and matches. Following this the data is finalised and annexures are provided to us.

The advent of information technology has made processing and finalisation of data a relatively simple task. Having gained experience in using the software for the 2009-2010 data, we intend to reduce the gap between the reporting and calendar year in the next report. Additionally attempts are on to collect information on All Cause Deaths for future data so as to improve the quality of the mortality data.

### **Major Sources of Registration**

1. Cachar Cancer Hospital
2. Different Departments of Silchar Medical College
3. Central Laboratory, Silchar
4. Local Diagnostic Centres and Private Hospitals
5. Municipal Board
6. District Registrar, Birth and Death

**Registry Staff**


Medical Research Officer	:	<b>Dr R.P. Banik, MBBS, DLO</b>
Programmer	:	<b>Mr Samit Paul, MSc (Computer Science)</b>
Statistician	:	<b>Mrs Madhuchhanda Goswami, MSc (Statistics)</b>
Social Investigators	:	<b>Mr Biswajyoti Choudhury, MSW</b> <b>Ms Srabani Mitra, MSW</b> <b>Ms Rini Bhattacharya, MSW</b>
Data Entry Operator	:	<b>Mr Bidhan Kr. Sarkar, BSc (IT)</b>

**TABLE CHR-1: Main Sources of Registration of Incident Cases of Cancer: 2009-2010  
Cachar District**

<b>Name of the Institution</b>	<b>Number</b>	<b>%</b>
Cachar Cancer Hospital, Silchar	1187	41.8
The Dept. of Pathology, SMCH	399	14.0
Central Laboratory, Silchar	374	13.2
Cancer Atlas	196	6.9
AAR Gees Medicare, Silchar	169	5.9
Office of the Joint Director of Health Services	162	5.7
Silchar Medical College & Hospital, Silchar	124	4.4
The Dept. of Radiotherapy, SMCH	58	2.0
Micro-Diagnostic Laboratory, Silchar	35	1.2
Others	138	4.8
<b>Total</b>	<b>2842</b>	<b>100.0</b>

1. Institutions listed have registered at least one percent of all cases in the registry for the combined years 2009-2010.
2. The numbers and proportion listed are the minimum number of cases. Institutions could have registered/ reported more cases, since duplicate registrations and non-resident/registry cases are not included.

**Figure CHR -1**  
**Population Pyramid showing Age Distribution: 2009-2010**  
**CACHAR**



**TABLE CHR-2**  
**Population by Five Year Age Group and Gender: 2009-2010**  
*Number and Relative Proportion (%)*  
**CACHAR DISTRICT**

Age Group	Males		Females	
	Number	%	Number	%
00-04	160160	9.30	151388	9.20
05-09	207966	12.08	196991	11.97
10-14	220292	12.80	204877	12.45
15-19	182031	10.58	169261	10.28
20-24	144192	8.38	140296	8.52
25-29	130205	7.56	142264	8.64
30-34	123393	7.17	122994	7.47
35-39	134774	7.83	128494	7.81
40-44	102135	5.93	87932	5.34
45-49	88448	5.14	81521	4.95
50-54	66300	3.85	52392	3.18
55-59	46334	2.69	45308	2.75
60-64	38927	2.26	41033	2.49
65-69	29622	1.72	31936	1.94
70-74	24780	1.44	24274	1.47
75+	21749	1.26	24957	1.52
<b>Total</b>	<b>1721308</b>	<b>100.00</b>	<b>1645918</b>	<b>100.00</b>

## TABLE CHR-3(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2009-2010 - Males

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	1	1	1	2	3	2	1	3	-	1	-	-	15	0.95
C01-C02	Tongue	-	-	-	-	-	-	1	4	1	9	6	16	22	8	8	11	-	86	5.45
C03-C06	Mouth	-	-	-	-	3	-	1	3	5	4	8	6	11	7	5	7	-	60	3.80
C07-C08	Salivary Gland	-	-	-	-	1	-	-	2	4	7	2	4	2	3	2	-	-	27	1.71
C09	Tonsil	-	-	-	-	-	-	1	3	3	6	4	12	5	4	2	3	-	43	2.72
C10	Oth. Oropharynx	-	-	-	-	-	-	-	1	3	3	2	4	2	1	2	4	-	22	1.39
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	3	2	2	2	1	-	-	-	10	0.63
C12-C13	Hypopharynx	-	-	-	-	-	-	1	5	9	11	13	16	23	18	18	6	-	120	7.60
C14	Pharynx Unspecified	-	-	-	-	-	-	1	1	-	1	3	1	3	3	2	1	-	16	1.01
C15	Oesophagus	-	-	-	-	-	-	-	6	8	11	19	23	23	25	8	14	-	137	8.68
C16	Stomach	-	-	-	-	-	-	1	4	2	7	2	9	8	8	6	4	-	51	3.23
C17	Small Intestine	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	0.06
C18	Colon	-	-	-	-	1	-	1	3	1	2	2	5	-	2	3	-	-	20	1.27
C19-C20	Rectum	-	-	-	1	2	4	4	-	2	5	2	3	4	2	-	-	-	29	1.84
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	4	-	9	0.57
C22	Liver	2	-	-	-	-	1	-	2	4	2	5	3	3	2	7	7	-	38	2.41
C23-C24	Gallbladder etc.	-	-	-	-	-	1	-	1	4	9	9	12	6	12	3	4	-	61	3.86
C25	Pancreas	-	-	-	-	-	-	-	-	2	-	3	1	1	-	-	1	-	8	0.51
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	0.13
C32	Larynx	-	-	-	-	-	-	3	6	3	12	13	9	11	14	6	3	-	80	5.07
C33-C34	Lung etc.	-	-	-	-	-	-	1	-	6	8	12	13	23	22	21	14	-	120	7.60
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	1	-	1	1	1	1	-	1	3	-	1	1	1	-	-	12	0.76
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.06
C44	Other Skin	-	-	-	-	2	-	-	-	2	-	1	3	1	1	1	1	-	12	0.76
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.06
C50	Breast	-	-	-	-	1	-	2	1	1	3	-	1	1	1	2	-	-	13	0.82
C60	Penis	-	-	-	-	-	-	-	2	6	2	2	1	2	1	2	-	-	18	1.14
C61	Prostate	-	-	-	-	-	-	-	-	1	-	1	1	3	3	-	6	-	15	0.95
C62	Testis	-	-	-	1	1	3	3	-	-	-	-	-	-	1	-	1	-	10	0.63
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	1	-	-	-	-	-	-	-	-	2	-	3	2	2	1	-	-	11	0.70
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	2	4	2	3	3	3	5	5	6	-	33	2.09
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	0.13
C70-C72	Brain, NS	-	1	-	-	1	-	-	1	3	-	-	-	2	-	-	-	-	8	0.51
C73	Thyroid	-	-	-	-	-	-	1	-	2	2	1	5	1	1	1	-	-	14	0.89
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.06
C81	Hodgkins Disease	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	3	0.19
C82-C85,C96	NHL	1	3	1	-	1	2	-	4	4	4	2	7	3	3	3	3	-	41	2.60
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	4	0.25
C91	Lymphoid Leuk.	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	3	0.19
C92-C94	Myeloid Leukaemia	-	-	1	-	-	-	-	-	1	-	2	-	-	-	-	-	-	4	0.25
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	0.13
O&U*	Other and Uns	3	1	3	7	5	6	6	17	23	45	50	58	66	51	45	30	-	416	26.35
	<b>All Sites</b>	<b>8</b>	<b>7</b>	<b>7</b>	<b>10</b>	<b>19</b>	<b>20</b>	<b>29</b>	<b>71</b>	<b>106</b>	<b>166</b>	<b>175</b>	<b>226</b>	<b>238</b>	<b>203</b>	<b>160</b>	<b>134</b>	<b>-</b>	<b>1579</b>	<b>100.0</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

## TABLE CHR-3(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2009-2010 - Females

*% = Relative Proportion of Cancers of All Sites.*

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	2	2	-	-	-	-	2	1	-	7	0.55
C01-C02	Tongue	-	-	-	-	-	-	2	1	3	7	1	1	6	5	3	7	-	36	2.85
C03-C06	Mouth	-	-	-	-	-	2	1	-	4	2	7	5	8	2	2	3	-	36	2.85
C07-C08	Salivary Gland	-	-	-	-	1	1	1	2	2	1	6	1	2	1	-	1	-	19	1.50
C09	Tonsil	-	-	-	-	-	-	-	-	2	3	-	-	-	1	2	1	-	9	0.71
C10	Oth. Oropharynx	-	-	-	-	-	-	-	1	-	1	-	2	3	-	-	-	-	7	0.55
C11	Nasopharynx	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	4	0.32
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	3	6	4	4	4	2	3	5	-	31	2.45
C14	Pharynx Unspecified	-	-	-	-	-	-	1	-	-	-	2	2	3	-	-	1	-	9	0.71
C15	Oesophagus	-	-	-	-	1	2	1	7	6	8	12	14	13	11	11	14	-	100	7.92
C16	Stomach	-	-	-	-	1	-	-	-	3	7	5	8	1	2	1	4	-	32	2.53
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.08
C18	Colon	-	-	-	-	1	-	2	2	-	1	2	3	1	-	1	-	-	13	1.03
C19-C20	Rectum	-	-	-	-	-	3	-	-	3	-	1	6	-	2	1	1	-	17	1.35
C21	Anus & Anal Canal	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	2	0.16
C22	Liver	-	-	-	-	-	-	2	1	3	4	2	-	1	2	-	2	-	17	1.35
C23-C24	Gallbladder etc.	-	-	-	-	1	3	5	13	15	22	16	23	11	12	4	4	-	129	10.21
C25	Pancreas	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	3	0.24
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	1	-	1	-	2	5	2	1	-	3	1	-	-	16	1.27
C33-C34	Lung etc.	-	-	-	-	-	1	5	2	-	-	6	11	7	4	-	7	-	43	3.40
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.08
C40-C41	Bone	-	1	2	1	-	-	-	-	1	1	-	-	1	1	1	-	-	9	0.71
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	1	-	-	-	-	1	1	2	-	2	-	-	2	-	1	-	-	10	0.79
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	Breast	-	-	-	-	14	10	17	31	30	51	23	15	14	13	7	4	-	229	18.13
C51	Vulva	-	-	-	-	-	-	-	-	-	3	-	1	1	-	1	-	-	6	0.48
C52	Vagina	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	1	-	6	0.48
C53	Cervix Uteri	-	-	-	-	1	4	10	14	14	26	14	21	14	11	7	5	-	141	11.16
C54	Corpus Uteri	-	-	-	-	-	-	-	-	2	3	2	1	1	-	2	-	-	11	0.87
C55	Uterus Unspecified	-	-	-	-	-	1	1	-	3	-	-	-	1	-	-	-	-	6	0.48
C56	Ovary etc.	-	-	-	-	1	3	6	5	7	5	5	7	1	3	1	2	-	46	3.64
C57	Other Female Genital	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	3	0.24
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	5	0.40
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-	4	0.32
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	4	0.32
C70-C72	Brain, NS	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	3	0.24
C73	Thyroid	-	-	2	2	2	2	2	1	3	1	5	-	2	2	4	3	-	31	2.45
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.08
C82-C85,C96	NHL	-	-	-	-	1	-	4	-	2	2	5	1	2	1	1	3	-	22	1.74
C88	Malig Imm.Prof D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	4	0.32
C91	Lymphoid Leuk.	-	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	4	0.32
C92-C94	Myeloid Leukaemia	-	-	-	1	-	1	1	-	-	4	3	1	-	1	-	-	-	12	0.95
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	0.16
O&U*	Other and Uns	2	-	2	1	3	8	9	10	14	16	20	19	20	23	13	11	1	172	13.62
	<b>All Sites</b>	<b>4</b>	<b>4</b>	<b>6</b>	<b>5</b>	<b>30</b>	<b>43</b>	<b>73</b>	<b>95</b>	<b>129</b>	<b>191</b>	<b>149</b>	<b>152</b>	<b>124</b>	<b>104</b>	<b>71</b>	<b>82</b>	<b>1</b>	<b>1263</b>	<b>100.0</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE CHR-4(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2009-2010 - Males**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	0.8	0.8	0.7	2.0	3.4	3.0	2.2	7.7	-	4.0	-	0.9	1.10	0.29	2.9
C01-C02	-	-	-	-	-	-	0.8	3.0	1.0	10.2	9.0	34.5	56.5	27.0	32.3	50.6	5.0	7.46	0.82	15.9
C03-C06	-	-	-	-	2.1	-	0.8	2.2	4.9	4.5	12.1	12.9	28.3	23.6	20.2	32.2	3.5	4.92	0.65	9.5
C07-C08	-	-	-	-	0.7	-	-	1.5	3.9	7.9	3.0	8.6	5.1	10.1	8.1	-	1.6	2.02	0.40	4.8
C09	-	-	-	-	-	-	0.8	2.2	2.9	6.8	6.0	25.9	12.8	13.5	8.1	13.8	2.5	3.46	0.54	8.3
C10	-	-	-	-	-	-	-	0.7	2.9	3.4	3.0	8.6	5.1	3.4	8.1	18.4	1.3	1.76	0.38	3.6
C11	-	-	-	-	-	-	-	-	-	3.4	3.0	4.3	5.1	3.4	-	-	0.6	0.83	0.27	2.4
C12-C13	-	-	-	-	-	-	0.8	3.7	8.8	12.4	19.6	34.5	59.1	60.8	72.6	27.6	7.0	10.10	0.94	20.1
C14	-	-	-	-	-	-	0.8	0.7	-	1.1	4.5	2.2	7.7	10.1	8.1	4.6	0.9	1.34	0.34	2.4
C15	-	-	-	-	-	-	-	4.5	7.8	12.4	28.7	49.6	59.1	84.4	32.3	64.4	8.0	11.73	1.02	23.4
C16	-	-	-	-	-	-	0.8	3.0	2.0	7.9	3.0	19.4	20.6	27.0	24.2	18.4	3.0	4.23	0.61	8.1
C17	-	-	-	-	-	-	-	0.7	-	-	-	-	-	-	-	-	0.1	0.04	0.04	0.1
C18	-	-	-	-	0.7	-	0.8	2.2	1.0	2.3	3.0	10.8	-	6.8	12.1	-	1.2	1.46	0.34	2.9
C19-C20	-	-	-	0.5	1.4	3.1	3.2	-	2.0	5.7	3.0	6.5	10.3	6.8	-	-	1.7	2.08	0.40	4.1
C21	-	-	-	-	-	-	-	-	-	2.3	-	6.5	-	-	-	18.4	0.5	0.76	0.26	1.3
C22	1.2	-	-	-	-	0.8	-	1.5	3.9	2.3	7.5	6.5	7.7	6.8	28.2	32.2	2.2	3.03	0.50	4.5
C23-C24	-	-	-	-	-	0.8	-	0.7	3.9	10.2	13.6	25.9	15.4	40.5	12.1	18.4	3.5	5.11	0.66	10.4
C25	-	-	-	-	-	-	-	-	2.0	-	4.5	2.2	2.6	-	-	4.6	0.5	0.62	0.22	1.7
C30-C31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.0	4.6	0.1	0.17	0.12	-
C32	-	-	-	-	-	-	2.4	4.5	2.9	13.6	19.6	19.4	28.3	47.3	24.2	13.8	4.6	6.47	0.74	13.4
C33-C34	-	-	-	-	-	-	0.8	-	5.9	9.0	18.1	28.1	59.1	74.3	84.7	64.4	7.0	10.54	0.97	17.1
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	-	-	0.5	-	0.7	0.8	0.8	0.7	-	1.1	4.5	-	2.6	3.4	4.0	-	0.7	0.83	0.25	1.4
C43	-	-	-	-	-	-	-	-	-	-	-	-	2.6	-	-	-	0.1	0.10	0.10	0.3
C44	-	-	-	-	1.4	-	-	-	2.0	-	1.5	6.5	2.6	3.4	4.0	4.6	0.7	0.94	0.28	1.8
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.0	-	0.1	0.08	0.08	-
C50	-	-	-	-	0.7	-	1.6	0.7	1.0	3.4	-	2.2	2.6	3.4	8.1	-	0.8	0.91	0.26	1.6
C60	-	-	-	-	-	-	-	1.5	5.9	2.3	3.0	2.2	5.1	3.4	8.1	-	1.0	1.28	0.31	3.3
C61	-	-	-	-	-	-	-	-	1.0	-	1.5	2.2	7.7	10.1	-	27.6	0.9	1.38	0.36	1.7
C62	-	-	-	0.5	0.7	2.3	2.4	-	-	-	-	-	-	3.4	-	4.6	0.6	0.63	0.21	-
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	0.6	-	-	-	-	-	-	-	-	2.3	-	6.5	5.1	6.8	4.0	-	0.6	0.96	0.29	1.9
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	1.5	3.9	2.3	4.5	6.5	7.7	16.9	20.2	27.6	1.9	2.71	0.48	4.0
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	0.6	-	-	-	-	-	-	-	-	-	1.5	-	-	-	-	-	0.1	0.15	0.11	0.2
C70-C72	-	0.5	-	-	0.7	-	-	0.7	2.9	-	-	-	5.1	-	-	-	0.5	0.53	0.20	1.4
C73	-	-	-	-	-	-	0.8	-	2.0	2.3	1.5	10.8	2.6	3.4	4.0	-	0.8	1.09	0.30	2.8
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.6	0.1	0.09	0.09	-
C81	-	0.5	0.5	-	-	0.8	-	-	-	-	-	-	-	-	-	-	0.2	0.15	0.09	-
C82-C85,C96	0.6	1.4	0.5	-	0.7	1.5	-	3.0	3.9	4.5	3.0	15.1	7.7	10.1	12.1	13.8	2.4	3.01	0.49	5.6
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	-	2.2	-	-	4.0	9.2	0.2	0.35	0.18	0.3
C91	-	0.5	-	0.5	-	-	-	-	-	-	-	-	-	-	4.0	-	0.2	0.18	0.11	-
C92-C94	-	-	0.5	-	-	-	-	-	1.0	-	3.0	-	-	-	-	-	0.2	0.25	0.13	0.7
C95	-	-	-	-	-	-	-	-	-	-	-	-	-	3.4	4.0	-	0.1	0.18	0.13	-
O&U*	1.9	0.5	1.4	3.8	3.5	4.6	4.9	12.6	22.5	50.9	75.4	125.2	169.5	172.2	181.6	137.9	24.2	33.96	1.70	66.8
All	5.0	3.4	3.2	5.5	13.2	15.4	23.5	52.7	103.8	187.7	264.0	487.8	611.4	685.3	645.7	616.1	91.7	129.0	3.31	251.0

\* O&amp;U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE CHR-4(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2009-2010 - Females**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR	
C00	-	-	-	-	-	-	-	-	2.3	2.5	-	-	-	-	8.2	4.0	0.4	0.53	0.20	0.9	
C01-C02	-	-	-	-	-	-	1.6	0.8	3.4	8.6	1.9	2.2	14.6	15.7	12.4	28.0	2.2	2.91	0.49	5.0	
C03-C06	-	-	-	-	-	1.4	0.8	-	4.5	2.5	13.4	11.0	19.5	6.3	8.2	12.0	2.2	3.06	0.52	7.4	
C07-C08	-	-	-	-	0.7	0.7	0.8	1.6	2.3	1.2	11.5	2.2	4.9	3.1	-	4.0	1.2	1.50	0.35	3.7	
C09	-	-	-	-	-	-	-	-	2.3	3.7	-	-	-	3.1	8.2	4.0	0.5	0.70	0.23	1.2	
C10	-	-	-	-	-	-	-	0.8	-	1.2	-	4.4	7.3	-	-	-	0.4	0.59	0.23	1.9	
C11	-	-	-	-	-	-	-	-	1.1	2.5	-	-	2.4	-	-	-	0.2	0.31	0.16	1.0	
C12-C13	-	-	-	-	-	-	-	-	3.4	7.4	7.6	8.8	9.7	6.3	12.4	20.0	1.9	2.61	0.47	5.7	
C14	-	-	-	-	-	-	0.8	-	-	-	3.8	4.4	7.3	-	-	4.0	0.5	0.79	0.27	2.1	
C15	-	-	-	-	0.7	1.4	0.8	5.4	6.8	9.8	22.9	30.9	31.7	34.4	45.3	56.1	6.1	8.25	0.84	16.0	
C16	-	-	-	-	0.7	-	-	-	3.4	8.6	9.5	17.7	2.4	6.3	4.1	16.0	1.9	2.65	0.47	6.5	
C17	-	-	-	-	-	-	-	-	-	-	1.9	-	-	-	-	-	0.1	0.10	0.10	0.3	
C18	-	-	-	-	0.7	-	1.6	1.6	-	1.2	3.8	6.6	2.4	-	4.1	-	0.8	0.96	0.28	2.3	
C19-C20	-	-	-	-	-	2.1	-	-	3.4	-	1.9	13.2	-	6.3	4.1	4.0	1.0	1.35	0.33	2.7	
C21	-	-	-	-	-	0.7	-	-	-	-	1.9	-	-	-	-	-	0.1	0.15	0.11	0.3	
C22	-	-	-	-	-	-	1.6	0.8	3.4	4.9	3.8	-	2.4	6.3	-	8.0	1.0	1.28	0.32	2.7	
C23-C24	-	-	-	-	0.7	2.1	4.1	10.1	17.1	27.0	30.5	50.8	26.8	37.6	16.5	16.0	7.8	10.13	0.91	25.4	
C25	-	-	-	-	-	-	-	-	1.1	-	-	2.2	2.4	-	-	-	0.2	0.25	0.15	0.8	
C30-C31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C32	-	-	-	-	0.7	-	0.8	-	2.3	6.1	3.8	2.2	-	9.4	4.1	-	1.0	1.25	0.32	2.5	
C33-C34	-	-	-	-	-	0.7	4.1	1.6	-	-	11.5	24.3	17.1	12.5	-	28.0	2.6	3.56	0.55	7.5	
C37-C38	-	-	-	-	-	-	-	-	-	1.2	-	-	-	-	-	-	0.1	0.07	0.07	0.2	
C40-C41	-	0.5	1.0	0.6	-	-	-	-	1.1	1.2	-	-	2.4	3.1	4.1	-	0.5	0.61	0.21	0.8	
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C44	0.7	-	-	-	-	0.7	0.8	1.6	-	2.5	-	-	4.9	-	4.1	-	0.6	0.70	0.23	1.4	
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C47+C49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C50	-	-	-	-	10.0	7.0	13.8	24.1	34.1	62.6	43.9	33.1	34.1	40.7	28.8	16.0	13.9	16.44	1.12	39.1	
C51	-	-	-	-	-	-	-	-	-	3.7	-	2.2	2.4	-	4.1	-	0.4	0.49	0.20	1.3	
C52	-	-	-	-	-	-	-	-	1.1	1.2	1.9	-	-	3.1	4.1	4.0	0.4	0.49	0.20	0.8	
C53	-	-	-	-	0.7	2.8	8.1	10.9	15.9	31.9	26.7	46.3	34.1	34.4	28.8	20.0	8.6	10.86	0.94	26.1	
C54	-	-	-	-	-	-	-	-	2.3	3.7	3.8	2.2	2.4	-	8.2	-	0.7	0.90	0.27	2.4	
C55	-	-	-	-	-	0.7	0.8	-	3.4	-	-	-	2.4	-	-	-	0.4	0.41	0.17	1.0	
C56	-	-	-	-	0.7	2.1	4.9	3.9	8.0	6.1	9.5	15.4	2.4	9.4	4.1	8.0	2.8	3.31	0.50	7.3	
C57	-	-	-	-	0.7	-	-	-	-	-	-	2.2	-	3.1	-	-	0.2	0.24	0.14	0.3	
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C64	-	-	-	-	-	-	-	0.8	2.3	1.2	-	2.2	-	-	-	-	0.3	0.35	0.16	1.1	
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C67	-	-	-	-	-	-	-	1.6	-	-	-	-	-	-	-	-	8.0	0.2	0.25	0.13	0.3
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C69	0.7	0.5	-	-	0.7	-	-	-	-	1.2	-	-	-	-	-	-	0.2	0.26	0.13	0.2	
C70-C72	-	-	-	-	-	-	-	-	-	-	1.9	-	2.4	-	4.1	-	0.2	0.28	0.16	0.6	
C73	-	-	1.0	1.2	1.4	1.4	1.6	0.8	3.4	1.2	9.5	-	4.9	6.3	16.5	12.0	1.9	2.27	0.42	3.2	
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C81	-	-	-	-	-	-	-	-	-	1.2	-	-	-	-	-	-	0.1	0.07	0.07	0.2	
C82-C85,C96	-	-	-	-	0.7	-	3.3	-	2.3	2.5	9.5	2.2	4.9	3.1	4.1	12.0	1.3	1.71	0.37	3.4	
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C90	-	-	-	-	-	-	-	-	-	-	-	4.4	4.9	-	-	-	0.2	0.37	0.19	1.2	
C91	-	1.0	-	-	-	-	0.8	-	-	-	1.9	-	-	-	-	-	0.2	0.25	0.13	0.3	
C92-C94	-	-	-	0.6	-	0.7	0.8	-	-	4.9	5.7	2.2	-	3.1	-	-	0.7	0.92	0.27	2.2	
C95	-	-	-	-	-	-	-	-	-	1.2	1.9	-	-	-	-	-	0.1	0.17	0.12	0.5	
O&U*	1.3	-	1.0	0.6	2.1	5.6	7.3	7.8	15.9	19.6	38.2	41.9	48.7	72.0	53.6	44.1	10.5	13.61	1.06	26.2	
<b>All</b>	<b>2.6</b>	<b>2.0</b>	<b>2.9</b>	<b>3.0</b>	<b>21.4</b>	<b>30.2</b>	<b>59.4</b>	<b>73.9</b>	<b>146.7</b>	<b>234.3</b>	<b>284.4</b>	<b>335.5</b>	<b>302.2</b>	<b>325.7</b>	<b>292.5</b>	<b>328.6</b>	<b>76.7</b>	<b>98.0</b>	<b>2.82</b>	<b>216.2</b>	

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)



**TABLE CHR-5(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2009-2010 - Males**

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	1	6.7	14	93.3	-	-	-	-	-	-	-	-	15	100.0
C01-C02	Tongue	2	2.3	78	90.7	-	-	6	7.0	-	-	-	-	86	100.0
C03-C06	Mouth	1	1.7	59	98.3	-	-	-	-	-	-	-	-	60	100.0
C07-C08	Salivary Gland	3	11.1	24	88.9	-	-	-	-	-	-	-	-	27	100.0
C09	Tonsil	-	-	41	95.3	-	-	2	4.7	-	-	-	-	43	100.0
C10	Oth. Oropharynx	-	-	22	100.0	-	-	-	-	-	-	-	-	22	100.0
C11	Nasopharynx	-	-	9	90.0	-	-	1	10.0	-	-	-	-	10	100.0
C12-C13	Hypopharynx	-	-	112	93.3	-	-	8	6.7	-	-	-	-	120	100.0
C14	Pharynx Unspecified	1	6.3	13	81.3	-	-	2	12.5	-	-	-	-	16	100.0
C15	Oesophagus	-	-	121	88.3	-	-	16	11.7	-	-	-	-	137	100.0
C16	Stomach	1	2.0	39	76.5	-	-	8	15.7	3	5.9	-	-	51	100.0
C17	Small Intestine	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C18	Colon	-	-	20	100.0	-	-	-	-	-	-	-	-	20	100.0
C19-C20	Rectum	-	-	27	93.1	-	-	1	3.4	1	3.4	-	-	29	100.0
C21	Anus & Anal Canal	-	-	8	88.9	-	-	1	11.1	-	-	-	-	9	100.0
C22	Liver	-	-	32	84.2	-	-	2	5.3	4	10.5	-	-	38	100.0
C23-C24	Gallbladder etc.	1	1.6	45	73.8	-	-	9	14.8	6	9.8	-	-	61	100.0
C25	Pancreas	-	-	5	62.5	-	-	2	25.0	1	12.5	-	-	8	100.0
C30-C31	Nose, Sinuses etc.	1	50.0	1	50.0	-	-	-	-	-	-	-	-	2	100.0
C32	Larynx	1	1.3	58	72.5	-	-	20	25.0	1	1.3	-	-	80	100.0
C33-C34	Lung etc.	-	-	100	83.3	5	4.2	14	11.7	1	0.8	-	-	120	100.0
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	10	83.3	2	16.7	-	-	-	-	-	-	12	100.0
C43	Melanoma of Skin	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C44	Other Skin	1	8.3	11	91.7	-	-	-	-	-	-	-	-	12	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C50	Breast	1	7.7	10	76.9	-	-	2	15.4	-	-	-	-	13	100.0
C60	Penis	-	-	18	100.0	-	-	-	-	-	-	-	-	18	100.0
C61	Prostate	-	-	13	86.7	-	-	1	6.7	1	6.7	-	-	15	100.0
C62	Testis	-	-	10	100.0	-	-	-	-	-	-	-	-	10	100.0
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	10	90.9	-	-	1	9.1	-	-	-	-	11	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	32	97.0	-	-	1	3.0	-	-	-	-	33	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C70-C72	Brain, Nervous System	-	-	5	62.5	-	-	2	25.0	1	12.5	-	-	8	100.0
C73	Thyroid	3	21.4	9	64.3	-	-	-	-	2	14.3	-	-	14	100.0
C74	Adrenal Gland	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C81	Hodgkins Disease	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C82-C85,C96	NHL	-	-	39	95.1	-	-	2	4.9	-	-	-	-	41	100.0
C88	Malignant Imm. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C91	Lymphoid Leuk.	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C92-C94	Myeloid Leukaemia	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C95	Leukaemia Uns	-	-	1	50.0	-	-	1	50.0	-	-	-	-	2	100.0
O&U*	Other and Uns	25	6.0	359	86.3	2	0.5	27	6.5	3	0.7	-	-	416	100.0
	<b>All Sites</b>	<b>42</b>	<b>2.7</b>	<b>1375</b>	<b>87.1</b>	<b>9</b>	<b>0.6</b>	<b>129</b>	<b>8.2</b>	<b>24</b>	<b>1.5</b>	<b>-</b>	<b>-</b>	<b>1579</b>	<b>100.0</b>

\* O&amp;U includes the Sites ( ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE CHR-5(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2009-2010 - Females**

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	6	85.7	-	-	1	14.3	-	-	-	-	7	100.0
C01-C02	Tongue	1	2.8	33	91.7	-	-	1	2.8	1	2.8	-	-	36	100.0
C03-C06	Mouth	-	-	36	100.0	-	-	-	-	-	-	-	-	36	100.0
C07-C08	Salivary Gland	3	15.8	16	84.2	-	-	-	-	-	-	-	-	19	100.0
C09	Tonsil	-	-	8	88.9	-	-	1	11.1	-	-	-	-	9	100.0
C10	Oth. Oropharynx	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C11	Nasopharynx	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C12-C13	Hypopharynx	-	-	30	96.8	-	-	1	3.2	-	-	-	-	31	100.0
C14	Pharynx Unspecified	1	11.1	8	88.9	-	-	-	-	-	-	-	-	9	100.0
C15	Oesophagus	2	2.0	95	95.0	-	-	2	2.0	1	1.0	-	-	100	100.0
C16	Stomach	-	-	27	84.4	-	-	4	12.5	1	3.1	-	-	32	100.0
C17	Small Intestine	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C18	Colon	-	-	12	92.3	-	-	1	7.7	-	-	-	-	13	100.0
C19-C20	Rectum	-	-	16	94.1	-	-	1	5.9	-	-	-	-	17	100.0
C21	Anus & Anal Canal	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C22	Liver	-	-	15	88.2	-	-	2	11.8	-	-	-	-	17	100.0
C23-C24	Gallbladder etc.	1	0.8	120	93.0	-	-	3	2.3	5	3.9	-	-	129	100.0
C25	Pancreas	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	1	6.3	11	68.8	-	-	4	25.0	-	-	-	-	16	100.0
C33-C34	Lung etc.	-	-	37	86.0	-	-	6	14.0	-	-	-	-	43	100.0
C37-C38	Other Thoracic Organs	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C40-C41	Bone	-	-	9	100.0	-	-	-	-	-	-	-	-	9	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	3	30.0	7	70.0	-	-	-	-	-	-	-	-	10	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	Breast	28	12.2	192	83.8	-	-	9	3.9	-	-	-	-	229	100.0
C51	Vulva	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C52	Vagina	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C53	Cervix Uteri	6	4.3	124	87.9	-	-	10	7.1	1	0.7	-	-	141	100.0
C54	Corpus Uteri	-	-	9	81.8	-	-	-	-	2	18.2	-	-	11	100.0
C55	Uterus Unspecified	1	16.7	4	66.7	-	-	-	-	1	16.7	-	-	6	100.0
C56	Ovary etc.	1	2.2	35	76.1	-	-	3	6.5	7	15.2	-	-	46	100.0
C57	Other Female Genital	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C70-C72	Brain, Nervous System	-	-	2	66.7	-	-	-	-	1	33.3	-	-	3	100.0
C73	Thyroid	-	-	27	87.1	-	-	-	-	4	12.9	-	-	31	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C82-C85,C96	NHL	-	-	22	100.0	-	-	-	-	-	-	-	-	22	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C91	Lymphoid Leuk.	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C92-C94	Myeloid Leukaemia	-	-	12	100.0	-	-	-	-	-	-	-	-	12	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	2	100.0	-	-	-	-	2	100.0
O&U *	Other and Uns	15	8.7	150	87.2	2	1.2	5	2.9	-	-	-	-	172	100.0
	<b>All Sites</b>	<b>63</b>	<b>5.0</b>	<b>1118</b>	<b>88.5</b>	<b>2</b>	<b>0.2</b>	<b>56</b>	<b>4.4</b>	<b>24</b>	<b>1.9</b>	-	-	<b>1263</b>	<b>100.0</b>

\* O&amp;U includes the Sites ( ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE CHR-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2009-2010 - Males**

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	13	86.7	-	-	1	6.7	-	-	-	-	1	6.7	15	100.0
C01-C02	Tongue	56	65.1	1	1.2	21	24.4	-	-	-	-	8	9.3	86	100.0
C03-C06	Mouth	47	78.3	-	-	12	20.0	-	-	-	-	1	1.7	60	100.0
C07-C08	Salivary Gland	3	11.1	-	-	21	77.8	-	-	-	-	3	11.1	27	100.0
C09	Tonsil	31	72.1	-	-	10	23.3	-	-	-	-	2	4.7	43	100.0
C10	Oth. Oropharynx	19	86.4	-	-	3	13.6	-	-	-	-	-	-	22	100.0
C11	Nasopharynx	6	60.0	-	-	3	30.0	-	-	-	-	1	10.0	10	100.0
C12-C13	Hypopharynx	101	84.2	-	-	11	9.2	-	-	-	-	8	6.7	120	100.0
C14	Pharynx Unspecified	12	75.0	-	-	1	6.3	-	-	-	-	3	18.8	16	100.0
C15	Oesophagus	117	85.4	-	-	4	2.9	-	-	-	-	16	11.7	137	100.0
C16	Stomach	37	72.5	-	-	2	3.9	-	-	-	-	12	23.5	51	100.0
C17	Small Intestine	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C18	Colon	19	95.0	-	-	1	5.0	-	-	-	-	-	-	20	100.0
C19-C20	Rectum	27	93.1	-	-	-	-	-	-	-	-	2	6.9	29	100.0
C21	Anus & Anal Canal	8	88.9	-	-	-	-	-	-	-	-	1	11.1	9	100.0
C22	Liver	3	7.9	-	-	29	76.3	-	-	-	-	6	15.8	38	100.0
C23-C24	Gallbladder etc.	36	59.0	-	-	9	14.8	-	-	-	-	16	26.2	61	100.0
C25	Pancreas	3	37.5	-	-	2	25.0	-	-	-	-	3	37.5	8	100.0
C30-C31	Nose, Sinuses etc.	1	50.0	-	-	-	-	-	-	-	-	1	50.0	2	100.0
C32	Larynx	52	65.0	-	-	6	7.5	-	-	-	-	22	27.5	80	100.0
C33-C34	Lung etc.	5	4.2	-	-	95	79.2	-	-	-	-	20	16.7	120	100.0
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	9	75.0	-	-	1	8.3	-	-	-	-	2	16.7	12	100.0
C43	Melanoma of Skin	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C44	Other Skin	10	83.3	-	-	1	8.3	-	-	-	-	1	8.3	12	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C50	Breast	4	30.8	-	-	6	46.2	-	-	-	-	3	23.1	13	100.0
C60	Penis	18	100.0	-	-	-	-	-	-	-	-	-	-	18	100.0
C61	Prostate	8	53.3	-	-	5	33.3	-	-	-	-	2	13.3	15	100.0
C62	Testis	7	70.0	-	-	3	30.0	-	-	-	-	-	-	10	100.0
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	4	36.4	-	-	6	54.5	-	-	-	-	1	9.1	11	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	25	75.8	-	-	7	21.2	-	-	-	-	1	3.0	33	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C70-C72	Brain, Nervous System	5	62.5	-	-	-	-	-	-	-	-	3	37.5	8	100.0
C73	Thyroid	5	35.7	-	-	4	28.6	-	-	-	-	5	35.7	14	100.0
C74	Adrenal Gland	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C81	Hodgkins Disease	1	33.3	-	-	2	66.7	-	-	-	-	-	-	3	100.0
C82-C85,C96	NHL	11	26.8	-	-	27	65.9	-	-	1	2.4	2	4.9	41	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	1	25.0	-	-	1	25.0	-	-	2	50.0	-	-	4	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	3	100.0	-	-	-	-	3	100.0
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	3	75.0	1	25.0	-	-	4	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	1	50.0	-	-	1	50.0	2	100.0
O&U*	Other and Uns	52	12.5	11	2.6	296	71.2	-	-	-	-	57	13.7	416	100.0
	<b>All Sites</b>	<b>762</b>	<b>48.3</b>	<b>12</b>	<b>0.8</b>	<b>590</b>	<b>37.4</b>	<b>7</b>	<b>0.4</b>	<b>4</b>	<b>0.3</b>	<b>204</b>	<b>12.9</b>	<b>1579</b>	<b>100.0</b>

\* O&amp;U includes the Sites ( ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE CHR-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2009-2010 - Females**

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	6	85.7	-	-	-	-	-	-	-	-	1	14.3	7	100.0
C01-C02	Tongue	26	72.2	-	-	7	19.4	-	-	-	-	3	8.3	36	100.0
C03-C06	Mouth	27	75.0	-	-	9	25.0	-	-	-	-	-	-	36	100.0
C07-C08	Salivary Gland	7	36.8	-	-	9	47.4	-	-	-	-	3	15.8	19	100.0
C09	Tonsil	6	66.7	-	-	2	22.2	-	-	-	-	1	11.1	9	100.0
C10	Oth. Oropharynx	6	85.7	-	-	1	14.3	-	-	-	-	-	-	7	100.0
C11	Nasopharynx	3	75.0	-	-	1	25.0	-	-	-	-	-	-	4	100.0
C12-C13	Hypopharynx	30	96.8	-	-	-	-	-	-	-	-	1	3.2	31	100.0
C14	Pharynx Unspecified	5	55.6	-	-	3	33.3	-	-	-	-	1	11.1	9	100.0
C15	Oesophagus	90	90.0	-	-	5	5.0	-	-	-	-	5	5.0	100	100.0
C16	Stomach	27	84.4	-	-	-	-	-	-	-	-	5	15.6	32	100.0
C17	Small Intestine	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C18	Colon	12	92.3	-	-	-	-	-	-	-	-	1	7.7	13	100.0
C19-C20	Rectum	16	94.1	-	-	-	-	-	-	-	-	1	5.9	17	100.0
C21	Anus & Anal Canal	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C22	Liver	2	11.8	-	-	13	76.5	-	-	-	-	2	11.8	17	100.0
C23-C24	Gallbladder etc.	103	79.8	-	-	17	13.2	-	-	-	-	9	7.0	129	100.0
C25	Pancreas	1	33.3	-	-	2	66.7	-	-	-	-	-	-	3	100.0
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	11	68.8	-	-	-	-	-	-	-	-	5	31.3	16	100.0
C33-C34	Lung etc.	2	4.7	-	-	35	81.4	-	-	-	-	6	14.0	43	100.0
C37-C38	Other Thoracic Organs	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C40-C41	Bone	8	88.9	-	-	1	11.1	-	-	-	-	-	-	9	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	6	60.0	-	-	1	10.0	-	-	-	-	3	30.0	10	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	Breast	92	40.2	-	-	100	43.7	-	-	-	-	37	16.2	229	100.0
C51	Vulva	6	100.0	-	-	-	-	-	-	-	-	-	-	6	100.0
C52	Vagina	6	100.0	-	-	-	-	-	-	-	-	-	-	6	100.0
C53	Cervix Uteri	116	82.3	-	-	8	5.7	-	-	-	-	17	12.1	141	100.0
C54	Corpus Uteri	9	81.8	-	-	-	-	-	-	-	-	2	18.2	11	100.0
C55	Uterus Unspecified	3	50.0	-	-	1	16.7	-	-	-	-	2	33.3	6	100.0
C56	Ovary etc.	32	69.6	-	-	3	6.5	-	-	-	-	11	23.9	46	100.0
C57	Other Female Genital	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	4	80.0	-	-	1	20.0	-	-	-	-	-	-	5	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C70-C72	Brain, Nervous System	2	66.7	-	-	-	-	-	-	-	-	1	33.3	3	100.0
C73	Thyroid	8	25.8	-	-	19	61.3	-	-	-	-	4	12.9	31	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C82-C85,C96	NHL	6	27.3	-	-	16	72.7	-	-	-	-	-	-	22	100.0
C88	Malig Imn.Prol	D	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	2	50.0	-	-	-	-	-	-	2	50.0	-	-	4	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	4	100.0	-	-	-	-	4	100.0
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	8	66.7	4	33.3	-	-	12	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	2	100.0	2	100.0
O&U*	Other and Uns	19	11.0	9	5.2	122	70.9	-	-	-	-	22	12.8	172	100.0
	<b>All Sites</b>	<b>713</b>	<b>56.5</b>	<b>9</b>	<b>0.7</b>	<b>378</b>	<b>29.9</b>	<b>12</b>	<b>1.0</b>	<b>6</b>	<b>0.5</b>	<b>145</b>	<b>11.5</b>	<b>1263</b>	<b>100.0</b>

\* O&amp;U includes the Sites ( ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

## TABLE CHR-7(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2009-2010 – Males

% = Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.48
C01-C02	Tongue	-	-	-	-	-	-	-	1	2	2	-	3	1	-	-	1	-	10	4.76
C03-C06	Mouth	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	4	1.90
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	4	1.90
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	0.95
C12-C13	Hypopharynx	-	-	-	-	-	-	-	1	1	-	3	-	5	1	3	-	-	14	6.67
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	3	1.43
C15	Oesophagus	-	-	-	-	-	-	-	-	3	2	3	4	4	6	3	4	-	29	13.81
C16	Stomach	-	-	-	-	-	-	-	1	-	2	-	2	3	1	-	1	-	10	4.76
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C19-C20	Rectum	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	3	1.43
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	0.95
C22	Liver	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	1	-	4	1.90
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	1	2	4	2	1	1	-	-	-	11	5.24
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	0.95
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	2	4	-	7	1	5	3	4	2	1	-	29	13.81
C33-C34	Lung etc.	-	-	-	-	-	-	-	-	3	3	3	3	1	8	4	3	-	28	13.33
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.48
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	Breast	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	0.95
C60	Penis	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.48
C61	Prostate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.48
C62	Testis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.48
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.48
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, Nervous System	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	3	1.43
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.48
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	0.95
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.48
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	0.95
O&U*	Other and Uns	-	-	-	1	-	-	-	-	1	5	4	7	6	6	5	3	-	38	18.10
	<b>All Sites</b>	-	-	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>4</b>	<b>8</b>	<b>15</b>	<b>26</b>	<b>25</b>	<b>31</b>	<b>27</b>	<b>36</b>	<b>19</b>	<b>15</b>	-	<b>210</b>	<b>100.00</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

## TABLE CHR-7(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2009-2010 – Females

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1.16
C01-C02	Tongue	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2.33
C03-C06	Mouth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C07-C08	Salivary Gland	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1.16
C09	Tonsil	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1.16
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	3	3.49
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	-	-	-	-	-	-	-	-	1	-	-	1	2	2	-	1	-	7	8.14
C16	Stomach	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-	4	4.65
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1.16
C18	Colon	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1.16
C19-C20	Rectum	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	2.33
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	2	2.33
C23-C24	Gallbladder etc.	-	-	-	-	-	1	-	-	-	4	2	1	-	-	-	-	-	8	9.30
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	4	4.65
C33-C34	Lung etc.	-	-	-	-	-	1	-	-	-	-	2	1	-	1	-	2	-	7	8.14
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	Breast	-	-	-	-	2	-	1	1	2	2	-	2	2	1	1	-	-	14	16.28
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	Cervix Uteri	-	-	-	-	-	-	1	2	1	2	-	4	1	-	-	1	-	12	13.95
C54	Corpus Uteri	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C56	Ovary etc.	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	3	3.49
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	2.33
O&U*	Other and Uns	-	-	-	-	-	-	-	2	-	1	-	4	1	2	1	-	-	11	12.79
	<b>All Sites</b>	-	-	-	-	<b>4</b>	<b>4</b>	<b>2</b>	<b>7</b>	<b>8</b>	<b>13</b>	<b>9</b>	<b>16</b>	<b>6</b>	<b>10</b>	<b>2</b>	<b>5</b>	-	<b>86</b>	<b>100.00</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE CHR-8(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2009-2010 - Males**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	1.5	-	-	-	-	-	0.1	0.1	0.08	0.2
C01-C02	-	-	-	-	-	-	-	0.7	2.0	2.3	-	6.5	2.6	-	-	4.6	0.6	0.8	0.24	2.1
C03-C06	-	-	-	-	-	-	0.8	-	1.0	-	1.5	-	-	3.4	-	-	0.2	0.3	0.15	0.4
C07-C08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	-	-	-	-	-	-	0.8	-	-	-	-	4.3	-	3.4	-	-	0.2	0.3	0.17	0.6
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	-	-	-	-	-	-	-	-	-	-	-	2.2	-	3.4	-	-	0.1	0.2	0.13	0.3
C12-C13	-	-	-	-	-	-	-	0.7	1.0	-	4.5	-	12.8	3.4	12.1	-	0.8	1.2	0.32	2.7
C14	-	-	-	-	-	-	-	-	-	-	-	2.2	-	6.8	-	-	0.2	0.3	0.17	0.3
C15	-	-	-	-	-	-	-	-	2.9	2.3	4.5	8.6	10.3	20.3	12.1	18.4	1.7	2.5	0.47	4.2
C16	-	-	-	-	-	-	-	0.7	-	2.3	-	4.3	7.7	3.4	-	4.6	0.6	0.9	0.28	2.1
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C19-C20	-	-	-	-	0.7	-	-	-	-	1.1	-	-	2.6	-	-	-	0.2	0.2	0.14	0.6
C21	-	-	-	-	-	-	-	-	-	1.1	-	-	-	3.4	-	-	0.1	0.2	0.12	0.2
C22	-	-	-	-	-	0.8	-	0.7	1.0	-	-	-	-	-	-	4.6	0.2	0.3	0.13	0.3
C23-C24	-	-	-	-	-	-	-	-	1.0	2.3	6.0	4.3	2.6	3.4	-	-	0.6	0.9	0.27	2.5
C25	-	-	-	-	-	-	-	-	-	-	3.0	-	-	-	-	-	0.1	0.2	0.11	0.5
C30-C31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	-	-	1.6	3.0	-	7.9	1.5	10.8	7.7	13.5	8.1	4.6	1.7	2.2	0.43	4.7
C33-C34	-	-	-	-	-	-	-	-	2.9	3.4	4.5	6.5	2.6	27.0	16.1	13.8	1.6	2.4	0.46	3.1
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	-	-	-	-	-	-	-	-	-	-	1.5	-	-	-	-	-	0.1	0.1	0.08	0.2
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	-	-	-	-	-	-	-	-	-	1.1	-	-	-	3.4	-	-	0.1	0.2	0.12	0.2
C60	-	-	-	-	-	-	-	-	1.0	-	-	-	-	-	-	-	0.1	0.1	0.06	0.2
C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.6	0.1	0.1	0.09	-
C62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.0	-	0.1	0.1	0.08	-
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	-	-	3.4	-	-	0.1	0.1	0.10	-
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	-	-	-	-	-	-	-	-	-	1.5	-	5.1	-	-	-	0.2	0.3	0.16	0.9
C73	-	-	-	-	-	-	-	-	-	-	-	2.2	-	-	-	-	0.1	0.1	0.09	0.3
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	-	-	0.5	-	-	-	-	-	1.0	-	-	-	-	-	-	-	0.1	0.1	0.07	0.2
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.0	-	0.1	0.1	0.08	-
C92-C94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C95	-	-	-	-	-	-	-	-	-	-	1.5	-	-	3.4	-	-	0.1	0.2	0.13	0.2
O&U*	-	-	-	0.5	-	-	-	-	1.0	5.7	6.0	15.1	15.4	20.3	20.2	13.8	2.2	3.3	0.54	6.2
All	-	-	0.5	0.5	0.7	0.8	3.2	5.9	14.7	29.4	37.7	66.9	69.4	121.5	76.7	69.0	12.2	17.3	1.22	33.3

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE CHR-8(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2009-2010 - Females**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	1.2	-	-	-	-	-	-	0.1	0.1	0.07	0.2
C01-C02	-	-	-	-	-	-	-	-	-	-	-	-	-	6.3	-	-	0.1	0.2	0.13	-
C03-C06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C07-C08	-	-	-	-	-	-	-	0.8	-	-	-	-	-	-	-	-	0.1	-	0.05	0.2
C09	-	-	-	-	-	-	-	-	1.1	-	-	-	-	-	-	-	0.1	0.1	0.07	0.2
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-C13	-	-	-	-	-	-	-	-	1.1	-	-	4.4	-	-	-	-	0.2	0.2	0.14	0.8
C14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	-	-	-	-	-	-	-	-	1.1	-	-	2.2	4.9	6.3	-	4.0	0.4	0.6	0.24	1.1
C16	-	-	-	-	0.7	-	-	-	-	1.2	3.8	-	-	-	-	-	0.2	0.3	0.16	0.9
C17	-	-	-	-	-	-	-	-	-	-	1.9	-	-	-	-	-	0.1	0.1	0.10	0.3
C18	-	-	-	-	-	-	-	-	-	-	-	2.2	-	-	-	-	0.1	0.1	0.09	0.3
C19-C20	-	-	-	-	-	1.4	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.08	-
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	-	-	-	-	-	-	-	0.8	-	-	-	-	-	3.1	-	-	0.1	0.1	0.10	0.2
C23-C24	-	-	-	-	-	0.7	-	-	-	4.9	3.8	2.2	-	-	-	-	0.5	0.6	0.23	1.9
C25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30-C31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	0.7	-	-	-	1.1	1.2	-	-	-	3.1	-	-	0.2	0.3	0.15	0.5
C33-C34	-	-	-	-	-	0.7	-	-	-	-	3.8	2.2	-	3.1	-	8.0	0.4	0.6	0.23	0.9
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	-	-	-	-	1.4	-	0.8	0.8	2.3	2.5	-	4.4	4.9	3.1	4.1	-	0.9	1.0	0.29	2.3
C51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	-	-	-	-	-	-	0.8	1.6	1.1	2.5	-	8.8	2.4	-	-	4.0	0.7	0.9	0.26	2.4
C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C56	-	-	-	-	-	-	-	-	1.1	-	1.9	-	-	-	-	4.0	0.2	0.2	0.14	0.5
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-C94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C95	-	-	-	-	-	-	-	-	-	1.2	1.9	-	-	-	-	-	0.1	0.2	0.12	0.5
O&U*	-	-	-	-	-	-	-	1.6	-	1.2	-	8.8	2.4	6.3	4.1	-	0.7	0.9	0.27	2.0
<b>All</b>	-	-	-	-	<b>2.9</b>	<b>2.8</b>	<b>1.6</b>	<b>5.4</b>	<b>9.1</b>	<b>15.9</b>	<b>17.2</b>	<b>35.3</b>	<b>14.6</b>	<b>31.3</b>	<b>8.2</b>	<b>20.0</b>	<b>5.2</b>	<b>6.7</b>	<b>0.74</b>	<b>15.1</b>

\* O&amp;U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)



**TABLE CHR-9(a): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)  
of individual sites (ICD-10) based on age specific rates  
(from 0-64 years and from 0-74 Years ) 2009-2010 - Males**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	0.1	0.1	0.1	0.1
C01-C02	Tongue	0.6	0.6	0.9	0.9
C03-C06	Mouth	0.3	0.3	0.6	0.6
C07-C08	Salivary Gland	0.2	0.2	0.2	0.2
C09	Tonsil	0.3	0.3	0.4	0.4
C10	Oth. Oropharynx	0.1	0.1	0.2	0.2
C11	Nasopharynx	0.1	0.1	0.1	0.1
C12-C13	Hypopharynx	0.7	0.7	1.4	1.4
C14	Pharynx Unspecified	0.1	0.1	0.2	0.2
C15	Oesophagus	0.8	0.8	1.4	1.4
C16	Stomach	0.3	0.3	0.5	0.5
C17	Small Intestine	-	-	-	-
C18	Colon	0.1	0.1	0.2	0.2
C19-C20	Rectum	0.2	0.2	0.2	0.2
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	0.2	0.2	0.3	0.3
C23-C24	Gallbladder etc.	0.4	0.4	0.6	0.6
C25	Pancreas	0.1	0.1	0.1	0.1
C30-C31	Nose, Sinuses etc.	-	-	-	-
C32	Larynx	0.5	0.5	0.8	0.8
C33-C34	Lung etc.	0.6	0.6	1.4	1.4
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	0.1	0.1	0.1	0.1
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.1	0.1	0.1	0.1
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-
C50	Breast	0.1	0.1	0.1	0.1
C60	Penis	0.1	0.1	0.2	0.2
C61	Prostate	0.1	0.1	0.1	0.1
C62	Testis	-	-	-	-
C63	Other Male Genital	-	-	-	-
C64	Kidney etc.	0.1	0.1	0.1	0.1
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	0.1	0.1	0.3	0.3
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	-	-	-	-
C73	Thyroid	0.1	0.1	0.1	0.1
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	-	-	-	-
C82-C85,C96	NHL	0.2	0.2	0.3	0.3
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-
C92-C94	Myeloid Leukaemia	-	-	-	-
C95	Leukaemia Uns	-	-	-	-
O&U*	Other and Uns	2.4	2.4	4.1	4.2
	<b>All Sites</b>	<b>8.88</b>	<b>8.50</b>	<b>15.54</b>	<b>14.39</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE CHR-9(b): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)  
of individual sites (ICD-10) based on age specific rates  
(from 0-64 years and from 0-74 Years ) 2009-2010 - Females**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	0.1	0.1
C01-C02	Tongue	0.2	0.2	0.3	0.3
C03-C06	Mouth	0.3	0.3	0.3	0.3
C07-C08	Salivary Gland	0.1	0.1	0.1	0.1
C09	Tonsil	-	-	0.1	0.1
C10	Oth. Oropharynx	0.1	0.1	0.1	0.1
C11	Nasopharynx	-	-	-	-
C12-C13	Hypopharynx	0.2	0.2	0.3	0.3
C14	Pharynx Unspecified	0.1	0.1	0.1	0.1
C15	Oesophagus	0.6	0.6	0.9	1.0
C16	Stomach	0.2	0.2	0.3	0.3
C17	Small Intestine	-	-	-	-
C18	Colon	0.1	0.1	0.1	0.1
C19-C20	Rectum	0.1	0.1	0.2	0.2
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	0.1	0.1	0.1	0.1
C23-C24	Gallbladder etc.	0.8	0.8	1.1	1.1
C25	Pancreas	-	-	-	-
C30-C31	Nose, Sinuses etc.	-	-	-	-
C32	Larynx	0.1	0.1	0.1	0.1
C33-C34	Lung etc.	0.3	0.3	0.4	0.4
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	-	-	0.1	0.1
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.1	0.1	0.1	0.1
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-
C50	Breast	1.3	1.3	1.6	1.7
C51	Vulva	-	-	0.1	0.1
C52	Vagina	-	-	0.1	0.1
C53	Cervix Uteri	0.9	0.9	1.2	1.2
C54	Corpus Uteri	0.1	0.1	0.1	0.1
C55	Uterus Unspecified	-	-	-	-
C56	Ovary etc.	0.3	0.3	0.3	0.3
C57	Other Female Genital	-	-	-	-
C58	Placenta	-	-	-	-
C64	Kidney etc.	-	-	-	-
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	-	-	-	-
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	-	-	-	-
C73	Thyroid	0.1	0.1	0.2	0.2
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	-	-	-	-
C82-C85,C96	NHL	0.1	0.1	0.2	0.2
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-
C92-C94	Myeloid Leukaemia	0.1	0.1	0.1	0.1
C95	Leukaemia Uns	-	-	-	-
O&U *	Other and Uns	1.0	0.9	1.6	1.6
	<b>All Sites</b>	<b>7.49</b>	<b>7.22</b>	<b>10.58</b>	<b>10.04</b>

\* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)