

POPULATION BASED CANCER REGISTRY, MEGHALAYA

Civil Hospital, Shillong

Dr R.S. Dympep, Principal Investigator, Pathologist, Pasteur Institute, Shillong

Dr D.K. Parida, Co-Investigator, Oncologist, NEIGRIHMS, Shillong

Dr H. Dkhar, Co-Investigator, Pathologist, Nazareth Hospital, Shillong

Dr J. Syiemlieh, Co-Investigator, Oncologist, Civil Hospital, Shillong

Meghalaya is one of the North Eastern states of India. It is a hilly strip of land in the eastern part of the country about 300 km in length and 100 km in breadth with a total area of about 22,429 sq km. According to the details of Meghalaya provisional census 2011, it has a population of 29.64 lakhs. The state is bounded on the north and east by Assam and on the south and west by Bangladesh. Shillong, the capital is also known as the Scotland of the East and the Shillong metropolitan area has a population of 354,325. Meghalaya comprises 0.8% of the country total land mass and 8.55% of that of the North-East. The two main indigenous groups of Meghalaya are the Khasi-Jaintias mainly dominating the Khasi and Jaintia Hills and the Garos in the Garo Hills. The population growth rate is 27.82%, Sex ratio F:M is 986:1000, Population density is 132 per sq km and the Literacy rate is 75.48%.

Meghalaya as part of the National Cancer Registry Programme, started the Population Based Cancer Registry Programme from 2009 covering four districts of the state namely (1) East Khasi Hills (2) West Khasi Hills (3) Jaintia Hills (4) Ri Bhoi with a population of 18.6 lakhs.

Data abstraction of incidence and mortality is routinely performed by the Social Investigators after collecting data from various sources through direct contact with patients, medical records etc. The details are entered into the core-proforma provided by NCRP Bangalore. Coding is followed according to the International Classification of Diseases for Oncology (ICD-O) along with the International Statistical Classifications of Neoplasms (ICD-10) published by the WHO. The data are entered into the database of PBCRDM 2.1 software designed by NCRP Bangalore. It has been a useful tool as it provides effortless data entry and has been assisting the operator through an interactive environment.

The medical officer in charge of CHCs/PHCs is designated as Births and Deaths Registrar. They certify deaths in hospitals or PHCs. These death certificates and reports are sent to the office of their respective District Medical & Health Officer's office. Births and Deaths are also registered under the respective municipal corporation. Mortality collection is also done from all the hospitals/institutions, media i.e. local newspapers, local cable TV service provider etc. The mortality data is not yet computerised in the state.

The setting up of the PBCR during the initial years has been a great challenge. The cooperation has increased due to interactions with the medical officers of the various registries, various institutions and nursing homes. Feedback received from field staff has been of immense help in streamlining the process.

Agendas and programmes for interacting with the various Government and non Government medical entities, including the medical record staff, related to cancer incidence and mortality have been chalked out for the coming year.

With the alarming increase of cancer cases in the state and as suggested by NCRP Bangalore, the Registry has given a written suggestion to the Government of Meghalaya to make cancer as a notifiable disease in the state. It is hoped that the project will contribute to the National Cancer Registry Programme mainly through its National Cancer Control Programme.

Sources of Registration

1	Civil Hospital, Shillong	16	CMC, Vellore
2	Woodland Hospital, Shillong	17	North East Cancer Hospital and Research Institute, Jorabat
3	North Eastern Diagnostic Centre (NEDC), Shillong	19	DMHO, Nongstoin
4	Melari Diagnostic Laboratory, Shillong	21	DMHO, Nongpoh
5	Bethany Hospital, Shillong	22	DMHO, Jowai
6	Super care Hospital, Shillong	23	DMHO, Shillong
7	Clinical Pathology, Shillong	27	The Municipal Board, Shillong
8	NEIGRIHMS, Shillong	28	The Municipal Board, Jowai
9	Nazareth Hospital, Shillong	30	Civil Hospital, Jowai
10	BBCI, Guwahati	31	Civil Hospital, Nongpoh
11	Sendro Polyclinic, Shillong	32	Hospital, Nongstoin
12	Shillong Diagnostic, Shillong	33	KJP Hospital, Jowai
13	Ganesh Das Hospital, Shillong	34	KJP (Gordon Robert) Hospital, Shillong

Advisory Committee

Chairman	:	Commissioner and Secretary Health and Family Welfare, Govt. of Meghalaya
Member	:	Officer on Special duty Health and Family Welfare, Govt. of Meghalaya
Principal Investigator	:	Dr R.S. Dympep , Pathologist, Pasteur Institute, Shillong
Co-Investigators	:	Dr D.K. Parida , Oncologist, NEIGRIHMS, Shillong Dr H. Dkhar , Pathologist, Nazareth Hospital, Shillong Dr J. Syiemlieh , Oncologist, Civil Hospital, Shillong

Registry Staff

Research Officer	:	Dr L. Lyngskor	Social Investigators	:	Mr Dienroimiar M. Pdah
Programmer	:	Mr Baiakmenlang Suting			Ms Lucina Wanniang
Data Entry Operator	:	Mr Bantehsong Langstieh			Ms Metalyne Nongrum
Statistician	:	Mr Ricky M.R. Lyngdoh			

**TABLE MLS-1: Main Sources of Registration of Incident Cases of Cancer: 2010-2011
Meghalaya State**

Name of the Institution	Number	%
Civil Hospital, Shillong	616	25.9
Woodland Hospital, Shillong	373	15.7
NEIGRIHMS, Shillong	326	13.7
Nazareth Hospital, Shillong	210	8.8
Melari Diagnostic Laboratory, Sillong	194	8.2
North Eastern Diagnostic Centre (NEDC), Shillong	171	7.2
Bethany Hospital, Shillong	125	5.3
Unknown	123	5.2
BBCI, Guwahati	73	3.1
The Municipal Board, Shillong	44	1.8
Cancer Atlas	40	1.7
Others	84	3.5
Total	2379	100.0

- 1. Institutions listed have registered at least one percent of all cases in the registry for the combined years 2010-2011.*
- 2. The numbers and proportion listed are the minimum number of cases. Institutions could have registered/ reported more cases, since duplicate registrations and non-resident/registry cases are not included.*

Figure MLS -1
Population Pyramid showing Age Distribution: 2010-2011
MEGHALAYA STATE




TABLE MLS-2
Population by Five Year Age Group and Gender: 2010-2011
Number and Relative Proportion (%)
MEGHALAYA STATE

Age Group	Males		Females	
	Number	%	Number	%
00-04	249683	13.2	243088	12.9
05-09	278080	14.7	271869	14.4
10-14	283374	15.0	273656	14.5
15-19	219868	11.6	216769	11.5
20-24	163366	8.6	173341	9.2
25-29	135562	7.2	151266	8.0
30-34	123242	6.5	121731	6.4
35-39	125235	6.6	118703	6.3
40-44	83695	4.4	79918	4.2
45-49	69557	3.7	67011	3.6
50-54	51662	2.7	46181	2.4
55-59	33874	1.8	33065	1.8
60-64	25605	1.4	30258	1.6
65-69	19101	1.0	23885	1.3
70-74	13891	0.7	17550	0.9
75+	14746	0.8	21281	1.1
Total	1890541	100.00	1889572	100.00

TABLE MLS-3(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2010-2011 - Males

% = Relative Proportion of Cancers of All Sites.

MEGHALAYA STATE

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	1	-	-	1	-	-	2	1	-	-	5	0.33
C01-C02	Tongue	-	-	-	-	-	3	4	9	13	12	6	3	3	3	1	2	-	59	3.88
C03-C06	Mouth	-	-	-	-	-	-	2	7	14	13	13	5	9	4	7	5	-	79	5.20
C07-C08	Salivary Gland	-	-	1	-	-	-	-	-	2	-	1	-	2	1	-	-	-	7	0.46
C09	Tonsil	-	-	1	-	-	1	1	5	5	11	9	6	4	3	1	1	-	48	3.16
C10	Oth. Oropharynx	-	-	-	-	-	-	-	1	3	3	2	7	2	1	1	1	-	21	1.38
C11	Nasopharynx	-	-	1	1	-	-	1	1	5	2	1	2	2	2	1	-	-	19	1.25
C12-C13	Hypopharynx	-	-	-	-	-	3	4	17	35	23	29	23	19	10	9	3	-	175	11.51
C14	Pharynx Unspecified	-	-	-	-	-	-	2	5	3	8	7	4	3	4	2	3	-	41	2.70
C15	Oesophagus	-	-	-	-	-	2	5	33	56	111	90	49	47	26	20	14	-	453	29.80
C16	Stomach	-	-	-	-	-	2	5	4	5	14	15	11	18	17	10	12	-	113	7.43
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	0.13
C18	Colon	-	-	-	2	-	1	2	-	2	2	-	-	2	2	1	2	-	16	1.05
C19-C20	Rectum	-	-	-	-	-	-	-	-	-	1	3	-	1	1	1	3	-	10	0.66
C21	Anus & Anal Canal	-	-	-	1	-	-	1	-	-	-	1	-	1	1	-	-	-	5	0.33
C22	Liver	-	-	-	-	-	-	1	2	3	3	6	5	5	3	2	4	-	34	2.24
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	-	-	6	0.39
C25	Pancreas	-	-	-	-	-	1	-	1	-	-	-	2	2	1	-	1	-	8	0.53
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	3	0.20
C32	Larynx	-	-	-	-	-	1	-	3	6	20	13	10	9	7	2	2	-	73	4.80
C33-C34	Lung etc.	-	-	-	-	-	1	-	3	6	10	10	15	8	15	6	16	-	90	5.92
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	4	0.26
C40-C41	Bone	-	-	-	2	3	1	-	2	1	-	-	1	-	1	1	1	-	13	0.86
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	2	-	-	-	2	-	-	3	2	3	-	2	-	14	0.92
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	2	-	1	-	1	-	-	-	1	-	-	-	-	-	-	5	0.33
C50	Breast	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	3	0.20
C60	Penis	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	4	0.26
C61	Prostate	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	5	-	13	0.86
C62	Testis	1	-	-	1	-	1	2	-	-	-	1	-	-	-	-	-	-	6	0.39
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	3	0.20
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.07
C67	Bladder	1	-	-	-	-	-	1	-	-	1	1	-	1	1	-	2	-	8	0.53
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	0.13
C70-C72	Brain, NS	-	1	2	-	-	-	2	3	1	2	1	-	1	2	1	-	-	16	1.05
C73	Thyroid	-	-	-	1	-	-	-	1	1	2	1	1	-	-	-	1	-	8	0.53
C74	Adrenal Gland	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	0.07
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	-	-	-	1	1	1	-	1	1	1	-	1	1	1	-	-	-	9	0.59
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	0.13
C91	Lymphoid Leuk.	1	1	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	5	0.33
C92-C94	Myeloid Leukaemia	-	1	1	-	1	1	4	-	-	1	1	2	-	1	-	-	-	13	0.86
C95	Leukaemia Uns	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	3	0.20
O&U*	Other and Uns	-	-	-	3	1	4	4	11	15	16	19	13	13	2	6	13	-	120	7.89
	All Sites	3	5	8	13	10	23	42	110	182	260	238	170	163	121	78	94	-	1520	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE MLS-3(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2010-2011 - Females

%= Relative Proportion of Cancers of All Sites.

MEGHALAYA STATE

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	1	2	3	1	1	4	-	12	1.40
C01-C02	Tongue	-	-	-	-	-	1	-	1	5	4	3	-	5	1	4	2	-	26	3.03
C03-C06	Mouth	-	-	-	-	-	-	3	1	4	7	9	5	9	7	7	6	-	58	6.75
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	0.23
C09	Tonsil	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	-	-	6	0.70
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.12
C11	Nasopharynx	-	-	-	1	-	1	1	-	1	-	-	2	1	1	-	1	-	9	1.05
C12-C13	Hypopharynx	-	-	-	-	-	-	-	1	2	2	5	2	3	-	2	1	-	18	2.10
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	6	0.70
C15	Oesophagus	-	-	-	-	1	1	2	4	20	29	33	24	29	13	16	16	-	188	21.89
C16	Stomach	-	-	-	-	-	-	5	4	8	10	6	6	3	4	4	6	-	56	6.52
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	0.23
C18	Colon	-	-	-	-	-	-	-	-	1	1	5	-	3	1	4	1	-	16	1.86
C19-C20	Rectum	-	-	1	-	-	-	-	1	1	-	1	1	2	1	1	1	-	10	1.16
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	1	-	-	-	-	-	-	2	1	2	-	-	1	2	1	3	-	13	1.51
C23-C24	Gallbladder etc.	-	-	-	-	-	-	1	3	2	2	5	2	8	4	1	3	-	31	3.61
C25	Pancreas	-	-	-	-	1	1	-	-	-	-	2	2	3	1	1	-	-	11	1.28
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	2	0.23
C32	Larynx	-	-	-	-	-	-	1	-	-	1	-	-	1	2	-	1	-	6	0.70
C33-C34	Lung etc.	-	-	-	-	1	-	2	1	2	4	4	3	4	5	1	-	-	27	3.14
C37-C38	Other Thoracic Organs	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	0.23
C40-C41	Bone	-	-	-	-	1	-	-	1	-	1	-	-	2	-	-	-	-	5	0.58
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	1	-	1	-	-	3	2	3	-	1	-	1	1	2	-	15	1.75
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	1	-	-	1	1	-	1	1	1	-	1	-	-	1	-	-	-	8	0.93
C50	Breast	-	-	-	-	-	1	7	8	15	16	15	7	6	12	6	3	-	96	11.18
C51	Vulva	1	-	-	-	-	1	-	1	-	1	-	-	-	-	1	-	-	5	0.58
C52	Vagina	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	4	0.47
C53	Cervix Uteri	-	-	-	1	1	-	9	13	15	16	11	7	10	3	1	2	-	89	10.36
C54	Corpus Uteri	-	-	-	-	-	-	-	-	-	1	3	-	1	2	1	-	-	8	0.93
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	4	-	-	-	2	-	-	-	6	0.70
C56	Ovary etc.	-	-	-	1	1	2	5	3	5	-	5	-	-	-	-	-	-	22	2.56
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	0.12
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	0.23
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.12
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	0.23
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, NS	-	-	1	-	1	2	2	-	-	1	-	1	1	-	-	-	-	9	1.05
C73	Thyroid	-	-	-	-	-	2	3	1	2	1	1	-	-	-	1	1	-	12	1.40
C74	Adrenal Gland	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	0.23
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	-	-	-	1	1	-	-	-	1	2	-	-	-	1	-	-	-	6	0.70
C88	Malig Imn.Prof D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	0.23
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.12
C92-C94	Myeloid Leukaemia	-	-	-	1	-	-	2	-	-	1	1	2	2	-	-	1	-	10	1.16
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	Other and Uns	-	1	-	-	2	1	2	2	2	7	6	1	7	5	7	8	-	51	5.94
	All Sites	4	2	3	6	12	15	46	51	93	119	123	75	107	75	62	66	-	859	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE MLS-4(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2010-2011 - Males
MEGHALAYA STATE

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	0.8	-	-	1.9	-	-	10.5	7.2	-	0.3	0.60	0.29	0.5	
C01-C02	-	-	-	-	-	2.2	3.2	7.2	15.5	17.3	11.6	8.9	11.7	15.7	7.2	13.6	3.1	5.06	0.71	12.3
C03-C06	-	-	-	-	-	-	1.6	5.6	16.7	18.7	25.2	14.8	35.1	20.9	50.4	33.9	4.2	8.13	0.97	18.4
C07-C08	-	-	0.4	-	-	-	-	-	2.4	-	1.9	-	7.8	5.2	-	-	0.4	0.74	0.31	1.8
C09	-	-	0.4	-	-	0.7	0.8	4.0	6.0	15.8	17.4	17.7	15.6	15.7	7.2	6.8	2.5	4.64	0.71	12.1
C10	-	-	-	-	-	-	-	0.8	3.6	4.3	3.9	20.7	7.8	5.2	7.2	6.8	1.1	2.29	0.52	6.0
C11	-	-	0.4	0.5	-	-	0.8	0.8	6.0	2.9	1.9	5.9	7.8	10.5	7.2	-	1.0	1.80	0.45	3.9
C12-C13	-	-	-	-	-	2.2	3.2	13.6	41.8	33.1	56.1	67.9	74.2	52.4	64.8	20.3	9.3	17.44	1.40	44.5
C14	-	-	-	-	-	-	1.6	4.0	3.6	11.5	13.5	11.8	11.7	20.9	14.4	20.3	2.2	4.18	0.69	8.9
C15	-	-	-	-	-	1.5	4.1	26.4	66.9	159.6	174.2	144.7	183.6	136.1	144.0	94.9	24.0	46.23	2.28	119.4
C16	-	-	-	-	-	1.5	4.1	3.2	6.0	20.1	29.0	32.5	70.3	89.0	72.0	81.4	6.0	13.42	1.32	23.6
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	5.2	-	6.8	0.1	0.29	0.21	-
C18	-	-	-	0.9	-	0.7	1.6	-	2.4	2.9	-	-	7.8	10.5	7.2	13.6	0.8	1.60	0.44	2.0
C19-C20	-	-	-	-	-	-	-	-	-	1.4	5.8	-	3.9	5.2	7.2	20.3	0.5	1.24	0.40	1.7
C21	-	-	-	0.5	-	-	0.8	-	-	-	1.9	-	3.9	5.2	-	-	0.3	0.50	0.25	0.8
C22	-	-	-	-	-	-	0.8	1.6	3.6	4.3	11.6	14.8	19.5	15.7	14.4	27.1	1.8	3.87	0.69	8.1
C23-C24	-	-	-	-	-	-	-	-	-	-	3.9	3.0	3.9	5.2	7.2	-	0.3	0.77	0.32	1.5
C25	-	-	-	-	-	0.7	-	0.8	-	-	-	5.9	7.8	5.2	-	6.8	0.4	0.95	0.35	1.9
C30-C31	-	-	-	-	-	-	-	-	-	-	-	5.9	3.9	-	-	-	0.2	0.39	0.23	1.3
C32	-	-	-	-	-	0.7	-	2.4	7.2	28.8	25.2	29.5	35.1	36.6	14.4	13.6	3.9	7.86	0.96	19.8
C33-C34	-	-	-	-	-	0.7	-	2.4	7.2	14.4	19.4	44.3	31.2	78.5	43.2	108.5	4.8	10.87	1.18	17.5
C37-C38	-	-	-	-	-	-	-	-	2.4	1.4	-	3.0	-	-	-	-	0.2	0.35	0.18	1.1
C40-C41	-	-	-	0.9	1.8	0.7	-	1.6	1.2	-	-	3.0	-	5.2	7.2	6.8	0.7	1.01	0.32	0.9
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	1.2	-	-	-	2.4	-	-	8.9	7.8	15.7	-	13.6	0.7	1.65	0.47	2.6
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	0.7	-	0.6	-	0.8	-	-	-	1.9	-	-	-	-	-	0.3	0.26	0.13	0.3
C50	-	-	-	-	-	-	-	-	-	1.4	-	-	7.8	-	-	-	0.2	0.40	0.24	1.3
C60	-	-	-	-	-	-	-	-	1.2	-	-	3.0	3.9	-	7.2	-	0.2	0.49	0.25	1.1
C61	-	-	-	-	-	-	-	-	-	1.4	1.9	3.0	3.9	10.5	14.4	33.9	0.7	1.74	0.49	1.5
C62	0.4	-	-	0.5	-	0.7	1.6	-	-	-	1.9	-	-	-	-	-	0.3	0.34	0.15	0.3
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	-	3.0	-	10.5	-	-	0.2	0.43	0.25	0.4
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	3.9	-	-	-	0.1	0.16	0.16	0.5
C67	0.4	-	-	-	-	-	0.8	-	-	1.4	1.9	-	3.9	5.2	-	13.6	0.4	0.86	0.33	1.1
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	0.4	-	-	-	-	-	-	-	-	1.9	-	-	-	-	-	0.1	0.13	0.10	0.3
C70-C72	-	0.4	0.7	-	-	-	1.6	2.4	1.2	2.9	1.9	-	3.9	10.5	7.2	-	0.8	1.30	0.37	2.1
C73	-	-	-	0.5	-	-	-	0.8	1.2	2.9	1.9	3.0	-	-	-	6.8	0.4	0.68	0.26	1.6
C74	-	-	-	-	0.6	-	-	-	-	-	-	-	-	-	-	-	0.1	0.05	0.05	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	-	-	-	0.5	0.6	0.7	-	0.8	1.2	1.4	-	3.0	3.9	5.2	-	-	0.5	0.79	0.29	1.5
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	1.9	-	3.9	-	-	-	0.1	0.25	0.18	0.8
C91	0.4	0.4	-	0.5	-	-	-	-	-	-	1.9	-	-	5.2	-	-	0.3	0.38	0.20	0.3
C92-C94	-	0.4	0.4	-	0.6	0.7	3.2	-	-	1.4	1.9	5.9	-	5.2	-	-	0.7	0.95	0.29	1.4
C95	-	0.4	-	-	-	-	-	-	-	1.4	-	-	-	-	7.2	-	0.2	0.27	0.17	0.3
O&U*	-	-	-	1.4	0.6	3.0	3.2	8.8	17.9	23.0	36.8	38.4	50.8	10.5	43.2	88.2	6.3	11.93	1.16	27.1
All	1.2	1.8	2.8	5.9	6.1	17.0	34.1	87.8	217.5	373.8	460.7	501.9	636.6	633.5	561.5	637.5	80.4	157.3	4.26	352.6

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE MLS-4(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2010-2011 - Females
MEGHALAYA STATE

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	2.2	6.0	9.9	4.2	5.7	18.8	0.6	1.36	0.40	2.4
C01-C02	-	-	-	-	-	0.7	-	0.8	6.3	6.0	6.5	-	16.5	4.2	22.8	9.4	1.4	2.59	0.52	5.7
C03-C06	-	-	-	-	-	-	2.5	0.8	5.0	10.4	19.5	15.1	29.7	29.3	39.9	28.2	3.1	6.14	0.82	12.1
C07-C08	-	-	-	-	-	-	-	-	-	-	-	3.0	3.3	-	-	-	0.1	0.25	0.18	0.8
C09	-	-	-	-	-	-	-	-	1.3	1.5	4.3	3.0	3.3	-	-	-	0.3	0.63	0.26	2.0
C10	-	-	-	-	-	-	-	-	-	-	-	-	3.3	-	-	-	0.1	0.13	0.13	0.4
C11	-	-	-	0.5	-	0.7	0.8	-	1.3	-	-	6.0	3.3	4.2	-	4.7	0.5	0.81	0.29	1.4
C12-C13	-	-	-	-	-	-	-	0.8	2.5	3.0	10.8	6.0	9.9	-	11.4	4.7	1.0	1.88	0.45	5.0
C14	-	-	-	-	-	-	-	-	-	-	4.3	-	-	8.4	-	9.4	0.3	0.66	0.27	0.7
C15	-	-	-	-	0.6	0.7	1.6	3.4	25.0	43.3	71.5	72.6	95.8	54.4	91.2	75.2	9.9	19.77	1.47	47.1
C16	-	-	-	-	-	-	4.1	3.4	10.0	14.9	13.0	18.1	9.9	16.7	22.8	28.2	3.0	5.24	0.73	11.2
C17	-	-	-	-	-	-	-	-	-	-	-	3.0	-	-	5.7	-	0.1	0.23	0.17	0.4
C18	-	-	-	-	-	-	-	-	1.3	1.5	10.8	-	9.9	4.2	22.8	4.7	0.8	1.78	0.45	3.6
C19-C20	-	-	0.4	-	-	-	-	0.8	1.3	-	2.2	3.0	6.6	4.2	5.7	4.7	0.5	0.99	0.33	2.0
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	0.4	-	-	-	-	-	-	1.7	1.3	3.0	-	-	3.3	8.4	5.7	14.1	0.7	1.18	0.34	1.6
C23-C24	-	-	-	-	-	-	0.8	2.5	2.5	3.0	10.8	6.0	26.4	16.7	5.7	14.1	1.6	3.27	0.61	7.5
C25	-	-	-	-	0.6	0.7	-	-	-	-	4.3	6.0	9.9	4.2	5.7	-	0.6	1.19	0.37	2.8
C30-C31	-	-	-	-	-	0.7	-	-	1.3	-	-	-	-	-	-	-	0.1	0.13	0.09	0.2
C32	-	-	-	-	-	-	0.8	-	-	1.5	-	-	3.3	8.4	-	4.7	0.3	0.62	0.26	0.7
C33-C34	-	-	-	-	0.6	-	1.6	0.8	2.5	6.0	8.7	9.1	13.2	20.9	5.7	-	1.4	2.77	0.55	6.1
C37-C38	-	0.4	-	-	-	-	-	-	-	1.5	-	-	-	-	-	-	0.1	0.13	0.10	0.3
C40-C41	-	-	-	-	0.6	-	-	0.8	-	1.5	-	-	6.6	-	-	-	0.3	0.45	0.22	1.3
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	0.4	-	0.6	-	-	2.5	2.5	4.5	-	3.0	-	4.2	5.7	9.4	0.8	1.20	0.33	2.2
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	0.4	-	-	0.5	0.6	-	0.8	0.8	1.3	-	2.2	-	-	4.2	-	-	0.4	0.55	0.21	0.8
C50	-	-	-	-	-	0.7	5.8	6.7	18.8	23.9	32.5	21.2	19.8	50.2	34.2	14.1	5.1	9.10	0.96	20.1
C51	0.4	-	-	-	-	0.7	-	0.8	-	1.5	-	-	-	-	5.7	-	0.3	0.36	0.17	0.5
C52	-	-	-	-	-	-	-	-	-	1.5	2.2	6.0	-	-	-	-	0.2	0.44	0.22	1.4
C53	-	-	-	0.5	0.6	-	7.4	11.0	18.8	23.9	23.8	21.2	33.0	12.6	5.7	9.4	4.7	7.79	0.87	21.2
C54	-	-	-	-	-	-	-	-	-	1.5	6.5	-	3.3	8.4	5.7	-	0.4	0.91	0.32	1.8
C55	-	-	-	-	-	-	-	-	-	6.0	-	-	-	8.4	-	-	0.3	0.61	0.25	1.2
C56	-	-	-	0.5	0.6	1.3	4.1	2.5	6.3	-	10.8	-	-	-	-	-	1.2	1.51	0.34	3.4
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	0.7	-	-	-	-	-	-	-	-	-	-	0.1	0.05	0.05	-
C64	-	-	-	-	-	-	-	-	-	-	-	3.0	-	4.2	-	-	0.1	0.25	0.17	0.4
C65	-	-	-	-	-	-	-	-	-	-	-	3.0	-	-	-	-	0.1	0.12	0.12	0.4
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	1.3	-	-	-	-	-	-	4.7	0.1	0.17	0.12	0.2
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	-	0.4	-	0.6	1.3	1.6	-	-	1.5	-	3.0	3.3	-	-	-	0.5	0.63	0.23	1.1
C73	-	-	-	-	-	1.3	2.5	0.8	2.5	1.5	2.2	-	-	-	5.7	4.7	0.6	0.86	0.26	1.3
C74	0.4	-	-	-	-	-	-	-	-	-	2.2	-	-	-	-	-	0.1	0.16	0.12	0.3
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	-	-	-	0.5	0.6	-	-	-	1.3	3.0	-	-	-	4.2	-	-	0.3	0.47	0.20	0.8
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	4.2	-	4.7	0.1	0.22	0.16	-
C91	-	-	-	-	-	-	-	-	-	-	-	-	-	4.2	-	-	0.1	0.13	0.13	-
C92-C94	-	-	-	0.5	-	-	1.6	-	-	1.5	2.2	6.0	6.6	-	-	4.7	0.5	0.94	0.32	2.3
C95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	-	0.4	-	-	1.2	0.7	1.6	1.7	2.5	10.4	13.0	3.0	23.1	20.9	39.9	37.6	2.7	5.03	0.73	8.3
All	1.6	0.7	1.1	2.8	6.9	9.9	37.8	43.0	116.4	177.6	266.3	226.8	353.6	314.0	353.3	310.1	45.5	83.7	2.96	183.1

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE MLS-5(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2010-2011 - Males

MEGHALAYA STATE

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	1	20.0	4	80.0	-	-	-	-	-	-	-	-	5	100.0
C01-C02	Tongue	3	5.1	55	93.2	-	-	1	1.7	-	-	-	-	59	100.0
C03-C06	Mouth	2	2.5	74	93.7	-	-	3	3.8	-	-	-	-	79	100.0
C07-C08	Salivary Gland	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C09	Tonsil	1	2.1	47	97.9	-	-	-	-	-	-	-	-	48	100.0
C10	Oth. Oropharynx	-	-	18	85.7	-	-	3	14.3	-	-	-	-	21	100.0
C11	Nasopharynx	1	5.3	16	84.2	1	5.3	1	5.3	-	-	-	-	19	100.0
C12-C13	Hypopharynx	6	3.4	162	92.6	1	0.6	6	3.4	-	-	-	-	175	100.0
C14	Pharynx Unspecified	-	-	36	87.8	-	-	5	12.2	-	-	-	-	41	100.0
C15	Oesophagus	10	2.2	395	87.2	2	0.4	35	7.7	11	2.4	-	-	453	100.0
C16	Stomach	3	2.7	100	88.5	-	-	8	7.1	2	1.8	-	-	113	100.0
C17	Small Intestine	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C18	Colon	1	6.3	12	75.0	-	-	3	18.8	-	-	-	-	16	100.0
C19-C20	Rectum	-	-	10	100.0	-	-	-	-	-	-	-	-	10	100.0
C21	Anus & Anal Canal	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C22	Liver	2	5.9	23	67.6	2	5.9	7	20.6	-	-	-	-	34	100.0
C23-C24	Gallbladder etc.	1	16.7	2	33.3	2	33.3	1	16.7	-	-	-	-	6	100.0
C25	Pancreas	1	12.5	5	62.5	-	-	2	25.0	-	-	-	-	8	100.0
C30-C31	Nose, Sinuses etc.	-	-	2	66.7	1	33.3	-	-	-	-	-	-	3	100.0
C32	Larynx	3	4.1	68	93.2	-	-	2	2.7	-	-	-	-	73	100.0
C33-C34	Lung etc.	3	3.3	73	81.1	5	5.6	9	10.0	-	-	-	-	90	100.0
C37-C38	Other Thoracic Organs	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C40-C41	Bone	-	-	11	84.6	2	15.4	-	-	-	-	-	-	13	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	14	100.0	-	-	-	-	-	-	-	-	14	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C50	Breast	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C60	Penis	1	25.0	3	75.0	-	-	-	-	-	-	-	-	4	100.0
C61	Prostate	-	-	9	69.2	1	7.7	3	23.1	-	-	-	-	13	100.0
C62	Testis	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	1	33.3	1	33.3	-	-	1	33.3	-	-	-	-	3	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C67	Bladder	-	-	7	87.5	-	-	1	12.5	-	-	-	-	8	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C70-C72	Brain, Nervous System	1	6.3	9	56.3	5	31.3	1	6.3	-	-	-	-	16	100.0
C73	Thyroid	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C74	Adrenal Gland	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	-	-	9	100.0	-	-	-	-	-	-	-	-	9	100.0
C88	Malignant Imm. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	1	50.0	1	50.0	-	-	-	-	-	-	-	-	2	100.0
C91	Lymphoid Leuk.	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C92-C94	Myeloid Leukaemia	-	-	9	69.2	-	-	4	30.8	-	-	-	-	13	100.0
C95	Leukaemia Uns	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
O&U*	Other and Uns	5	4.2	84	70.0	2	1.7	29	24.2	-	-	-	-	120	100.0
	All Sites	47	3.1	1311	86.3	24	1.6	125	8.2	13	0.9	-	-	1520	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE MLS-5(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2010-2011 - Females

MEGHALAYA STATE

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	1	8.3	11	91.7	-	-	-	-	-	-	-	-	12	100.0
C01-C02	Tongue	1	3.8	24	92.3	-	-	1	3.8	-	-	-	-	26	100.0
C03-C06	Mouth	6	10.3	52	89.7	-	-	-	-	-	-	-	-	58	100.0
C07-C08	Salivary Gland	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C09	Tonsil	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C10	Oth. Oropharynx	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C11	Nasopharynx	-	-	7	77.8	-	-	2	22.2	-	-	-	-	9	100.0
C12-C13	Hypopharynx	-	-	17	94.4	-	-	-	-	1	5.6	-	-	18	100.0
C14	Pharynx Unspecified	-	-	4	66.7	-	-	2	33.3	-	-	-	-	6	100.0
C15	Oesophagus	8	4.3	166	88.3	-	-	7	3.7	7	3.7	-	-	188	100.0
C16	Stomach	-	-	50	89.3	-	-	4	7.1	2	3.6	-	-	56	100.0
C17	Small Intestine	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C18	Colon	-	-	16	100.0	-	-	-	-	-	-	-	-	16	100.0
C19-C20	Rectum	1	10.0	9	90.0	-	-	-	-	-	-	-	-	10	100.0
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	8	61.5	2	15.4	3	23.1	-	-	-	-	13	100.0
C23-C24	Gallbladder etc.	1	3.2	21	67.7	4	12.9	5	16.1	-	-	-	-	31	100.0
C25	Pancreas	3	27.3	4	36.4	1	9.1	3	27.3	-	-	-	-	11	100.0
C30-C31	Nose, Sinuses etc.	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C32	Larynx	-	-	4	66.7	-	-	2	33.3	-	-	-	-	6	100.0
C33-C34	Lung etc.	3	11.1	19	70.4	1	3.7	4	14.8	-	-	-	-	27	100.0
C37-C38	Other Thoracic Organs	1	50.0	1	50.0	-	-	-	-	-	-	-	-	2	100.0
C40-C41	Bone	1	20.0	4	80.0	-	-	-	-	-	-	-	-	5	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	14	93.3	-	-	1	6.7	-	-	-	-	15	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	1	12.5	7	87.5	-	-	-	-	-	-	-	-	8	100.0
C50	Breast	3	3.1	88	91.7	-	-	5	5.2	-	-	-	-	96	100.0
C51	Vulva	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C52	Vagina	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C53	Cervix Uteri	3	3.4	78	87.6	1	1.1	7	7.9	-	-	-	-	89	100.0
C54	Corpus Uteri	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C55	Uterus Unspecified	-	-	3	50.0	-	-	3	50.0	-	-	-	-	6	100.0
C56	Ovary etc.	1	4.5	21	95.5	-	-	-	-	-	-	-	-	22	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C64	Kidney etc.	-	-	1	50.0	1	50.0	-	-	-	-	-	-	2	100.0
C65	Renal Pelvis	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, Nervous System	2	22.2	6	66.7	-	-	1	11.1	-	-	-	-	9	100.0
C73	Thyroid	-	-	12	100.0	-	-	-	-	-	-	-	-	12	100.0
C74	Adrenal Gland	-	-	1	50.0	1	50.0	-	-	-	-	-	-	2	100.0
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	1	50.0	-	-	-	-	1	50.0	-	-	2	100.0
C91	Lymphoid Leuk.	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C92-C94	Myeloid Leukaemia	-	-	10	100.0	-	-	-	-	-	-	-	-	10	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	Other and Uns	-	-	39	76.5	-	-	12	23.5	-	-	-	-	51	100.0
	All Sites	36	4.2	739	86.0	11	1.3	62	7.2	11	1.3	-	-	859	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE MLS-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2010-2011 - Males

MEGHALAYA STATE

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	3	60.0	-	-	1	20.0	-	-	-	-	1	20.0	5	100.0
C01-C02	Tongue	48	81.4	1	1.7	6	10.2	-	-	-	-	4	6.8	59	100.0
C03-C06	Mouth	66	83.5	-	-	8	10.1	-	-	-	-	5	6.3	79	100.0
C07-C08	Salivary Gland	1	14.3	-	-	6	85.7	-	-	-	-	-	-	7	100.0
C09	Tonsil	34	70.8	-	-	13	27.1	-	-	-	-	1	2.1	48	100.0
C10	Oth. Oropharynx	16	76.2	-	-	2	9.5	-	-	-	-	3	14.3	21	100.0
C11	Nasopharynx	10	52.6	2	10.5	4	21.1	-	-	-	-	3	15.8	19	100.0
C12-C13	Hypopharynx	111	63.4	1	0.6	50	28.6	-	-	-	-	13	7.4	175	100.0
C14	Pharynx Unspecified	32	78.0	-	-	4	9.8	-	-	-	-	5	12.2	41	100.0
C15	Oesophagus	385	85.0	-	-	10	2.2	-	-	-	-	58	12.8	453	100.0
C16	Stomach	93	82.3	1	0.9	6	5.3	-	-	-	-	13	11.5	113	100.0
C17	Small Intestine	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C18	Colon	12	75.0	-	-	-	-	-	-	-	-	4	25.0	16	100.0
C19-C20	Rectum	10	100.0	-	-	-	-	-	-	-	-	-	-	10	100.0
C21	Anus & Anal Canal	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C22	Liver	6	17.6	-	-	17	50.0	-	-	-	-	11	32.4	34	100.0
C23-C24	Gallbladder etc.	1	16.7	-	-	1	16.7	-	-	-	-	4	66.7	6	100.0
C25	Pancreas	-	-	-	-	5	62.5	-	-	-	-	3	37.5	8	100.0
C30-C31	Nose, Sinuses etc.	2	66.7	-	-	-	-	-	-	-	-	1	33.3	3	100.0
C32	Larynx	56	76.7	-	-	12	16.4	-	-	-	-	5	6.8	73	100.0
C33-C34	Lung etc.	17	18.9	-	-	56	62.2	-	-	-	-	17	18.9	90	100.0
C37-C38	Other Thoracic Organs	1	25.0	-	-	3	75.0	-	-	-	-	-	-	4	100.0
C40-C41	Bone	5	38.5	-	-	6	46.2	-	-	-	-	2	15.4	13	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	13	92.9	-	-	1	7.1	-	-	-	-	-	-	14	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	3	60.0	-	-	2	40.0	-	-	-	-	-	-	5	100.0
C50	Breast	2	66.7	-	-	1	33.3	-	-	-	-	-	-	3	100.0
C60	Penis	3	75.0	-	-	-	-	-	-	-	-	1	25.0	4	100.0
C61	Prostate	8	61.5	-	-	1	7.7	-	-	-	-	4	30.8	13	100.0
C62	Testis	5	83.3	-	-	1	16.7	-	-	-	-	-	-	6	100.0
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	1	33.3	-	-	-	-	2	66.7	3	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C67	Bladder	6	75.0	-	-	1	12.5	-	-	-	-	1	12.5	8	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C70-C72	Brain, Nervous System	9	56.3	-	-	-	-	-	-	-	-	7	43.8	16	100.0
C73	Thyroid	3	37.5	1	12.5	4	50.0	-	-	-	-	-	-	8	100.0
C74	Adrenal Gland	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	7	77.8	-	-	2	22.2	-	-	-	-	-	-	9	100.0
C88	Malig Imn. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	1	50.0	1	50.0	2	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	3	60.0	2	40.0	-	-	5	100.0
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	4	30.8	5	38.5	4	30.8	13	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	1	33.3	2	66.7	-	-	3	100.0
O&U*	Other and Uns	3	2.5	3	2.5	78	65.0	-	-	-	-	36	30.0	120	100.0
	All Sites	981	64.5	9	0.6	303	19.9	8	0.5	10	0.7	209	13.8	1520	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE MLS-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2010-2011 - Females

MEGHALAYA STATE

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	7	58.3	-	-	4	33.3	-	-	-	-	1	8.3	12	100.0
C01-C02	Tongue	21	80.8	-	-	3	11.5	-	-	-	-	2	7.7	26	100.0
C03-C06	Mouth	47	81.0	-	-	5	8.6	-	-	-	-	6	10.3	58	100.0
C07-C08	Salivary Gland	-	-	-	-	2	100.0	-	-	-	-	-	-	2	100.0
C09	Tonsil	4	66.7	-	-	2	33.3	-	-	-	-	-	-	6	100.0
C10	Oth. Oropharynx	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C11	Nasopharynx	6	66.7	-	-	1	11.1	-	-	-	-	2	22.2	9	100.0
C12-C13	Hypopharynx	14	77.8	-	-	3	16.7	-	-	-	-	1	5.6	18	100.0
C14	Pharynx Unspecified	2	33.3	-	-	2	33.3	-	-	-	-	2	33.3	6	100.0
C15	Oesophagus	161	85.6	-	-	5	2.7	-	-	-	-	22	11.7	188	100.0
C16	Stomach	46	82.1	1	1.8	3	5.4	-	-	-	-	6	10.7	56	100.0
C17	Small Intestine	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C18	Colon	16	100.0	-	-	-	-	-	-	-	-	-	-	16	100.0
C19-C20	Rectum	9	90.0	-	-	-	-	-	-	-	-	1	10.0	10	100.0
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	1	7.7	-	-	7	53.8	-	-	-	-	5	38.5	13	100.0
C23-C24	Gallbladder etc.	12	38.7	-	-	9	29.0	-	-	-	-	10	32.3	31	100.0
C25	Pancreas	-	-	-	-	4	36.4	-	-	-	-	7	63.6	11	100.0
C30-C31	Nose, Sinuses etc.	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C32	Larynx	4	66.7	-	-	-	-	-	-	-	-	2	33.3	6	100.0
C33-C34	Lung etc.	4	14.8	-	-	15	55.6	-	-	-	-	8	29.6	27	100.0
C37-C38	Other Thoracic Organs	1	50.0	-	-	-	-	-	-	-	-	1	50.0	2	100.0
C40-C41	Bone	1	20.0	-	-	3	60.0	-	-	-	-	1	20.0	5	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	13	86.7	-	-	1	6.7	-	-	-	-	1	6.7	15	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	5	62.5	-	-	2	25.0	-	-	-	-	1	12.5	8	100.0
C50	Breast	41	42.7	1	1.0	46	47.9	-	-	-	-	8	8.3	96	100.0
C51	Vulva	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C52	Vagina	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C53	Cervix Uteri	76	85.4	-	-	2	2.2	-	-	-	-	11	12.4	89	100.0
C54	Corpus Uteri	8	100.0	-	-	-	-	-	-	-	-	-	-	8	100.0
C55	Uterus Unspecified	3	50.0	-	-	-	-	-	-	-	-	3	50.0	6	100.0
C56	Ovary etc.	20	90.9	-	-	1	4.5	-	-	-	-	1	4.5	22	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C64	Kidney etc.	-	-	-	-	1	50.0	-	-	-	-	1	50.0	2	100.0
C65	Renal Pelvis	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, Nervous System	6	66.7	-	-	-	-	-	-	-	-	3	33.3	9	100.0
C73	Thyroid	10	83.3	-	-	2	16.7	-	-	-	-	-	-	12	100.0
C74	Adrenal Gland	-	-	-	-	1	50.0	-	-	-	-	1	50.0	2	100.0
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	3	50.0	-	-	3	50.0	-	-	-	-	-	-	6	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	1	50.0	1	50.0	2	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	1	100.0	-	-	1	100.0
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	6	60.0	4	40.0	-	-	10	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	Other and Uns	7	13.7	-	-	32	62.7	-	-	-	-	12	23.5	51	100.0
	All Sites	566	65.9	2	0.2	159	18.5	6	0.7	6	0.7	120	14.0	859	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE MLS-7(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2010-2011 – Males

%= Relative Proportion of Cancers of All Sites.

MEGHALAYA STATE

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	4	0.84
C01-C02	Tongue	-	-	-	-	-	-	1	1	2	1	1	1	2	1	1	-	-	11	2.32
C03-C06	Mouth	-	-	-	-	-	-	1	1	4	1	4	3	1	1	2	1	-	19	4.01
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	2	5	2	2	1	-	-	1	-	13	2.74
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	2	3	-	2	1	-	1	-	-	9	1.90
C11	Nasopharynx	-	-	-	-	-	-	1	-	-	-	-	2	-	2	-	-	-	5	1.05
C12-C13	Hypopharynx	-	-	-	-	-	-	3	3	8	8	6	8	3	1	5	4	-	49	10.34
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	1	1	4	2	1	-	1	-	-	10	2.11
C15	Oesophagus	-	-	-	-	-	1	2	12	12	34	29	18	15	13	7	6	-	149	31.43
C16	Stomach	-	-	-	-	-	1	2	2	2	4	3	5	5	6	3	4	-	37	7.81
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.21
C18	Colon	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	-	4	0.84
C19-C20	Rectum	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.21
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.21
C22	Liver	-	-	-	-	-	-	-	-	2	2	2	5	2	-	-	4	-	17	3.59
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	6	1.27
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	1	-	6	1.27
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	-	1	1	4	2	2	3	2	1	3	-	19	4.01
C33-C34	Lung etc.	-	-	-	-	-	-	-	1	3	4	3	8	3	4	4	5	-	35	7.38
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.21
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.21
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	0.21
C50	Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C60	Penis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.21
C61	Prostate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	4	0.84
C62	Testis	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	2	0.42
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	0.42
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	4	0.84
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, Nervous System	-	-	1	-	-	-	-	1	-	1	-	1	-	1	-	-	-	5	1.05
C73	Thyroid	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.21
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.21
C82-C85,C96	NHL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.21
C92-C94	Myeloid Leukaemia	-	-	-	-	1	1	-	-	-	-	-	2	-	1	-	-	-	5	1.05
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	Other and Uns	-	-	-	2	-	2	1	3	4	9	7	4	3	3	5	6	-	49	10.34
	All Sites	1	-	1	4	3	5	12	25	44	79	64	71	45	43	36	41	-	474	100.00

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE MLS-7(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2010-2011 – Females

%= Relative Proportion of Cancers of All Sites.

MEGHALAYA STATE

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.39
C01-C02	Tongue	-	-	-	-	-	-	1	-	2	-	3	-	-	-	-	1	-	7	2.76
C03-C06	Mouth	-	-	-	-	-	-	-	-	-	1	2	1	4	2	3	2	-	15	5.91
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.39
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	4	1.57
C12-C13	Hypopharynx	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	4	1.57
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	0.79
C15	Oesophagus	-	-	-	-	1	1	1	1	7	7	11	8	9	5	3	5	-	59	23.23
C16	Stomach	-	-	-	-	-	-	2	-	2	3	2	1	-	-	2	2	-	14	5.51
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	4	1.57
C19-C20	Rectum	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	3	1.18
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	-	-	-	-	-	-	-	2	-	-	1	2	-	2	-	7	2.76
C23-C24	Gallbladder etc.	-	-	-	-	-	-	1	-	1	-	2	-	2	1	1	2	-	10	3.94
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	-	-	6	2.36
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.39
C32	Larynx	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	3	1.18
C33-C34	Lung etc.	-	-	-	-	1	-	1	-	1	2	2	-	1	3	2	1	-	14	5.51
C37-C38	Other Thoracic Organs	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.39
C40-C41	Bone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.39
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	Breast	-	-	-	-	-	-	-	2	2	2	7	2	1	7	-	1	-	24	9.45
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	Cervix Uteri	-	-	-	-	-	-	2	1	6	2	3	3	5	2	1	1	-	26	10.24
C54	Corpus Uteri	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	3	1.18
C56	Ovary etc.	-	-	-	-	-	-	-	1	3	-	1	1	-	-	-	-	-	6	2.36
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.39
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.39
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, NS	-	-	-	-	1	1	2	-	-	1	-	-	1	-	-	-	-	6	2.36
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C74	Adrenal Gland	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	0.79
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	2	0.79
C88	Malignant Imm. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-C94	Myeloid Leukaemia	-	-	-	1	-	-	1	-	-	-	-	2	1	-	-	-	-	5	1.97
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	Other and Uns	-	-	-	-	-	-	-	1	2	2	2	-	3	3	1	7	-	21	8.27
	All Sites	1	1	1	1	4	2	12	7	28	25	41	21	34	29	16	31	-	254	100.00

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE MLS-8(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2010-2011 - Males
MEGHALAYA STATE

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	3.9	5.2	14.4	-	0.2	0.6	0.30	0.5
C01-C02	-	-	-	-	-	-	0.8	0.8	2.4	1.4	1.9	3.0	7.8	5.2	7.2	-	0.6	1.2	0.37	2.6
C03-C06	-	-	-	-	-	-	0.8	0.8	4.8	1.4	7.7	8.9	3.9	5.2	14.4	6.8	1.0	1.9	0.47	4.3
C07-C08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	-	-	-	-	-	-	-	-	2.4	7.2	3.9	5.9	3.9	-	-	6.8	0.7	1.3	0.37	3.7
C10	-	-	-	-	-	-	-	-	2.4	4.3	-	5.9	3.9	-	7.2	-	0.5	0.9	0.32	2.6
C11	-	-	-	-	-	-	0.8	-	-	-	-	5.9	-	10.5	-	-	0.3	0.6	0.28	0.8
C12-C13	-	-	-	-	-	-	2.4	2.4	9.6	11.5	11.6	23.6	11.7	5.2	36.0	27.1	2.6	5.0	0.75	11.0
C14	-	-	-	-	-	-	-	-	1.2	1.4	7.7	5.9	3.9	-	7.2	-	0.5	1.1	0.35	3.0
C15	-	-	-	-	-	0.7	1.6	9.6	14.3	48.9	56.1	53.1	58.6	68.1	50.4	40.7	7.9	15.7	1.35	37.6
C16	-	-	-	-	-	0.7	1.6	1.6	2.4	5.8	5.8	14.8	19.5	31.4	21.6	27.1	2.0	4.3	0.75	7.2
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	5.2	-	-	0.1	0.2	0.16	-
C18	-	-	-	-	-	-	0.8	-	1.2	-	-	-	-	5.2	-	6.8	0.2	0.4	0.22	0.2
C19-C20	-	-	-	-	-	-	-	-	-	1.4	-	-	-	-	-	-	0.1	0.1	0.09	0.3
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	5.2	-	-	0.1	0.2	0.16	-
C22	-	-	-	-	-	-	-	-	2.4	2.9	3.9	14.8	7.8	-	-	27.1	0.9	2.0	0.49	4.6
C23-C24	-	-	-	-	-	-	-	-	-	-	1.9	3.0	7.8	5.2	7.2	-	0.3	0.8	0.34	1.7
C25	-	-	-	-	-	-	-	-	-	-	-	5.9	7.8	5.2	-	6.8	0.3	0.8	0.35	1.8
C30-C31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	-	-	0.8	1.2	5.8	3.9	5.9	11.7	10.5	7.2	20.3	1.0	2.2	0.53	4.4	
C33-C34	-	-	-	-	-	-	0.8	3.6	5.8	5.8	23.6	11.7	20.9	28.8	33.9	33.9	1.9	4.2	0.73	7.5
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	-	-	-	0.5	-	-	-	-	-	-	-	-	-	-	-	-	0.1	-	0.04	-
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	-	-	-	3.0	-	-	-	-	0.1	0.1	0.12	0.4
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	0.6	-	-	-	-	-	-	-	-	-	-	-	0.1	-	0.05	-
C50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.8	0.1	0.1	0.14	-
C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14.4	13.6	0.2	0.6	0.28	-
C62	-	-	-	-	0.6	-	-	-	-	-	-	-	-	-	7.2	-	0.1	0.2	0.15	-
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	-	3.0	-	5.2	-	-	0.1	0.3	0.20	0.4
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	0.4	-	-	-	-	-	-	-	-	-	-	3.0	-	-	-	13.6	0.2	0.4	0.23	0.4
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	-	0.4	-	-	-	-	0.8	-	1.4	-	3.0	-	5.2	-	-	0.3	0.4	0.22	0.8
C73	-	-	-	-	-	-	-	-	-	1.4	-	-	-	-	-	-	0.1	0.1	0.09	0.3
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	5.2	-	-	0.1	0.2	0.16	-
C82-C85,C96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	-	-	-	0.5	-	-	-	-	-	-	-	-	-	-	-	-	0.1	-	0.04	-
C92-C94	-	-	-	-	0.6	0.7	-	-	-	-	-	5.9	-	5.2	-	-	0.3	0.5	0.24	0.8
C95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	-	-	-	0.9	-	1.5	0.8	2.4	4.8	12.9	13.5	11.8	11.7	15.7	36.0	40.7	2.6	5.1	0.77	9.1
All	0.4	-	0.4	1.8	1.8	3.7	9.7	20.0	52.6	113.6	123.9	209.6	175.7	225.1	259.2	278.0	25.1	51.5	2.48	105.7

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE MLS-8(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2010-2011 - Females
MEGHALAYA STATE

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.7	0.1	0.1	0.09	-
C01-C02	-	-	-	-	-	-	0.8	-	2.5	-	6.5	-	-	-	-	4.7	0.4	0.6	0.24	1.5
C03-C06	-	-	-	-	-	-	-	-	-	1.5	4.3	3.0	13.2	8.4	17.1	9.4	0.8	1.7	0.45	3.1
C07-C08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	-	-	-	-	-	-	-	-	-	-	-	-	3.3	-	-	-	0.1	0.1	0.13	0.4
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	-	-	-	-	-	-	0.8	-	-	-	2.2	3.0	-	-	-	4.7	0.2	0.4	0.19	0.7
C12-C13	-	-	-	-	-	-	-	0.8	1.3	1.5	2.2	-	-	-	-	-	0.2	0.3	0.17	1.0
C14	-	-	-	-	-	-	-	-	-	-	2.2	-	-	-	-	4.7	0.1	0.2	0.14	0.3
C15	-	-	-	-	0.6	0.7	0.8	0.8	8.8	10.4	23.8	24.2	29.7	20.9	17.1	23.5	3.1	6.1	0.82	14.7
C16	-	-	-	-	-	-	1.6	-	2.5	4.5	4.3	3.0	-	-	11.4	9.4	0.7	1.3	0.35	2.4
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	-	-	-	-	2.2	-	3.3	-	11.4	-	0.2	0.5	0.23	0.8
C19-C20	-	-	-	-	-	-	-	-	-	-	-	3.0	3.3	-	-	4.7	0.2	0.3	0.20	0.8
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	-	-	-	-	-	-	-	-	-	3.0	-	-	3.3	8.4	-	9.4	0.4	0.8	0.29	1.0
C23-C24	-	-	-	-	-	-	0.8	-	1.3	-	4.3	-	6.6	4.2	5.7	9.4	0.5	1.0	0.34	1.8
C25	-	-	-	-	-	-	-	-	-	-	2.2	-	9.9	4.2	5.7	-	0.3	0.7	0.30	1.6
C30-C31	-	-	-	-	-	-	-	-	1.3	-	-	-	-	-	-	-	0.1	0.1	0.08	0.2
C32	-	-	-	-	-	-	-	-	-	-	2.2	-	-	4.2	-	4.7	0.2	0.3	0.19	0.3
C33-C34	-	-	-	-	0.6	-	0.8	-	1.3	3.0	4.3	-	3.3	12.6	11.4	4.7	0.7	1.4	0.39	1.9
C37-C38	-	0.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	-	0.04	-
C40-C41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	0.4	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	-	0.03	-
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	-	-	-	-	-	-	-	1.7	2.5	3.0	15.2	6.0	3.3	29.3	-	4.7	1.3	2.5	0.53	5.0
C51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	-	-	-	-	-	-	1.6	0.8	7.5	3.0	6.5	9.1	16.5	8.4	5.7	4.7	1.4	2.6	0.53	6.5
C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C55	-	-	-	-	-	-	-	-	-	3.0	-	-	-	4.2	-	-	0.2	0.3	0.18	0.6
C56	-	-	-	-	-	-	-	0.8	3.8	-	2.2	3.0	-	-	-	-	0.3	0.5	0.21	1.6
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	-	-	-	4.2	-	-	0.1	0.1	0.13	-
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.7	0.1	0.1	0.09	-
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	-	-	-	0.6	0.7	1.6	-	-	1.5	-	-	3.3	-	-	-	0.3	0.4	0.19	0.7
C73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C74	0.4	-	-	-	-	-	-	-	-	-	-	3.0	-	-	-	-	0.1	0.2	0.13	0.4
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	-	-	-	-	0.6	-	-	-	-	-	-	-	-	-	-	4.7	0.1	0.1	0.10	-
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-C94	-	-	-	0.5	-	-	0.8	-	-	-	-	6.0	3.3	-	-	-	0.3	0.5	0.23	1.2
C95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	-	-	-	-	-	-	-	0.8	2.5	3.0	4.3	-	9.9	12.6	5.7	32.9	1.1	2.1	0.48	3.2
All	0.4	0.4	0.4	0.5	2.3	1.3	9.9	5.9	35.0	37.3	88.8	63.5	112.4	121.4	91.2	145.7	13.4	25.6	1.66	52.2

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE MLS-9(a): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)
of individual sites (ICD-10) based on age specific rates
(from 0-64 years and from 0-74 Years) 2010-2011 - Males
MEGHALAYA STATE**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	0.1	0.1
C01-C02	Tongue	0.4	0.4	0.5	0.5
C03-C06	Mouth	0.6	0.6	0.9	0.9
C07-C08	Salivary Gland	0.1	0.1	0.1	0.1
C09	Tonsil	0.4	0.4	0.5	0.5
C10	Oth. Oropharynx	0.2	0.2	0.3	0.3
C11	Nasopharynx	0.1	0.1	0.2	0.2
C12-C13	Hypopharynx	1.5	1.5	2.0	2.0
C14	Pharynx Unspecified	0.3	0.3	0.5	0.5
C15	Oesophagus	3.8	3.7	5.1	5.2
C16	Stomach	0.8	0.8	1.6	1.6
C17	Small Intestine	-	-	-	-
C18	Colon	0.1	0.1	0.2	0.2
C19-C20	Rectum	0.1	0.1	0.1	0.1
C21	Anus & Anal Canal	-	-	0.1	0.1
C22	Liver	0.3	0.3	0.4	0.4
C23-C24	Gallbladder etc.	0.1	0.1	0.1	0.1
C25	Pancreas	0.1	0.1	0.1	0.1
C30-C31	Nose, Sinuses etc.	-	-	-	-
C32	Larynx	0.6	0.6	0.9	0.9
C33-C34	Lung etc.	0.6	0.6	1.2	1.2
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	-	-	0.1	0.1
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.1	0.1	0.2	0.2
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-
C50	Breast	-	-	-	-
C60	Penis	-	-	0.1	0.1
C61	Prostate	0.1	0.1	0.2	0.2
C62	Testis	-	-	-	-
C63	Other Male Genital	-	-	-	-
C64	Kidney etc.	-	-	0.1	0.1
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	-	-	0.1	0.1
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.1	0.1	0.2	0.2
C73	Thyroid	0.1	0.1	0.1	0.1
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	-	-	-	-
C82-C85,C96	NHL	0.1	0.1	0.1	0.1
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-
C92-C94	Myeloid Leukaemia	0.1	0.1	0.1	0.1
C95	Leukaemia Uns	-	-	-	-
O&U*	Other and Uns	0.9	0.9	1.2	1.2
	All Sites	11.74	11.07	17.71	16.23

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE MLS-9(b): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)
of individual sites (ICD-10) based on age specific rates
(from 0-64 years and from 0-74 Years) 2010-2011 - Females
MEGHALAYA STATE**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	0.1	0.1	0.1	0.1
C01-C02	Tongue	0.2	0.2	0.3	0.3
C03-C06	Mouth	0.4	0.4	0.8	0.8
C07-C08	Salivary Gland	-	-	-	-
C09	Tonsil	0.1	0.1	0.1	0.1
C10	Oth. Oropharynx	-	-	-	-
C11	Nasopharynx	0.1	0.1	0.1	0.1
C12-C13	Hypopharynx	0.2	0.2	0.2	0.2
C14	Pharynx Unspecified	-	-	0.1	0.1
C15	Oesophagus	1.6	1.6	2.3	2.3
C16	Stomach	0.4	0.4	0.6	0.6
C17	Small Intestine	-	-	-	-
C18	Colon	0.1	0.1	0.3	0.3
C19-C20	Rectum	0.1	0.1	0.1	0.1
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	-	-	0.1	0.1
C23-C24	Gallbladder etc.	0.3	0.3	0.4	0.4
C25	Pancreas	0.1	0.1	0.2	0.2
C30-C31	Nose, Sinuses etc.	-	-	-	-
C32	Larynx	-	-	0.1	0.1
C33-C34	Lung etc.	0.2	0.2	0.3	0.3
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	-	-	-	-
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.1	0.1	0.1	0.1
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	0.1	0.1
C50	Breast	0.6	0.6	1.1	1.1
C51	Vulva	-	-	-	-
C52	Vagina	-	-	-	-
C53	Cervix Uteri	0.7	0.7	0.8	0.8
C54	Corpus Uteri	0.1	0.1	0.1	0.1
C55	Uterus Unspecified	-	-	0.1	0.1
C56	Ovary etc.	0.1	0.1	0.1	0.1
C57	Other Female Genital	-	-	-	-
C58	Placenta	-	-	-	-
C64	Kidney etc.	-	-	-	-
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	-	-	-	-
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.1	0.1	0.1	0.1
C73	Thyroid	0.1	0.1	0.1	0.1
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	-	-	-	-
C82-C85,C96	NHL	-	-	-	-
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-
C92-C94	Myeloid Leukaemia	0.1	0.1	0.1	0.1
C95	Leukaemia Uns	-	-	-	-
O&U*	Other and Uns	0.3	0.3	0.6	0.6
	All Sites	6.22	6.03	9.56	9.12

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

Figure EKH -1
Population Pyramid showing Age Distribution: 2010-2011
MEGHALAYA - EAST KHASI HILLS




TABLE EKH-2
Population by Five Year Age Group and Gender: 2010-2011
Number and Relative Proportion (%)
MEGHALAYA - EAST KHASI HILLS

Age Group	Males		Females	
	Number	%	Number	%
00-04	86491	10.8	81021	9.9
05-09	100593	12.5	99638	12.2
10-14	113371	14.1	110804	13.6
15-19	100817	12.6	102382	12.6
20-24	79880	9.9	82902	10.2
25-29	61091	7.6	71111	8.7
30-34	58385	7.3	57782	7.1
35-39	57691	7.2	54579	6.7
40-44	39026	4.9	38273	4.7
45-49	30869	3.8	31553	3.9
50-54	25998	3.2	23224	2.9
55-59	16614	2.1	15671	1.9
60-64	10925	1.4	14556	1.8
65-69	8499	1.1	11947	1.5
70-74	6120	0.8	8865	1.1
75+	7073	0.9	11401	1.4
Total	803443	100.00	815709	100.00

TABLE EKH-2(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2010-2011 - Males

% = Relative Proportion of Cancers of All Sites.

MEGHALAYA - EAST KHASI HILLS

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	3	0.32
C01-C02	Tongue	-	-	-	-	-	2	2	2	7	9	5	2	3	3	1	2	-	38	4.03
C03-C06	Mouth	-	-	-	-	-	-	1	2	11	8	8	3	6	3	2	2	-	46	4.87
C07-C08	Salivary Gland	-	-	1	-	-	-	-	-	1	-	-	-	2	-	-	-	-	4	0.42
C09	Tonsil	-	-	-	-	-	1	-	2	3	6	5	3	3	2	1	-	-	26	2.75
C10	Oth. Oropharynx	-	-	-	-	-	-	-	1	3	3	2	3	2	1	1	-	-	16	1.69
C11	Nasopharynx	-	-	-	1	-	-	1	-	3	1	1	2	2	2	1	-	-	14	1.48
C12-C13	Hypopharynx	-	-	-	-	-	3	3	7	21	15	16	12	9	7	5	2	-	100	10.59
C14	Pharynx Unspecified	-	-	-	-	-	-	2	4	2	4	5	3	2	3	1	-	-	26	2.75
C15	Oesophagus	-	-	-	-	-	1	5	20	42	79	68	33	35	16	14	10	-	323	34.22
C16	Stomach	-	-	-	-	-	1	1	1	5	4	9	4	7	8	6	7	-	53	5.61
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	0.21
C18	Colon	-	-	-	-	-	1	1	-	1	1	-	-	1	2	1	2	-	10	1.06
C19-C20	Rectum	-	-	-	-	-	-	-	-	-	1	2	-	1	-	1	3	-	8	0.85
C21	Anus & Anal Canal	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	4	0.42
C22	Liver	-	-	-	-	-	-	1	1	1	2	3	4	3	2	1	2	-	20	2.12
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	4	0.42
C25	Pancreas	-	-	-	-	-	1	-	-	-	-	-	2	2	1	-	1	-	7	0.74
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.11
C32	Larynx	-	-	-	-	-	1	-	1	4	12	7	7	5	6	2	1	-	46	4.87
C33-C34	Lung etc.	-	-	-	-	-	1	-	3	2	6	4	8	5	6	4	13	-	52	5.51
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.11
C40-C41	Bone	-	-	-	1	1	1	-	1	-	-	-	-	-	1	-	-	-	5	0.53
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	-	3	2	1	-	2	-	8	0.85
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	4	0.42
C50	Breast	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	0.21
C60	Penis	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	2	0.21
C61	Prostate	-	-	-	-	-	-	-	-	-	1	1	1	1	-	2	2	-	8	0.85
C62	Testis	-	-	-	1	-	1	2	-	-	-	1	-	-	-	-	-	-	5	0.53
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	3	0.32
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.11
C67	Bladder	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	1	-	4	0.42
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	0.21
C70-C72	Brain, NS	-	-	1	-	-	-	2	1	1	1	1	-	1	2	1	-	-	11	1.17
C73	Thyroid	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	1	-	5	0.53
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	-	-	-	1	1	-	-	-	-	-	-	1	1	1	-	-	-	5	0.53
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	0.21
C91	Lymphoid Leuk.	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	3	0.32
C92-C94	Myeloid Leukaemia	-	1	-	-	1	1	3	-	-	-	-	-	-	1	-	-	-	7	0.74
C95	Leukaemia Uns	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.11
O&U *	Other and Uns	-	-	-	1	-	1	1	6	6	9	10	7	7	2	4	8	-	62	6.57
	All Sites	1	3	4	5	3	16	28	52	115	165	155	102	107	78	50	60	-	944	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE EKH-2(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2010-2011 - Females

% = Relative Proportion of Cancers of All Sites.

MEGHALAYA - EAST KHASI HILLS

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	4	-	9	1.60
C01-C02	Tongue	-	-	-	-	-	-	-	1	2	1	2	-	3	1	3	2	-	15	2.66
C03-C06	Mouth	-	-	-	-	-	-	2	1	4	3	5	2	5	4	5	4	-	35	6.22
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	4	0.71
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.18
C11	Nasopharynx	-	-	-	1	-	-	1	-	1	-	-	1	1	-	-	-	-	5	0.89
C12-C13	Hypopharynx	-	-	-	-	-	-	-	1	1	1	4	2	1	-	1	1	-	12	2.13
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	4	0.71
C15	Oesophagus	-	-	-	-	1	1	2	3	13	25	18	19	23	12	11	12	-	140	24.87
C16	Stomach	-	-	-	-	-	-	2	2	7	7	3	2	1	2	3	5	-	34	6.04
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	0.36
C18	Colon	-	-	-	-	-	-	-	-	1	1	3	-	3	1	4	1	-	14	2.49
C19-C20	Rectum	-	-	-	-	-	-	-	1	1	-	-	1	2	1	1	-	-	7	1.24
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	-	-	-	-	-	1	-	2	-	-	1	2	1	2	-	9	1.60
C23-C24	Gallbladder etc.	-	-	-	-	-	-	1	3	-	1	4	1	7	1	1	1	-	20	3.55
C25	Pancreas	-	-	-	-	1	-	-	-	-	-	2	1	2	1	1	-	-	8	1.42
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.18
C32	Larynx	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	3	0.53
C33-C34	Lung etc.	-	-	-	-	1	-	2	1	1	2	1	3	4	5	1	-	-	21	3.73
C37-C38	Other Thoracic Organs	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	0.36
C40-C41	Bone	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	3	0.53
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	2	2	2	-	1	-	-	1	1	-	9	1.60
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	1	-	-	-	1	1	-	-	-	-	1	-	-	-	4	0.71
C50	Breast	-	-	-	-	-	-	4	2	11	11	11	3	4	7	5	3	-	61	10.83
C51	Vulva	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	0.36
C52	Vagina	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	3	0.53
C53	Cervix Uteri	-	-	-	1	-	-	5	7	10	9	9	4	5	2	1	1	-	54	9.59
C54	Corpus Uteri	-	-	-	-	-	-	-	-	-	1	3	-	1	2	1	-	-	8	1.42
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.18
C56	Ovary etc.	-	-	-	1	1	1	4	2	4	-	5	-	-	-	-	-	-	18	3.20
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	0.36
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.18
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	0.36
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, NS	-	-	-	-	1	2	1	-	-	1	-	1	1	-	-	-	-	7	1.24
C73	Thyroid	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-	-	-	5	0.89
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	2	0.36
C88	Malig Imn.Prof D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.18
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	2	-	-	1	-	2	1	-	-	1	-	7	1.24
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	Other and Uns	-	1	-	-	2	-	1	-	-	1	2	1	5	4	6	4	-	27	4.80
	All Sites	1	2	-	4	8	5	30	29	61	75	78	50	75	51	49	45	-	563	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE EKH-3(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2010-2011 - Males
MEGHALAYA - EAST KHASI HILLS

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	23.5	16.3	-	0.4	1.03	0.60	-
C01-C02	-	-	-	-	-	3.3	3.4	3.5	17.9	29.2	19.2	12.0	27.5	35.3	16.3	28.3	4.7	7.99	1.39	18.0
C03-C06	-	-	-	-	-	-	1.7	3.5	28.2	25.9	30.8	18.1	54.9	35.3	32.7	28.3	5.7	10.29	1.62	25.5
C07-C08	-	-	0.9	-	-	-	-	-	2.6	-	-	-	18.3	-	-	-	0.5	0.97	0.55	2.9
C09	-	-	-	-	-	1.6	-	3.5	7.7	19.4	19.2	18.1	27.5	23.5	16.3	-	3.2	5.78	1.21	14.9
C10	-	-	-	-	-	-	-	1.7	7.7	9.7	7.7	18.1	18.3	11.8	16.3	-	2.0	3.67	0.97	9.6
C11	-	-	-	1.0	-	-	1.7	-	7.7	3.2	3.8	12.0	18.3	23.5	16.3	-	1.7	3.29	0.95	6.7
C12-C13	-	-	-	-	-	4.9	5.1	12.1	53.8	48.6	61.5	72.2	82.4	82.4	81.7	28.3	12.4	21.51	2.30	52.0
C14	-	-	-	-	-	-	3.4	6.9	5.1	13.0	19.2	18.1	18.3	35.3	16.3	-	3.2	5.51	1.17	12.6
C15	-	-	-	-	-	1.6	8.6	34.7	107.6	255.9	261.6	198.6	320.4	188.3	228.8	141.4	40.2	71.43	4.20	186.2
C16	-	-	-	-	-	1.6	1.7	1.7	12.8	13.0	34.6	24.1	64.1	94.1	98.0	99.0	6.6	13.90	2.00	22.3
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	11.8	-	14.1	0.2	0.64	0.45	-
C18	-	-	-	-	-	1.6	1.7	-	2.6	3.2	-	-	9.2	23.5	16.3	28.3	1.2	2.55	0.86	2.3
C19-C20	-	-	-	-	-	-	-	-	-	3.2	7.7	-	9.2	-	16.3	42.4	1.0	2.12	0.77	3.0
C21	-	-	-	-	-	-	1.7	-	-	-	3.8	-	9.2	11.8	-	-	0.5	1.01	0.55	1.8
C22	-	-	-	-	-	-	1.7	1.7	2.6	6.5	11.5	24.1	27.5	23.5	16.3	28.3	2.5	4.99	1.18	10.6
C23-C24	-	-	-	-	-	-	-	-	-	-	-	6.0	9.2	11.8	16.3	-	0.5	1.29	0.65	2.0
C25	-	-	-	-	-	1.6	-	-	-	-	-	12.0	18.3	11.8	-	14.1	0.9	1.98	0.78	3.9
C30-C31	-	-	-	-	-	-	-	-	-	-	-	6.0	-	-	-	-	0.1	0.24	0.24	0.8
C32	-	-	-	-	-	1.6	-	1.7	10.2	38.9	26.9	42.1	45.8	70.6	32.7	14.1	5.7	11.10	1.72	25.5
C33-C34	-	-	-	-	-	1.6	-	5.2	5.1	19.4	15.4	48.2	45.8	70.6	65.4	183.8	6.5	13.54	1.95	20.4
C37-C38	-	-	-	-	-	-	-	-	2.6	-	-	-	-	-	-	-	0.1	0.15	0.15	0.5
C40-C41	-	-	-	1.0	1.3	1.6	-	1.7	-	-	-	-	-	11.8	-	-	0.6	0.78	0.41	0.3
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	-	-	-	18.1	18.3	11.8	-	28.3	1.0	2.37	0.85	4.7
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	1.8	-	-	-	1.7	-	-	-	3.8	-	-	-	-	-	0.5	0.45	0.25	0.6
C50	-	-	-	-	-	-	-	-	-	-	-	-	18.3	-	-	-	0.2	0.73	0.52	2.4
C60	-	-	-	-	-	-	-	-	2.6	-	-	-	9.2	-	-	-	0.2	0.52	0.40	1.7
C61	-	-	-	-	-	-	-	-	-	3.2	3.8	6.0	9.2	-	32.7	28.3	1.0	2.21	0.80	3.2
C62	-	-	-	1.0	-	1.6	3.4	-	-	-	3.8	-	-	-	-	-	0.6	0.62	0.29	0.6
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	-	6.0	-	23.5	-	-	0.4	0.95	0.55	0.8
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	9.2	-	-	-	0.1	0.37	0.37	1.2
C67	-	-	-	-	-	-	1.7	-	-	3.2	3.8	-	-	-	-	14.1	0.5	0.77	0.41	1.2
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	1.0	-	-	-	-	-	-	-	-	3.8	-	-	-	-	-	0.2	0.29	0.22	0.6
C70-C72	-	-	0.9	-	-	-	3.4	1.7	2.6	3.2	3.8	-	9.2	23.5	16.3	-	1.4	2.33	0.79	3.3
C73	-	-	-	-	-	-	-	-	-	6.5	3.8	6.0	-	-	-	14.1	0.6	1.10	0.50	2.7
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	-	-	-	1.0	1.3	-	-	-	-	-	-	6.0	9.2	11.8	-	-	0.6	1.15	0.58	2.0
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	3.8	-	9.2	-	-	-	0.2	0.56	0.41	1.8
C91	1.2	-	-	-	-	-	-	-	-	-	3.8	-	-	11.8	-	-	0.4	0.68	0.43	0.6
C92-C94	-	1.0	-	-	1.3	1.6	5.1	-	-	-	-	-	-	11.8	-	-	0.9	0.99	0.44	-
C95	-	1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.10	0.10	-
O&U*	-	-	-	1.0	-	1.6	1.7	10.4	15.4	29.2	38.5	42.1	64.1	23.5	65.4	113.1	7.7	14.07	1.90	30.5
All	1.2	3.0	3.5	5.0	3.8	26.2	48.0	90.1	294.7	534.5	596.2	613.9	979.4	917.8	817.0	848.3	117.5	216.0	7.46	479.7

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE EKH-3(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2010-2011 - Females
MEGHALAYA - EAST KHASI HILLS

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	4.3	-	13.7	8.4	11.3	35.1	1.1	1.94	0.66	2.5
C01-C02	-	-	-	-	-	-	-	1.8	5.2	3.2	8.6	-	20.6	8.4	33.8	17.5	1.8	3.15	0.83	6.0
C03-C06	-	-	-	-	-	-	3.5	1.8	10.5	9.5	21.5	12.8	34.4	33.5	56.4	35.1	4.3	7.31	1.27	13.8
C07-C08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	-	-	-	-	-	-	-	-	-	3.2	8.6	6.4	-	-	-	-	0.5	0.88	0.44	2.8
C10	-	-	-	-	-	-	-	-	-	-	-	-	6.9	-	-	-	0.1	0.27	0.27	0.9
C11	-	-	-	1.0	-	-	1.7	-	2.6	-	-	6.4	6.9	-	-	-	0.6	0.88	0.43	2.2
C12-C13	-	-	-	-	-	-	-	1.8	2.6	3.2	17.2	12.8	6.9	-	11.3	8.8	1.5	2.50	0.74	6.8
C14	-	-	-	-	-	-	-	-	-	-	8.6	-	-	8.4	-	8.8	0.5	0.86	0.43	1.4
C15	-	-	-	-	1.2	1.4	3.5	5.5	34.0	79.2	77.5	121.2	158.0	100.4	124.1	105.3	17.2	30.18	2.61	71.5
C16	-	-	-	-	-	-	3.5	3.7	18.3	22.2	12.9	12.8	6.9	16.7	33.8	43.9	4.2	6.34	1.12	13.2
C17	-	-	-	-	-	-	-	-	-	-	-	6.4	-	-	11.3	-	0.2	0.48	0.34	0.8
C18	-	-	-	-	-	-	-	-	2.6	3.2	12.9	-	20.6	8.4	45.1	8.8	1.7	3.15	0.85	5.9
C19-C20	-	-	-	-	-	-	-	1.8	2.6	-	-	6.4	13.7	8.4	11.3	-	0.9	1.55	0.61	3.5
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	-	-	-	-	-	-	-	1.8	-	6.3	-	-	6.9	16.7	11.3	17.5	1.1	1.84	0.63	2.5
C23-C24	-	-	-	-	-	-	1.7	5.5	-	3.2	17.2	6.4	48.1	8.4	11.3	8.8	2.5	4.32	1.00	11.5
C25	-	-	-	-	1.2	-	-	-	-	-	8.6	6.4	13.7	8.4	11.3	-	1.0	1.81	0.66	4.0
C30-C31	-	-	-	-	-	-	-	-	2.6	-	-	-	-	-	-	-	0.1	0.16	0.16	0.5
C32	-	-	-	-	-	-	1.7	-	-	-	-	-	-	8.4	-	8.8	0.4	0.53	0.32	-
C33-C34	-	-	-	-	1.2	-	3.5	1.8	2.6	6.3	4.3	19.1	27.5	41.9	11.3	-	2.6	4.51	1.02	8.8
C37-C38	-	1.0	-	-	-	-	-	-	-	3.2	-	-	-	-	-	-	0.2	0.29	0.22	0.6
C40-C41	-	-	-	-	-	-	-	-	-	3.2	-	-	13.7	-	-	-	0.4	0.74	0.43	2.4
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	3.7	5.2	6.3	-	6.4	-	-	11.3	8.8	1.1	1.57	0.54	3.8
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	1.0	-	-	-	1.8	2.6	-	-	-	-	8.4	-	-	0.5	0.61	0.33	0.9
C50	-	-	-	-	-	-	6.9	3.7	28.7	34.9	47.4	19.1	27.5	58.6	56.4	26.3	7.5	12.10	1.59	26.7
C51	1.2	-	-	-	-	-	-	-	-	-	-	-	-	-	11.3	-	0.2	0.37	0.27	-
C52	-	-	-	-	-	-	-	-	-	3.2	-	12.8	-	-	-	-	0.4	0.70	0.41	2.3
C53	-	-	-	1.0	-	-	8.7	12.8	26.1	28.5	38.8	25.5	34.4	16.7	11.3	8.8	6.6	9.89	1.41	27.0
C54	-	-	-	-	-	-	-	-	-	3.2	12.9	-	6.9	16.7	11.3	-	1.0	1.84	0.65	3.6
C55	-	-	-	-	-	-	-	-	-	3.2	-	-	-	-	-	-	0.1	0.19	0.19	0.6
C56	-	-	-	1.0	1.2	1.4	6.9	3.7	10.5	-	21.5	-	-	-	-	-	2.2	2.64	0.65	6.2
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	-	6.4	-	8.4	-	-	0.2	0.51	0.36	0.8
C65	-	-	-	-	-	-	-	-	-	-	-	6.4	-	-	-	-	0.1	0.26	0.26	0.8
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	2.6	-	-	-	-	-	-	8.8	0.2	0.33	0.24	0.5
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	-	-	-	1.2	2.8	1.7	-	-	3.2	-	6.4	6.9	-	-	-	0.9	1.15	0.47	2.3
C73	-	-	-	-	-	1.4	3.5	1.8	-	-	4.3	-	-	-	-	-	0.6	0.65	0.30	1.0
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	-	-	-	-	1.2	-	-	-	-	3.2	-	-	-	-	-	-	0.2	0.29	0.21	0.6
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	8.4	-	-	0.1	0.25	0.25	-
C91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-C94	-	-	-	-	-	-	3.5	-	-	3.2	-	12.8	6.9	-	-	8.8	0.9	1.36	0.54	3.1
C95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	-	1.0	-	-	2.4	-	1.7	-	-	3.2	8.6	6.4	34.4	33.5	67.7	35.1	3.3	5.71	1.14	7.3
All	1.2	2.0	-	3.9	9.6	7.0	51.9	53.1	159.4	237.7	335.9	319.1	515.3	426.9	552.7	394.7	69.0	114.1	4.96	249.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE EKH-4(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2010-2011 - Males

MEGHALAYA - EAST KHASI HILLS

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C01-C02	Tongue	1	2.6	36	94.7	-	-	1	2.6	-	-	-	-	38	100.0
C03-C06	Mouth	2	4.3	42	91.3	-	-	2	4.3	-	-	-	-	46	100.0
C07-C08	Salivary Gland	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C09	Tonsil	-	-	26	100.0	-	-	-	-	-	-	-	-	26	100.0
C10	Oth. Oropharynx	-	-	13	81.3	-	-	3	18.8	-	-	-	-	16	100.0
C11	Nasopharynx	1	7.1	11	78.6	1	7.1	1	7.1	-	-	-	-	14	100.0
C12-C13	Hypopharynx	3	3.0	94	94.0	1	1.0	2	2.0	-	-	-	-	100	100.0
C14	Pharynx Unspecified	-	-	25	96.2	-	-	1	3.8	-	-	-	-	26	100.0
C15	Oesophagus	8	2.5	293	90.7	2	0.6	13	4.0	7	2.2	-	-	323	100.0
C16	Stomach	2	3.8	49	92.5	-	-	2	3.8	-	-	-	-	53	100.0
C17	Small Intestine	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C18	Colon	-	-	8	80.0	-	-	2	20.0	-	-	-	-	10	100.0
C19-C20	Rectum	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C21	Anus & Anal Canal	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C22	Liver	1	5.0	13	65.0	1	5.0	5	25.0	-	-	-	-	20	100.0
C23-C24	Gallbladder etc.	1	25.0	-	-	2	50.0	1	25.0	-	-	-	-	4	100.0
C25	Pancreas	1	14.3	4	57.1	-	-	2	28.6	-	-	-	-	7	100.0
C30-C31	Nose, Sinuses etc.	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C32	Larynx	2	4.3	43	93.5	-	-	1	2.2	-	-	-	-	46	100.0
C33-C34	Lung etc.	3	5.8	37	71.2	4	7.7	8	15.4	-	-	-	-	52	100.0
C37-C38	Other Thoracic Organs	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C40-C41	Bone	-	-	3	60.0	2	40.0	-	-	-	-	-	-	5	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C50	Breast	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C60	Penis	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C61	Prostate	-	-	5	62.5	-	-	3	37.5	-	-	-	-	8	100.0
C62	Testis	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	1	33.3	1	33.3	-	-	1	33.3	-	-	-	-	3	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C67	Bladder	-	-	3	75.0	-	-	1	25.0	-	-	-	-	4	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C70-C72	Brain, Nervous System	-	-	6	54.5	5	45.5	-	-	-	-	-	-	11	100.0
C73	Thyroid	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C88	Malignant Imm. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	1	50.0	1	50.0	-	-	-	-	-	-	-	-	2	100.0
C91	Lymphoid Leuk.	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C92-C94	Myeloid Leukaemia	-	-	5	71.4	-	-	2	28.6	-	-	-	-	7	100.0
C95	Leukaemia Uns	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
O&U*	Other and Uns	3	4.8	51	82.3	2	3.2	6	9.7	-	-	-	-	62	100.0
	All Sites	30	3.2	829	87.8	21	2.2	57	6.0	7	0.7	-	-	944	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE EKH-4(b): Number (#) and Proportion (%) of Cancers by Site
(ICD-10) and Method of Diagnosis: 2010-2011 - Females**

MEGHALAYA - EAST KHASI HILLS

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	9	100.0	-	-	-	-	-	-	-	-	9	100.0
C01-C02	Tongue	1	6.7	13	86.7	-	-	1	6.7	-	-	-	-	15	100.0
C03-C06	Mouth	5	14.3	30	85.7	-	-	-	-	-	-	-	-	35	100.0
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C10	Oth. Oropharynx	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C11	Nasopharynx	-	-	4	80.0	-	-	1	20.0	-	-	-	-	5	100.0
C12-C13	Hypopharynx	-	-	11	91.7	-	-	-	-	1	8.3	-	-	12	100.0
C14	Pharynx Unspecified	-	-	3	75.0	-	-	1	25.0	-	-	-	-	4	100.0
C15	Oesophagus	7	5.0	124	88.6	-	-	2	1.4	7	5.0	-	-	140	100.0
C16	Stomach	-	-	32	94.1	-	-	1	2.9	1	2.9	-	-	34	100.0
C17	Small Intestine	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C18	Colon	-	-	14	100.0	-	-	-	-	-	-	-	-	14	100.0
C19-C20	Rectum	1	14.3	6	85.7	-	-	-	-	-	-	-	-	7	100.0
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	5	55.6	1	11.1	3	33.3	-	-	-	-	9	100.0
C23-C24	Gallbladder etc.	1	5.0	12	60.0	3	15.0	4	20.0	-	-	-	-	20	100.0
C25	Pancreas	2	25.0	3	37.5	1	12.5	2	25.0	-	-	-	-	8	100.0
C30-C31	Nose, Sinuses etc.	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C32	Larynx	-	-	2	66.7	-	-	1	33.3	-	-	-	-	3	100.0
C33-C34	Lung etc.	3	14.3	16	76.2	-	-	2	9.5	-	-	-	-	21	100.0
C37-C38	Other Thoracic Organs	1	50.0	1	50.0	-	-	-	-	-	-	-	-	2	100.0
C40-C41	Bone	1	33.3	2	66.7	-	-	-	-	-	-	-	-	3	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	9	100.0	-	-	-	-	-	-	-	-	9	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	1	25.0	3	75.0	-	-	-	-	-	-	-	-	4	100.0
C50	Breast	2	3.3	57	93.4	-	-	2	3.3	-	-	-	-	61	100.0
C51	Vulva	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C52	Vagina	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C53	Cervix Uteri	1	1.9	49	90.7	1	1.9	3	5.6	-	-	-	-	54	100.0
C54	Corpus Uteri	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C55	Uterus Unspecified	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C56	Ovary etc.	-	-	18	100.0	-	-	-	-	-	-	-	-	18	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	1	50.0	1	50.0	-	-	-	-	-	-	2	100.0
C65	Renal Pelvis	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, Nervous System	1	14.3	5	71.4	-	-	1	14.3	-	-	-	-	7	100.0
C73	Thyroid	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-C94	Myeloid Leukaemia	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U *	Other and Uns	-	-	23	85.2	-	-	4	14.8	-	-	-	-	27	100.0
	All Sites	27	4.8	492	87.4	7	1.2	28	5.0	9	1.6	-	-	563	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE EKH-5(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2010-2011 - Males

MEGHALAYA - EAST KHASI HILLS

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	2	66.7	-	-	1	33.3	-	-	-	-	-	-	3	100.0
C01-C02	Tongue	30	78.9	1	2.6	5	13.2	-	-	-	-	2	5.3	38	100.0
C03-C06	Mouth	37	80.4	-	-	5	10.9	-	-	-	-	4	8.7	46	100.0
C07-C08	Salivary Gland	1	25.0	-	-	3	75.0	-	-	-	-	-	-	4	100.0
C09	Tonsil	20	76.9	-	-	6	23.1	-	-	-	-	-	-	26	100.0
C10	Oth. Oropharynx	12	75.0	-	-	1	6.3	-	-	-	-	3	18.8	16	100.0
C11	Nasopharynx	6	42.9	2	14.3	3	21.4	-	-	-	-	3	21.4	14	100.0
C12-C13	Hypopharynx	61	61.0	1	1.0	32	32.0	-	-	-	-	6	6.0	100	100.0
C14	Pharynx Unspecified	22	84.6	-	-	3	11.5	-	-	-	-	1	3.8	26	100.0
C15	Oesophagus	287	88.9	-	-	6	1.9	-	-	-	-	30	9.3	323	100.0
C16	Stomach	47	88.7	-	-	2	3.8	-	-	-	-	4	7.5	53	100.0
C17	Small Intestine	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C18	Colon	8	80.0	-	-	-	-	-	-	-	-	2	20.0	10	100.0
C19-C20	Rectum	8	100.0	-	-	-	-	-	-	-	-	-	-	8	100.0
C21	Anus & Anal Canal	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C22	Liver	2	10.0	-	-	11	55.0	-	-	-	-	7	35.0	20	100.0
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	4	100.0	4	100.0
C25	Pancreas	-	-	-	-	4	57.1	-	-	-	-	3	42.9	7	100.0
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C32	Larynx	36	78.3	-	-	7	15.2	-	-	-	-	3	6.5	46	100.0
C33-C34	Lung etc.	5	9.6	-	-	32	61.5	-	-	-	-	15	28.8	52	100.0
C37-C38	Other Thoracic Organs	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C40-C41	Bone	3	60.0	-	-	-	-	-	-	-	-	2	40.0	5	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	7	87.5	-	-	1	12.5	-	-	-	-	-	-	8	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	3	75.0	-	-	1	25.0	-	-	-	-	-	-	4	100.0
C50	Breast	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C60	Penis	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C61	Prostate	4	50.0	-	-	1	12.5	-	-	-	-	3	37.5	8	100.0
C62	Testis	4	80.0	-	-	1	20.0	-	-	-	-	-	-	5	100.0
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	1	33.3	-	-	-	-	2	66.7	3	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C67	Bladder	2	50.0	-	-	1	25.0	-	-	-	-	1	25.0	4	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C70-C72	Brain, Nervous System	6	54.5	-	-	-	-	-	-	-	-	5	45.5	11	100.0
C73	Thyroid	1	20.0	1	20.0	3	60.0	-	-	-	-	-	-	5	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	3	60.0	-	-	2	40.0	-	-	-	-	-	-	5	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	1	50.0	1	50.0	2	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	3	100.0	-	-	-	-	3	100.0
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	2	28.6	3	42.9	2	28.6	7	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	1	100.0	-	-	1	100.0
O&U*	Other and Uns	2	3.2	3	4.8	46	74.2	-	-	-	-	11	17.7	62	100.0
	All Sites	631	66.8	8	0.8	180	19.1	5	0.5	5	0.5	115	12.2	944	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE EKH-5(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2010-2011 - Females

MEGHALAYA - EAST KHASI HILLS

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	6	66.7	-	-	3	33.3	-	-	-	-	-	-	9	100.0
C01-C02	Tongue	11	73.3	-	-	2	13.3	-	-	-	-	2	13.3	15	100.0
C03-C06	Mouth	28	80.0	-	-	2	5.7	-	-	-	-	5	14.3	35	100.0
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	2	50.0	-	-	2	50.0	-	-	-	-	-	-	4	100.0
C10	Oth. Oropharynx	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C11	Nasopharynx	4	80.0	-	-	-	-	-	-	-	-	1	20.0	5	100.0
C12-C13	Hypopharynx	10	83.3	-	-	1	8.3	-	-	-	-	1	8.3	12	100.0
C14	Pharynx Unspecified	1	25.0	-	-	2	50.0	-	-	-	-	1	25.0	4	100.0
C15	Oesophagus	121	86.4	-	-	3	2.1	-	-	-	-	16	11.4	140	100.0
C16	Stomach	29	85.3	1	2.9	2	5.9	-	-	-	-	2	5.9	34	100.0
C17	Small Intestine	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C18	Colon	14	100.0	-	-	-	-	-	-	-	-	-	-	14	100.0
C19-C20	Rectum	6	85.7	-	-	-	-	-	-	-	-	1	14.3	7	100.0
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	1	11.1	-	-	4	44.4	-	-	-	-	4	44.4	9	100.0
C23-C24	Gallbladder etc.	6	30.0	-	-	6	30.0	-	-	-	-	8	40.0	20	100.0
C25	Pancreas	-	-	-	-	3	37.5	-	-	-	-	5	62.5	8	100.0
C30-C31	Nose, Sinuses etc.	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C32	Larynx	2	66.7	-	-	-	-	-	-	-	-	1	33.3	3	100.0
C33-C34	Lung etc.	3	14.3	-	-	13	61.9	-	-	-	-	5	23.8	21	100.0
C37-C38	Other Thoracic Organs	1	50.0	-	-	-	-	-	-	-	-	1	50.0	2	100.0
C40-C41	Bone	1	33.3	-	-	1	33.3	-	-	-	-	1	33.3	3	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	9	100.0	-	-	-	-	-	-	-	-	-	-	9	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	2	50.0	-	-	1	25.0	-	-	-	-	1	25.0	4	100.0
C50	Breast	31	50.8	-	-	26	42.6	-	-	-	-	4	6.6	61	100.0
C51	Vulva	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C52	Vagina	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C53	Cervix Uteri	48	88.9	-	-	1	1.9	-	-	-	-	5	9.3	54	100.0
C54	Corpus Uteri	8	100.0	-	-	-	-	-	-	-	-	-	-	8	100.0
C55	Uterus Unspecified	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C56	Ovary etc.	17	94.4	-	-	1	5.6	-	-	-	-	-	-	18	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	1	50.0	-	-	-	-	1	50.0	2	100.0
C65	Renal Pelvis	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, Nervous System	5	71.4	-	-	-	-	-	-	-	-	2	28.6	7	100.0
C73	Thyroid	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	1	50.0	-	-	1	50.0	-	-	-	-	-	-	2	100.0
C88	Malig Imn.Prol	D	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	1	100.0	-	-	1	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	5	71.4	2	28.6	-	-	7	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	Other and Uns	5	18.5	-	-	18	66.7	-	-	-	-	4	14.8	27	100.0
	All Sites	390	69.3	1	0.2	93	16.5	5	0.9	3	0.5	71	12.6	563	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE EKH-6(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2010-2011 – Males

%= Relative Proportion of Cancers of All Sites.

MEGHALAYA - EAST KHASI HILLS

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	4	1.30
C01-C02	Tongue	-	-	-	-	-	-	-	-	1	-	1	1	2	1	1	-	-	7	2.27
C03-C06	Mouth	-	-	-	-	-	-	-	-	2	1	1	1	1	1	1	1	-	9	2.92
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	2	3	1	1	1	-	-	-	-	8	2.60
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	2	3	-	2	1	-	1	-	-	9	2.92
C11	Nasopharynx	-	-	-	-	-	-	1	-	-	-	-	2	-	2	-	-	-	5	1.62
C12-C13	Hypopharynx	-	-	-	-	-	-	1	3	6	4	4	2	3	-	3	2	-	28	9.09
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	1	3	1	-	-	1	-	-	6	1.95
C15	Oesophagus	-	-	-	-	-	-	2	5	10	27	18	12	13	9	6	5	-	107	34.74
C16	Stomach	-	-	-	-	-	1	1	-	2	1	2	2	2	3	3	2	-	19	6.17
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.32
C18	Colon	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	0.65
C19-C20	Rectum	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.32
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.32
C22	Liver	-	-	-	-	-	-	-	-	-	1	2	3	1	-	-	2	-	9	2.92
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	6	1.95
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	1	-	6	1.95
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	-	-	1	4	1	1	2	2	1	2	-	14	4.55
C33-C34	Lung etc.	-	-	-	-	-	-	-	1	3	2	-	4	2	3	4	5	-	24	7.79
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.32
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.32
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C60	Penis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.32
C61	Prostate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	0.97
C62	Testis	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	0.32
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	0.65
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	0.65
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, Nervous System	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	3	0.97
C73	Thyroid	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.32
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85, C96	NHL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C88	Malig Imn. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-C94	Myeloid Leukaemia	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	3	0.97
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	Other and Uns	-	-	-	-	-	-	-	-	2	8	3	2	1	3	3	2	-	24	7.79
	All Sites	-	-	1	1	2	2	5	9	31	57	37	41	34	33	29	26	-	308	100.00

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE EKH-6(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2010-2011 – Females

% = Relative Proportion of Cancers of All Sites.

MEGHALAYA - EAST KHASI HILLS

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.61
C01-C02	Tongue	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	3	1.83
C03-C06	Mouth	-	-	-	-	-	-	-	-	-	-	2	1	4	2	2	2	-	13	7.93
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	3	1.83
C12-C13	Hypopharynx	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	3	1.83
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.61
C15	Oesophagus	-	-	-	-	1	1	1	1	5	6	6	7	6	4	3	4	-	45	27.44
C16	Stomach	-	-	-	-	-	-	-	-	1	1	1	-	-	-	2	2	-	7	4.27
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	3	1.83
C19-C20	Rectum	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.61
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	2	-	6	3.66
C23-C24	Gallbladder etc.	-	-	-	-	-	-	1	-	-	-	2	-	1	1	1	1	-	7	4.27
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	-	-	6	3.66
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.61
C32	Larynx	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	1.22
C33-C34	Lung etc.	-	-	-	-	-	-	1	-	-	1	2	-	1	3	2	1	-	11	6.71
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	Breast	-	-	-	-	-	-	-	1	-	1	6	-	-	3	-	1	-	12	7.32
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	Cervix Uteri	-	-	-	-	-	-	1	-	3	1	2	3	1	1	1	1	-	14	8.54
C54	Corpus Uteri	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C56	Ovary etc.	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	4	2.44
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.61
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.61
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, NS	-	-	-	-	1	1	1	-	-	1	-	-	1	-	-	-	-	5	3.05
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	NHL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	3	1.83
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	Other and Uns	-	-	-	-	-	-	-	-	1	-	-	-	2	2	1	5	-	11	6.71
	All Sites	-	-	-	-	2	2	8	4	12	13	28	16	21	20	15	23	-	164	100.00

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE EKH-7(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2010-2011 - Males
MEGHALAYA - EAST KHASI HILLS

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	9.2	11.8	32.7	-	0.5	1.4	0.69	1.2
C01-C02	-	-	-	-	-	-	-	-	2.6	-	3.8	6.0	18.3	11.8	16.3	-	0.9	2.0	0.79	4.3
C03-C06	-	-	-	-	-	-	-	-	5.1	3.2	3.8	6.0	9.2	11.8	16.3	14.1	1.1	2.3	0.79	4.2
C07-C08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	-	-	-	-	-	-	-	-	5.1	9.7	3.8	6.0	9.2	-	-	-	1.0	1.7	0.62	5.5
C10	-	-	-	-	-	-	-	-	5.1	9.7	-	12.0	9.2	-	16.3	-	1.1	2.1	0.72	5.6
C11	-	-	-	-	-	-	1.7	-	-	-	-	12.0	-	23.5	-	-	0.6	1.3	0.61	1.6
C12-C13	-	-	-	-	-	-	1.7	5.2	15.4	13.0	15.4	12.0	27.5	-	49.0	28.3	3.5	6.0	1.22	14.1
C14	-	-	-	-	-	-	-	-	-	3.2	11.5	6.0	-	-	16.3	-	0.7	1.3	0.56	3.3
C15	-	-	-	-	-	-	3.4	8.7	25.6	87.5	69.2	72.2	119.0	105.9	98.0	70.7	13.3	25.2	2.57	59.4
C16	-	-	-	-	-	1.6	1.7	-	5.1	3.2	7.7	12.0	18.3	35.3	49.0	28.3	2.4	4.9	1.19	6.8
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	11.8	-	-	0.1	0.4	0.35	-
C18	-	-	-	-	-	-	-	-	-	-	-	-	-	11.8	-	14.1	0.2	0.6	0.45	-
C19-C20	-	-	-	-	-	-	-	-	-	3.2	-	-	-	-	-	-	0.1	0.2	0.19	0.6
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	11.8	-	-	0.1	0.4	0.35	-
C22	-	-	-	-	-	-	-	-	-	3.2	7.7	18.1	9.2	-	-	28.3	1.1	2.2	0.76	5.4
C23-C24	-	-	-	-	-	-	-	-	-	-	3.8	6.0	18.3	11.8	16.3	-	0.7	1.8	0.77	3.8
C25	-	-	-	-	-	-	-	-	-	-	-	12.0	18.3	11.8	-	14.1	0.7	1.8	0.77	3.9
C30-C31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	-	-	-	-	2.6	13.0	3.8	6.0	18.3	23.5	16.3	28.3	1.7	3.7	1.03	6.8
C33-C34	-	-	-	-	-	-	-	1.7	7.7	6.5	-	24.1	18.3	35.3	65.4	70.7	3.0	6.4	1.36	8.5
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	-	-	-	1.0	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.09	-
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	-	-	-	6.0	-	-	-	-	0.1	0.2	0.24	0.8
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14.1	0.1	0.3	0.28	-
C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32.7	14.1	0.4	0.9	0.54	-
C62	-	-	-	-	1.3	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.10	-
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	-	6.0	-	11.8	-	-	0.2	0.6	0.43	0.8
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	6.0	-	-	-	14.1	0.2	0.5	0.37	0.8
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	-	0.9	-	-	-	-	-	-	-	-	6.0	-	11.8	-	-	0.4	0.7	0.43	0.8
C73	-	-	-	-	-	-	-	-	-	3.2	-	-	-	-	-	-	0.1	0.2	0.19	0.6
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-C94	-	-	-	-	1.3	1.6	-	-	-	-	-	-	-	11.8	-	-	0.4	0.6	0.39	-
C95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	-	-	-	-	-	-	-	-	5.1	25.9	11.5	12.0	9.2	35.3	49.0	28.3	3.0	5.9	1.25	10.6
All	-	-	0.9	1.0	2.5	3.3	8.6	15.6	79.4	184.7	142.3	246.8	311.2	388.3	473.9	367.6	38.3	75.8	4.54	149.1

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE EKH-7(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2010-2011 - Females
MEGHALAYA - EAST KHASI HILLS

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.8	0.1	0.2	0.18	-
C01-C02	-	-	-	-	-	-	1.7	-	-	-	4.3	-	-	-	-	8.8	0.4	0.5	0.30	0.7
C03-C06	-	-	-	-	-	-	-	-	-	-	8.6	6.4	27.5	16.7	22.6	17.5	1.6	3.1	0.87	5.8
C07-C08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	-	-	-	-	-	-	1.7	-	-	-	4.3	6.4	-	-	-	-	0.4	0.6	0.35	1.5
C12-C13	-	-	-	-	-	-	-	1.8	-	3.2	4.3	-	-	-	-	-	0.4	0.5	0.31	1.7
C14	-	-	-	-	-	-	-	-	-	-	4.3	-	-	-	-	-	0.1	0.2	0.22	0.7
C15	-	-	-	-	1.2	1.4	1.7	1.8	13.1	19.0	25.8	44.7	41.2	33.5	33.8	35.1	5.5	9.5	1.45	21.8
C16	-	-	-	-	-	-	-	-	2.6	3.2	4.3	-	-	-	22.6	17.5	0.9	1.4	0.52	1.8
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	-	-	-	-	-	-	6.9	-	22.6	-	0.4	0.7	0.42	0.9
C19-C20	-	-	-	-	-	-	-	-	-	-	-	6.4	-	-	-	-	0.1	0.3	0.26	0.8
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	-	-	-	-	-	-	-	-	-	3.2	-	-	6.9	16.7	-	17.5	0.7	1.3	0.55	1.5
C23-C24	-	-	-	-	-	-	1.7	-	-	-	8.6	-	6.9	8.4	11.3	8.8	0.9	1.5	0.57	2.3
C25	-	-	-	-	-	-	-	-	-	-	4.3	-	20.6	8.4	11.3	-	0.7	1.5	0.62	3.4
C30-C31	-	-	-	-	-	-	-	-	2.6	-	-	-	-	-	-	-	0.1	0.2	0.16	0.5
C32	-	-	-	-	-	-	-	-	-	-	4.3	-	-	-	-	8.8	0.2	0.4	0.28	0.7
C33-C34	-	-	-	-	-	-	1.7	-	-	3.2	8.6	-	6.9	25.1	22.6	8.8	1.3	2.4	0.73	2.9
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	-	-	-	-	-	-	-	1.8	-	3.2	25.8	-	-	25.1	-	8.8	1.5	2.5	0.74	5.1
C51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	-	-	-	-	-	-	1.7	-	7.8	3.2	8.6	19.1	6.9	8.4	11.3	8.8	1.7	2.9	0.79	6.9
C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C56	-	-	-	-	-	-	-	1.8	2.6	-	4.3	6.4	-	-	-	-	0.5	0.7	0.38	2.4
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	-	-	-	8.4	-	-	0.1	0.3	0.25	-
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.8	0.1	0.2	0.18	-
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	-	-	-	1.2	1.4	1.7	-	-	3.2	-	-	6.9	-	-	-	0.6	0.8	0.38	1.5
C73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85,C96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-C94	-	-	-	-	-	-	1.7	-	-	-	-	12.8	-	-	-	-	0.4	0.6	0.38	1.6
C95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U*	-	-	-	-	-	-	-	-	2.6	-	-	-	13.7	16.7	11.3	43.9	1.3	2.3	0.71	2.3
All	-	-	-	-	2.4	2.8	13.8	7.3	31.4	41.2	120.6	102.1	144.3	167.4	169.2	201.7	20.1	34.4	2.76	66.7

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE EKH-8(a): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)
of individual sites (ICD-10) based on age specific rates
(from 0-64 years and from 0-74 Years) 2010-2011 - Males
MEGHALAYA - EAST KHASI HILLS**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	0.2	0.2
C01-C02	Tongue	0.6	0.6	0.8	0.8
C03-C06	Mouth	0.8	0.8	1.1	1.2
C07-C08	Salivary Gland	0.1	0.1	0.1	0.1
C09	Tonsil	0.5	0.5	0.7	0.7
C10	Oth. Oropharynx	0.3	0.3	0.5	0.5
C11	Nasopharynx	0.2	0.2	0.4	0.4
C12-C13	Hypopharynx	1.7	1.7	2.5	2.5
C14	Pharynx Unspecified	0.4	0.4	0.7	0.7
C15	Oesophagus	5.9	5.8	7.7	8.0
C16	Stomach	0.8	0.8	1.7	1.7
C17	Small Intestine	-	-	0.1	0.1
C18	Colon	0.1	0.1	0.3	0.3
C19-C20	Rectum	0.1	0.1	0.2	0.2
C21	Anus & Anal Canal	0.1	0.1	0.1	0.1
C22	Liver	0.4	0.4	0.6	0.6
C23-C24	Gallbladder etc.	0.1	0.1	0.2	0.2
C25	Pancreas	0.2	0.2	0.2	0.2
C30-C31	Nose, Sinuses etc.	-	-	-	-
C32	Larynx	0.8	0.8	1.3	1.4
C33-C34	Lung etc.	0.7	0.7	1.4	1.4
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	-	-	0.1	0.1
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.2	0.2	0.2	0.2
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-
C50	Breast	0.1	0.1	0.1	0.1
C60	Penis	0.1	0.1	0.1	0.1
C61	Prostate	0.1	0.1	0.3	0.3
C62	Testis	-	-	-	-
C63	Other Male Genital	-	-	-	-
C64	Kidney etc.	-	-	0.1	0.1
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	-	-	-	-
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.1	0.1	0.3	0.3
C73	Thyroid	0.1	0.1	0.1	0.1
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	-	-	-	-
C82-C85,C96	NHL	0.1	0.1	0.1	0.1
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	0.1	0.1	0.1	0.1
C91	Lymphoid Leuk.	-	-	0.1	0.1
C92-C94	Myeloid Leukaemia	-	-	0.1	0.1
C95	Leukaemia Uns	-	-	-	-
O&U*	Other and Uns	1.0	1.0	1.5	1.5
	All Sites	16.00	14.78	24.67	21.86

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE EKH-8(b): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk)
of individual sites (ICD-10) based on age specific rates
(from 0-64 years and from 0-74 Years) 2010-2011 - Females
MEGHALAYA - EAST KHASI HILLS**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	0.1	0.1	0.2	0.2
C01-C02	Tongue	0.2	0.2	0.4	0.4
C03-C06	Mouth	0.5	0.5	0.9	0.9
C07-C08	Salivary Gland	-	-	-	-
C09	Tonsil	0.1	0.1	0.1	0.1
C10	Oth. Oropharynx	-	-	-	-
C11	Nasopharynx	0.1	0.1	0.1	0.1
C12-C13	Hypopharynx	0.2	0.2	0.3	0.3
C14	Pharynx Unspecified	-	-	0.1	0.1
C15	Oesophagus	2.4	2.4	3.5	3.5
C16	Stomach	0.4	0.4	0.7	0.7
C17	Small Intestine	-	-	0.1	0.1
C18	Colon	0.2	0.2	0.5	0.5
C19-C20	Rectum	0.1	0.1	0.2	0.2
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	0.1	0.1	0.2	0.2
C23-C24	Gallbladder etc.	0.4	0.4	0.5	0.5
C25	Pancreas	0.1	0.1	0.2	0.2
C30-C31	Nose, Sinuses etc.	-	-	-	-
C32	Larynx	-	-	0.1	0.1
C33-C34	Lung etc.	0.3	0.3	0.6	0.6
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	0.1	0.1	0.1	0.1
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.1	0.1	0.2	0.2
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	0.1	0.1
C50	Breast	0.8	0.8	1.4	1.4
C51	Vulva	-	-	0.1	0.1
C52	Vagina	0.1	0.1	0.1	0.1
C53	Cervix Uteri	0.9	0.9	1.0	1.0
C54	Corpus Uteri	0.1	0.1	0.3	0.3
C55	Uterus Unspecified	-	-	-	-
C56	Ovary etc.	0.2	0.2	0.2	0.2
C57	Other Female Genital	-	-	-	-
C58	Placenta	-	-	-	-
C64	Kidney etc.	-	-	0.1	0.1
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	-	-	-	-
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.1	0.1	0.1	0.1
C73	Thyroid	0.1	0.1	0.1	0.1
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	-	-	-	-
C82-C85,C96	NHL	-	-	-	-
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-
C92-C94	Myeloid Leukaemia	0.1	0.1	0.1	0.1
C95	Leukaemia Uns	-	-	-	-
O&U*	Other and Uns	0.3	0.3	0.8	0.8
	All Sites	8.48	8.13	13.38	12.52

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)