

POPULATION BASED CANCER REGISTRY, THIRUVANANTHAPURAM

Regional Cancer Centre, Thiruvananthapuram

Dr Paul Sebastian

Director, Regional Cancer Centre, Thiruvananthapuram

Dr Aleyamma Mathew

Principal Investigator, Addl. Prof. in Stat & Epidemiology

The PBCR, Thiruvananthapuram taluk was established in 2006 under the NCRP (ICMR) with the objectives of assessing the magnitude and pattern of cancer incidence and mortality rates as well as estimating relative survival of various cancers. The taluk covers an area of 300 sq. km. with a population of 1.114 million (67% urban and 33% rural) as per 2001 census. Data collection was started retrospectively since 1st January 2005 and has completed 7 years in December 2011.

Data collection methodology is active and voluntary. The main sources of information for the incidence data are the Regional Cancer Centre, Thiruvananthapuram and the Medical College Hospital located in the same campus. Till November 2011, co-operation from other hospitals in Thiruvananthapuram was very poor. The number of other collaborating hospitals was only 7 and the proportion of source of registration from these hospitals was 2.4% in 2005. After the active involvement of the Govt. of Kerala, the number of collaborating hospitals increased to 83 and the source of registration from these hospitals increased to 14.1% in 2011. Currently PBCR endeavours to register every cancer case within the registry area.

All deaths except accidents/natural calamity are collected from the vital statistics offices and from all the above collaborating hospitals. Further, special effort is made for obtaining vital status of patients registered at RCC and this information is also updated to the mortality database.

The quality and completeness of coverage of the registry is reviewed through the various indicators provided in Table. During the past 7 years, number of cases reported in the PBCR increased to 32% in males and 36% in females and the age-adjusted incidence rate increased from 110 to 134 per 105 males and 103 to 128 per 105 females. Since the old age population proportion is higher than the world-standard population, the crude rates reported in Thiruvananthapuram are higher than the age-adjusted rates. The increase in the number of cases and rates are partly due to the improvement in the methodology.

TABLE TVM-1: Quality Indices of PBCR, Thiruvananthapuram

Quality Indices	Male			Female		
	2009	2010	2011	2009	2010	2011
Number	815	845	823	843	925	881
Source RCC (%)	52.6	48.8	43.4	65.1	56.1	54.4
Source Others (%)	36.7	39.7	47.4	29.0	34.8	38.7
MV (%)	72.1	78.0	75.7	82.3	84.8	82.5
DCO (%)	10.7	11.5	9.2	5.9	9.1	6.9
FR (%)	45.2	38.6	34.6	30.7	28.8	24.5
Unk (%)	14.4	15.9	13.6	9.5	10.9	10.9
AAIR*	132.6	135.8	129.4	119.2	129.1	121.2
AAMR[#]	60.1	51.4	45.1	36.4	37.6	29.1

RCC: Regional Cancer Centre, Thiruvananthapuram, MV: Microscopic Verification, DCO: Death certificate only, FR: Fatality ratio, Unk: Unknown primary, AAIR: Age-adjusted incidence rate per 10⁵ population, AAMR: Age-adjusted mortality rates per 10⁵ population

Registry Staff, PBCR, Thiruvananthapuram

Smt Padmakumari Amma G. : Assistant Professor in Bio-statistics
Dr Kalavathy M.C. : Assistant Professor in Epidemiology
Dr Preethi Sara George : Co-Investigator, Asst. Prof. in Bio-statistics

Field Investigators

Mrs Shyma Chandrasekhar	Mrs. Aparna S.
Mrs Swapna Krishnankutty	Ms Sreelatha D.
Ms Shailaja Kumari S.S.	Ms. Priya K.L.
Ms Bindu R.R.	Ms Sunithakumari C.S.
Mr Ashok Kumar B.S.	Mr George C. Mathew

**TABLE TVM-2: Main Sources of Registration of Incident Cases of Cancer: 2009-2011
Thiruvananthapuram**

Name of the Institution	Number	%
Regional Cancer Centre, Thiruvananthapuram	2745	53.5
Medical College Hospital, Thiruvananthapuram	1410	27.5
Unknown	431	8.4
KIMS, Hospital, Thiruvananthapuram	100	1.9
Cosmopolitan Hospital, Thiruvananthapuram	61	1.2
S.U.T. Hospital, Thiruvananthapuram	56	1.1
Others	329	6.4
Total	5132	100.0

1. Institutions listed have registered at least one percent of all cases in the registry for the combined years 2009-2011.

2. The numbers and proportion listed are the minimum number of cases. Institutions could have registered/ reported more cases, since duplicate registrations and non-resident/registry cases are not included.

Figure TVM -1
Population Pyramid showing Age Distribution: 2009-2011
THIRUVANANTHAPURAM




TABLE TVM-3
Population by Five Year Age Group and Gender: 2009-2011
Number and Relative Proportion (%)
THIRUVANANTHAPURAM

Age Group	Males		Females	
	Number	%	Number	%
00-04	137989	7.97	130428	7.11
05-09	119332	6.90	111531	6.08
10-14	150716	8.71	137035	7.47
15-19	139474	8.06	126608	6.90
20-24	130196	7.52	142734	7.78
25-29	133037	7.69	152733	8.32
30-34	134677	7.78	158556	8.64
35-39	139438	8.06	167128	9.11
40-44	128750	7.44	143728	7.83
45-49	143400	8.29	145920	7.95
50-54	103831	6.00	99931	5.44
55-59	78901	4.56	75960	4.14
60-64	61507	3.55	72549	3.95
65-69	50682	2.93	65962	3.59
70-74	35408	2.05	44818	2.44
75+	43242	2.50	59689	3.25
Total	1730580	100.00	1835310	100.00

TABLE TVM-4(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2009-2011 - Males

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	1	-	1	3	1	3	-	-	9	0.36
C01-C02	Tongue	-	-	-	-	-	-	4	5	10	8	21	17	21	14	13	7	-	120	4.83
C03-C06	Mouth	-	-	-	-	-	1	4	1	2	11	16	20	19	19	19	20	-	132	5.32
C07-C08	Salivary Gland	-	-	-	-	-	1	-	-	1	1	1	1	2	1	1	-	-	9	0.36
C09	Tonsil	-	-	-	-	-	-	-	-	-	1	2	2	3	2	3	1	-	14	0.56
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	3	5	3	10	10	9	5	8	-	53	2.13
C11	Nasopharynx	-	-	-	1	-	-	-	-	2	-	1	1	1	1	2	2	-	11	0.44
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	-	5	4	6	9	8	5	8	-	45	1.81
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	0.08
C15	Oesophagus	-	-	-	-	-	-	-	2	-	3	11	12	14	14	12	9	-	77	3.10
C16	Stomach	-	-	1	-	-	-	-	1	3	7	8	14	19	12	11	13	-	89	3.58
C17	Small Intestine	-	-	-	-	-	-	-	-	1	2	-	2	-	-	1	-	-	6	0.24
C18	Colon	-	-	-	-	1	1	5	3	1	8	8	6	13	7	16	8	-	77	3.10
C19-C20	Rectum	-	-	-	-	1	-	2	1	8	4	9	12	15	19	10	15	-	96	3.87
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	1	-	-	1	-	3	-	1	-	6	0.24
C22	Liver	-	-	-	-	-	1	1	2	2	3	8	18	10	19	13	11	-	88	3.54
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	2	2	2	-	2	4	2	-	14	0.56
C25	Pancreas	-	-	-	-	-	-	-	1	2	5	13	6	8	7	2	3	-	47	1.89
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	2	1	2	1	4	3	4	3	-	20	0.81
C32	Larynx	-	-	-	-	-	-	-	1	4	3	11	16	25	19	12	16	-	107	4.31
C33-C34	Lung etc.	-	-	-	-	-	1	1	3	13	21	23	42	41	42	36	48	-	271	10.91
C37-C38	Oth. Thoracic Organs	-	-	-	1	-	-	2	-	-	-	2	2	2	1	-	-	-	10	0.40
C40-C41	Bone	-	1	1	3	1	-	-	2	-	2	-	1	-	-	-	1	-	12	0.48
C43	Melanoma of Skin	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	1	-	5	0.20
C44	Other Skin	-	-	-	-	1	-	-	1	1	3	4	10	8	6	8	6	-	48	1.93
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	2	-	1	1	2	2	2	1	1	4	3	-	6	-	25	1.01
C50	Breast	-	-	-	-	-	-	1	2	-	3	-	2	2	3	2	3	-	18	0.72
C60	Penis	-	-	-	-	-	2	2	-	-	-	-	1	1	2	4	4	-	16	0.64
C61	Prostate	-	-	-	-	-	-	-	-	1	1	9	7	26	24	38	52	-	158	6.36
C62	Testis	-	-	-	2	1	4	1	1	1	3	1	-	1	2	1	-	-	18	0.72
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	3	-	-	-	-	-	1	1	4	6	9	4	10	7	4	3	-	52	2.09
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	0.08
C66	Ureter	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.04
C67	Bladder	-	-	-	-	-	-	-	-	4	4	4	6	11	9	14	17	-	69	2.78
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	0.08
C70-C72	Brain, NS	2	2	2	1	1	8	3	7	9	2	7	3	3	4	4	2	-	60	2.42
C73	Thyroid	-	-	-	3	7	1	4	5	8	6	4	8	4	2	6	8	-	66	2.66
C74	Adrenal Gland	1	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	5	0.20
C81	Hodgkins Disease	-	-	-	4	2	-	2	2	3	2	2	4	1	-	1	1	-	24	0.97
C82-C85,C96	NHL	-	4	1	2	3	2	3	3	8	9	9	14	15	11	8	11	-	103	4.15
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	2	2	4	8	8	5	8	5	5	-	47	1.89
C91	Lymphoid Leuk.	5	-	4	4	2	-	1	-	-	1	2	4	4	2	1	1	-	31	1.25
C92-C94	Myeloid Leukaemia	-	-	4	-	1	2	3	7	7	5	1	3	3	5	6	3	-	50	2.01
C95	Leukaemia Uns	-	1	-	1	-	-	-	1	-	-	-	-	1	-	-	1	-	5	0.20
O&U*	Other and Uns	-	-	1	-	2	2	3	6	10	22	30	42	42	57	62	84	-	363	14.62
	All Sites	12	8	14	24	23	27	45	62	115	168	243	311	361	349	337	384	-	2483	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE TVM-4(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10): 2009-2011 - Females

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	4	0.15
C01-C02	Tongue	-	-	-	-	-	1	2	1	3	5	4	9	11	8	9	11	-	64	2.42
C03-C06	Mouth	-	-	-	-	-	-	-	1	-	1	4	2	15	13	13	17	-	66	2.49
C07-C08	Salivary Gland	-	1	-	-	-	1	-	2	-	3	4	-	1	2	-	-	-	14	0.53
C09	Tonsil	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	4	0.15
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	0.08
C11	Nasopharynx	-	-	-	1	-	-	-	-	1	2	-	-	3	-	1	1	-	9	0.34
C12-C13	Hypopharynx	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	4	0.15
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	-	-	-	-	-	-	-	-	-	-	2	-	5	2	5	7	-	21	0.79
C16	Stomach	-	-	-	-	-	2	-	1	6	5	6	6	2	2	3	10	-	43	1.62
C17	Small Intestine	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	0.08
C18	Colon	-	-	-	-	-	1	-	3	1	1	10	16	7	10	6	8	-	63	2.38
C19-C20	Rectum	-	-	-	-	-	-	1	1	6	8	11	7	13	15	7	11	-	80	3.02
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	0.08
C22	Liver	1	-	-	-	-	-	2	1	-	3	-	4	1	6	2	5	-	25	0.94
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	2	3	1	7	7	1	3	4	-	28	1.06
C25	Pancreas	-	-	-	-	1	-	1	-	-	2	5	5	8	4	3	4	-	33	1.25
C30-C31	Nose, Sinuses etc.	-	1	-	-	-	-	-	-	-	-	-	1	-	4	-	2	-	8	0.30
C32	Larynx	-	-	-	-	2	-	-	1	-	1	1	2	3	-	1	1	-	12	0.45
C33-C34	Lung etc.	-	-	-	-	-	-	-	1	3	6	11	10	10	21	11	12	-	85	3.21
C37-C38	Other Thoracic Organs	1	-	-	-	-	-	-	-	-	1	-	-	2	-	2	-	-	6	0.23
C40-C41	Bone	1	-	1	-	-	1	-	1	-	1	1	-	1	1	-	-	-	8	0.30
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	-	5	0.19
C44	Other Skin	-	-	1	-	1	-	-	1	-	3	-	-	2	2	4	3	-	17	0.64
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	1	1	-	2	2	1	2	4	-	2	-	1	2	-	-	18	0.68
C50	Breast	-	-	-	1	-	8	25	44	69	122	100	112	105	75	48	57	-	766	28.92
C51	Vulva	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	3	0.11
C52	Vagina	-	-	-	-	-	-	1	-	-	1	-	-	1	3	-	1	-	7	0.26
C53	Cervix Uteri	-	-	-	-	1	-	-	5	16	22	21	15	33	18	24	20	-	175	6.61
C54	Corpus Uteri	-	-	-	-	-	1	2	5	4	5	25	20	20	17	13	8	-	120	4.53
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	3	3	3	4	1	2	3	2	-	21	0.79
C56	Ovary etc.	-	1	-	3	1	4	6	7	15	15	16	19	19	14	11	6	-	137	5.17
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	0.08
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	3	-	-	-	1	1	1	-	3	3	1	2	5	-	-	-	-	20	0.76
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.04
C67	Bladder	-	-	-	-	-	-	-	1	-	1	1	1	3	2	3	2	-	14	0.53
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.04
C70-C72	Brain, NS	-	2	4	2	3	1	2	4	2	4	7	2	6	2	2	2	-	45	1.70
C73	Thyroid	-	-	1	10	17	17	41	31	25	26	14	14	11	4	6	4	-	221	8.34
C74	Adrenal Gland	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	4	0.15
C81	Hodgkins Disease	-	-	2	3	3	1	2	-	1	1	1	-	2	-	-	-	-	16	0.60
C82-C85,C96	NHL	-	2	-	-	2	1	-	6	5	4	11	8	12	7	10	12	-	80	3.02
C88	Malig Imn.Prof D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	1	-	2	4	3	5	6	1	4	7	2	-	35	1.32
C91	Lymphoid Leuk.	6	5	1	-	-	-	-	3	-	-	2	2	3	2	-	1	-	25	0.94
C92-C94	Myeloid Leukaemia	2	1	1	2	-	-	4	5	2	9	5	9	4	2	3	2	-	51	1.93
C95	Leukaemia Uns	-	1	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	5	0.19
O&U*	Other and Uns	2	-	1	2	1	5	1	7	4	27	17	33	42	28	47	60	-	277	10.46
	All Sites	19	15	14	25	33	49	95	136	177	301	297	320	362	274	252	280	-	2649	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE TVM-5(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2009-2011 - Males

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	0.7	-	1.3	4.9	2.0	8.5	-	0.5	0.52	0.17	0.9
C01-C02	-	-	-	-	-	-	3.0	3.6	7.8	5.6	20.2	21.5	34.1	27.6	36.7	16.2	6.9	6.32	0.58	13.7
C03-C06	-	-	-	-	-	0.8	3.0	0.7	1.6	7.7	15.4	25.3	30.9	37.5	53.7	46.3	7.6	6.98	0.61	11.7
C07-C08	-	-	-	-	-	0.8	-	-	0.8	0.7	1.0	1.3	3.3	2.0	2.8	-	0.5	0.49	0.17	1.0
C09	-	-	-	-	-	-	-	-	-	0.7	1.9	2.5	4.9	3.9	8.5	2.3	0.8	0.77	0.21	1.4
C10	-	-	-	-	-	-	-	-	2.3	3.5	2.9	12.7	16.3	17.8	14.1	18.5	3.1	2.84	0.39	5.3
C11	-	-	-	0.7	-	-	-	-	1.6	-	1.0	1.3	1.6	2.0	5.6	4.6	0.6	0.59	0.18	0.8
C12-C13	-	-	-	-	-	-	-	-	-	3.5	3.9	7.6	14.6	15.8	14.1	18.5	2.6	2.42	0.36	4.2
C14	-	-	-	-	-	-	-	-	-	-	-	-	-	2.0	2.8	-	0.1	0.12	0.08	-
C15	-	-	-	-	-	-	-	1.4	-	2.1	10.6	15.2	22.8	27.6	33.9	20.8	4.4	4.18	0.48	7.3
C16	-	-	0.7	-	-	-	-	0.7	2.3	4.9	7.7	17.7	30.9	23.7	31.1	30.1	5.1	4.80	0.51	9.1
C17	-	-	-	-	-	-	-	-	0.8	1.4	-	2.5	-	-	2.8	-	0.3	0.29	0.12	0.7
C18	-	-	-	-	0.8	0.8	3.7	2.2	0.8	5.6	7.7	7.6	21.1	13.8	45.2	18.5	4.4	4.08	0.47	6.6
C19-C20	-	-	-	-	0.8	-	1.5	0.7	6.2	2.8	8.7	15.2	24.4	37.5	28.2	34.7	5.5	5.13	0.53	8.4
C21	-	-	-	-	-	-	-	-	0.8	-	-	1.3	-	5.9	-	2.3	0.3	0.32	0.13	0.3
C22	-	-	-	-	-	0.8	0.7	1.4	1.6	2.1	7.7	22.8	16.3	37.5	36.7	25.4	5.1	4.73	0.51	7.3
C23-C24	-	-	-	-	-	-	-	-	-	1.4	1.9	2.5	-	3.9	11.3	4.6	0.8	0.72	0.19	0.9
C25	-	-	-	-	-	-	-	0.7	1.6	3.5	12.5	7.6	13.0	13.8	5.6	6.9	2.7	2.46	0.36	5.8
C30-C31	-	-	-	-	-	-	-	-	1.6	0.7	1.9	1.3	6.5	5.9	11.3	6.9	1.2	1.08	0.24	1.7
C32	-	-	-	-	-	-	-	0.7	3.1	2.1	10.6	20.3	40.6	37.5	33.9	37.0	6.2	5.86	0.57	10.7
C33-C34	-	-	-	-	-	0.8	0.7	2.2	10.1	14.6	22.2	53.2	66.7	82.9	101.7	111.0	15.7	14.36	0.88	24.2
C37-C38	-	-	-	0.7	-	-	1.5	-	-	-	1.9	2.5	3.3	2.0	-	-	0.6	0.54	0.17	1.1
C40-C41	-	0.8	0.7	2.2	0.8	-	-	1.4	-	1.4	-	1.3	-	-	-	2.3	0.7	0.67	0.20	0.7
C43	-	-	-	-	-	-	0.7	-	-	-	1.9	1.3	-	-	-	2.3	0.3	0.24	0.11	0.5
C44	-	-	-	-	0.8	-	-	0.7	0.8	2.1	3.9	12.7	13.0	11.8	22.6	13.9	2.8	2.58	0.38	4.6
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	1.4	-	0.8	0.7	1.4	1.6	1.4	1.0	1.3	6.5	5.9	-	13.9	1.4	1.31	0.27	2.0
C50	-	-	-	-	-	-	0.7	1.4	-	2.1	-	2.5	3.3	5.9	5.6	6.9	1.0	0.92	0.22	1.4
C60	-	-	-	-	-	1.5	1.5	-	-	-	-	1.3	1.6	3.9	11.3	9.3	0.9	0.85	0.22	0.4
C61	-	-	-	-	-	-	-	-	0.8	0.7	8.7	8.9	42.3	47.4	107.3	120.3	9.1	8.54	0.68	8.3
C62	-	-	-	1.4	0.8	3.0	0.7	0.7	0.8	2.1	1.0	-	1.6	3.9	2.8	-	1.0	0.98	0.23	1.1
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	2.2	-	-	-	-	-	0.7	0.7	3.1	4.2	8.7	5.1	16.3	13.8	11.3	6.9	3.0	2.85	0.40	5.7
C65	-	-	-	-	-	-	-	-	-	-	1.9	-	-	-	-	-	0.1	0.10	0.07	0.3
C66	-	-	-	-	-	-	-	-	-	-	1.0	-	-	-	-	-	0.1	0.05	0.05	0.2
C67	-	-	-	-	-	-	-	-	3.1	2.8	3.9	7.6	17.9	17.8	39.5	39.3	4.0	3.68	0.45	5.1
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	0.7	-	-	-	-	-	-	-	-	-	1.0	-	-	-	-	-	0.1	0.14	0.10	0.2
C70-C72	1.4	1.7	1.3	0.7	0.8	6.0	2.2	5.0	7.0	1.4	6.7	3.8	4.9	7.9	11.3	4.6	3.5	3.25	0.43	4.8
C73	-	-	-	2.2	5.4	0.8	3.0	3.6	6.2	4.2	3.9	10.1	6.5	3.9	16.9	18.5	3.8	3.39	0.42	5.5
C74	0.7	-	-	-	-	-	-	-	-	1.4	1.0	-	1.6	-	-	-	0.3	0.28	0.13	0.6
C81	-	-	-	2.9	1.5	-	1.5	1.4	2.3	1.4	1.9	5.1	1.6	-	2.8	2.3	1.4	1.25	0.26	2.2
C82-C85,C96	-	3.4	0.7	1.4	2.3	1.5	2.2	2.2	6.2	6.3	8.7	17.7	24.4	21.7	22.6	25.4	6.0	5.57	0.56	9.7
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	1.4	1.6	2.8	7.7	10.1	8.1	15.8	14.1	11.6	2.7	2.45	0.36	4.7
C91	3.6	-	2.7	2.9	1.5	-	0.7	-	-	0.7	1.9	5.1	6.5	3.9	2.8	2.3	1.8	1.92	0.35	1.9
C92-C94	-	-	2.7	-	0.8	1.5	2.2	5.0	5.4	3.5	1.0	3.8	4.9	9.9	16.9	6.9	2.9	2.56	0.37	4.0
C95	-	0.8	-	0.7	-	-	-	0.7	-	-	-	-	1.6	-	-	2.3	0.3	0.30	0.14	0.3
O&U*	-	-	0.7	-	1.5	1.5	2.2	4.3	7.8	15.3	28.9	53.2	68.3	112.5	175.1	194.3	21.0	19.15	1.01	25.6
All	8.7	6.7	9.3	17.2	17.7	20.3	33.4	44.5	89.3	117.2	234.0	394.2	586.9	688.6	951.8	888.0	143.5	132.6	2.68	212.9

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE TVM-5(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2009-2011 - Females

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	0.7	1.0	-	-	-	2.2	1.7	0.2	0.17	0.09	0.3
C01-C02	-	-	-	-	-	0.7	1.3	0.6	2.1	3.4	4.0	11.8	15.2	12.1	20.1	18.4	3.5	2.91	0.37	5.3
C03-C06	-	-	-	-	-	-	-	0.6	-	0.7	4.0	2.6	20.7	19.7	29.0	28.5	3.6	2.95	0.37	3.9
C07-C08	-	0.9	-	-	-	0.7	-	1.2	-	2.1	4.0	-	1.4	3.0	-	-	0.8	0.68	0.19	1.5
C09	-	-	-	-	-	-	-	-	-	1.4	-	1.3	-	-	-	1.7	0.2	0.17	0.09	0.4
C10	-	-	-	-	-	-	-	-	-	0.7	-	-	-	1.5	-	-	0.1	0.09	0.06	0.1
C11	-	-	-	0.8	-	-	-	-	0.7	1.4	-	-	4.1	-	2.2	1.7	0.5	0.44	0.15	0.9
C12-C13	-	-	-	-	-	-	-	0.6	-	-	-	-	1.4	-	2.2	1.7	0.2	0.17	0.09	0.3
C14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	-	-	-	-	-	-	-	-	-	-	2.0	-	6.9	3.0	11.2	11.7	1.1	0.92	0.21	1.2
C16	-	-	-	-	-	1.3	-	0.6	4.2	3.4	6.0	7.9	2.8	3.0	6.7	16.8	2.3	1.88	0.29	3.9
C17	-	-	0.7	-	-	-	-	-	-	-	-	-	-	-	-	1.7	0.1	0.10	0.07	-
C18	-	-	-	-	-	0.7	-	1.8	0.7	0.7	10.0	21.1	9.6	15.2	13.4	13.4	3.4	2.96	0.38	6.2
C19-C20	-	-	-	-	-	-	0.6	0.6	4.2	5.5	11.0	9.2	17.9	22.7	15.6	18.4	4.4	3.65	0.41	7.3
C21	-	-	-	-	-	-	-	-	-	-	1.0	-	-	1.5	-	-	0.1	0.10	0.07	0.2
C22	0.8	-	-	-	-	-	1.3	0.6	-	2.1	-	5.3	1.4	9.1	4.5	8.4	1.4	1.12	0.23	1.4
C23-C24	-	-	-	-	-	-	-	-	1.4	2.1	1.0	9.2	9.6	1.5	6.7	6.7	1.5	1.32	0.25	3.3
C25	-	-	-	-	0.7	-	0.6	-	-	1.4	5.0	6.6	11.0	6.1	6.7	6.7	1.8	1.58	0.28	3.3
C30-C31	-	0.9	-	-	-	-	-	-	-	-	-	1.3	-	6.1	-	3.4	0.4	0.39	0.15	0.2
C32	-	-	-	-	1.4	-	-	0.6	-	0.7	1.0	2.6	4.1	-	2.2	1.7	0.7	0.59	0.17	1.3
C33-C34	-	-	-	-	-	-	-	0.6	2.1	4.1	11.0	13.2	13.8	31.8	24.5	20.1	4.6	3.88	0.43	6.6
C37-C38	0.8	-	-	-	-	-	-	-	-	0.7	-	-	2.8	-	4.5	-	0.3	0.33	0.14	0.5
C40-C41	0.8	-	0.7	-	-	0.7	-	0.6	-	0.7	1.0	-	1.4	1.5	-	-	0.4	0.44	0.16	0.6
C43	-	-	-	-	-	-	-	-	-	0.7	1.0	-	1.4	-	2.2	1.7	0.3	0.22	0.10	0.5
C44	-	-	0.7	-	0.7	-	-	0.6	-	2.1	-	-	2.8	3.0	8.9	5.0	0.9	0.76	0.19	0.9
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	0.7	0.8	-	1.3	1.3	0.6	1.4	2.7	-	2.6	-	1.5	4.5	-	1.0	0.84	0.20	1.3
C50	-	-	-	0.8	-	5.2	15.8	26.3	48.0	83.6	100.1	147.4	144.7	113.7	107.1	95.5	41.7	35.07	1.28	84.4
C51	-	-	-	-	-	-	-	-	-	-	1.0	1.3	1.4	-	-	-	0.2	0.16	0.09	0.5
C52	-	-	-	-	-	-	0.6	-	-	0.7	-	-	1.4	4.5	-	1.7	0.4	0.30	0.12	0.3
C53	-	-	-	-	0.7	-	-	3.0	11.1	15.1	21.0	19.7	45.5	27.3	53.5	33.5	9.5	8.03	0.61	17.5
C54	-	-	-	-	-	0.7	1.3	3.0	2.8	3.4	25.0	26.3	27.6	25.8	29.0	13.4	6.5	5.71	0.53	12.8
C55	-	-	-	-	-	-	-	-	2.1	2.1	3.0	5.3	1.4	3.0	6.7	3.4	1.1	0.96	0.21	2.1
C56	-	0.9	-	2.4	0.7	2.6	3.8	4.2	10.4	10.3	16.0	25.0	26.2	21.2	24.5	10.1	7.5	6.47	0.56	14.0
C57	-	-	-	-	-	-	-	-	-	0.7	1.0	-	-	-	-	-	0.1	0.09	0.06	0.3
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	2.3	-	-	-	0.7	0.7	0.6	-	2.1	2.1	1.0	2.6	6.9	-	-	-	1.1	1.10	0.26	2.2
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	1.0	-	-	-	-	-	0.1	0.05	0.05	0.2
C67	-	-	-	-	-	-	-	0.6	-	0.7	1.0	1.3	4.1	3.0	6.7	3.4	0.8	0.64	0.17	1.1
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	0.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.09	0.09	-
C70-C72	-	1.8	2.9	1.6	2.1	0.7	1.3	2.4	1.4	2.7	7.0	2.6	8.3	3.0	4.5	3.4	2.5	2.31	0.35	3.8
C73	-	-	0.7	7.9	11.9	11.1	25.9	18.5	17.4	17.8	14.0	18.4	15.2	6.1	13.4	6.7	12.0	10.02	0.69	17.0
C74	1.5	0.9	-	-	-	-	0.6	-	-	-	-	-	-	-	-	-	0.2	0.31	0.16	-
C81	-	-	1.5	2.4	2.1	0.7	1.3	-	0.7	0.7	1.0	-	2.8	-	-	-	0.9	0.88	0.23	0.8
C82-C85,C96	-	1.8	-	-	1.4	0.7	-	3.6	3.5	2.7	11.0	10.5	16.5	10.6	22.3	20.1	4.4	3.73	0.43	7.2
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	0.7	-	1.2	2.8	2.1	5.0	7.9	1.4	6.1	15.6	3.4	1.9	1.60	0.27	3.2
C91	4.6	4.5	0.7	-	-	-	-	1.8	-	-	2.0	2.6	4.1	3.0	-	1.7	1.4	1.67	0.35	1.5
C92-C94	1.5	0.9	0.7	1.6	-	-	2.5	3.0	1.4	6.2	5.0	11.8	5.5	3.0	6.7	3.4	2.8	2.50	0.36	5.1
C95	-	0.9	-	-	-	0.7	0.6	-	-	-	2.0	-	-	-	-	-	0.3	0.28	0.13	0.3
O&U *	1.5	-	0.7	1.6	0.7	3.3	0.6	4.2	2.8	18.5	17.0	43.4	57.9	42.4	104.9	100.5	15.1	12.56	0.77	20.8
All	14.6	13.4	10.2	19.7	23.1	32.1	59.9	81.4	123.1	206.3	297.2	421.3	499.0	415.4	562.3	469.1	144.3	123.2	2.44	246.2

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE TVM-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2009-2011 - Males

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	8	88.9	1	11.1	-	-	-	-	-	-	9	100.0
C01-C02	Tongue	8	6.7	112	93.3	-	-	-	-	-	-	-	-	120	100.0
C03-C06	Mouth	11	8.3	115	87.1	-	-	4	3.0	1	0.8	1	0.8	132	100.0
C07-C08	Salivary Gland	-	-	8	88.9	1	11.1	-	-	-	-	-	-	9	100.0
C09	Tonsil	-	-	14	100.0	-	-	-	-	-	-	-	-	14	100.0
C10	Oth. Oropharynx	2	3.8	48	90.6	2	3.8	-	-	1	1.9	-	-	53	100.0
C11	Nasopharynx	-	-	10	90.9	1	9.1	-	-	-	-	-	-	11	100.0
C12-C13	Hypopharynx	3	6.7	38	84.4	2	4.4	-	-	1	2.2	1	2.2	45	100.0
C14	Pharynx Unspecified	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C15	Oesophagus	-	-	66	85.7	7	9.1	-	-	3	3.9	1	1.3	77	100.0
C16	Stomach	-	-	76	85.4	10	11.2	-	-	2	2.2	1	1.1	89	100.0
C17	Small Intestine	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C18	Colon	1	1.3	66	85.7	7	9.1	-	-	3	3.9	-	-	77	100.0
C19-C20	Rectum	1	1.0	84	87.5	5	5.2	-	-	5	5.2	1	1.0	96	100.0
C21	Anus & Anal Canal	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C22	Liver	1	1.1	37	42.0	48	54.5	2	2.3	-	-	-	-	88	100.0
C23-C24	Gallbladder etc.	1	7.1	9	64.3	4	28.6	-	-	-	-	-	-	14	100.0
C25	Pancreas	1	2.1	28	59.6	17	36.2	-	-	1	2.1	-	-	47	100.0
C30-C31	Nose, Sinuses etc.	-	-	18	90.0	1	5.0	-	-	-	-	1	5.0	20	100.0
C32	Larynx	4	3.7	90	84.1	6	5.6	-	-	6	5.6	1	0.9	107	100.0
C33-C34	Lung etc.	-	-	209	77.1	56	20.7	4	1.5	-	-	2	0.7	271	100.0
C37-C38	Other Thoracic Organs	-	-	9	90.0	1	10.0	-	-	-	-	-	-	10	100.0
C40-C41	Bone	-	-	11	91.7	1	8.3	-	-	-	-	-	-	12	100.0
C43	Melanoma of Skin	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C44	Other Skin	-	-	47	97.9	1	2.1	-	-	-	-	-	-	48	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	22	88.0	1	4.0	-	-	-	-	2	8.0	25	100.0
C50	Breast	2	11.1	16	88.9	-	-	-	-	-	-	-	-	18	100.0
C60	Penis	-	-	15	93.8	1	6.3	-	-	-	-	-	-	16	100.0
C61	Prostate	4	2.5	127	80.4	25	15.8	2	1.3	-	-	-	-	158	100.0
C62	Testis	1	5.6	16	88.9	1	5.6	-	-	-	-	-	-	18	100.0
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	49	94.2	3	5.8	-	-	-	-	-	-	52	100.0
C65	Renal Pelvis	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C66	Ureter	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C67	Bladder	-	-	59	85.5	9	13.0	-	-	-	-	1	1.4	69	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	1	50.0	1	50.0	-	-	-	-	-	-	2	100.0
C70-C72	Brain, Nervous System	-	-	47	78.3	12	20.0	-	-	1	1.7	-	-	60	100.0
C73	Thyroid	-	-	65	98.5	1	1.5	-	-	-	-	-	-	66	100.0
C74	Adrenal Gland	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C81	Hodgkins Disease	-	-	22	91.7	1	4.2	-	-	-	-	1	4.2	24	100.0
C82-C85,C96	NHL	-	-	100	97.1	1	1.0	-	-	-	-	2	1.9	103	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	43	91.5	-	-	-	-	3	6.4	1	2.1	47	100.0
C91	Lymphoid Leuk.	-	-	31	100.0	-	-	-	-	-	-	-	-	31	100.0
C92-C94	Myeloid Leukaemia	-	-	48	96.0	-	-	1	2.0	-	-	1	2.0	50	100.0
C95	Leukaemia Uns	-	-	4	80.0	-	-	-	-	-	-	1	20.0	5	100.0
O&U *	Other and Uns	3	0.8	75	20.7	27	7.4	247	68.0	1	0.3	10	2.8	363	100.0
	All Sites	43	1.7	1870	75.3	254	10.2	260	10.5	28	1.1	28	1.1	2483	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE TVM-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2009-2011 - Females

ICD-10	Site	Clinical		Microscopic		X-Ray/Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C01-C02	Tongue	1	1.6	63	98.4	-	-	-	-	-	-	-	-	64	100.0
C03-C06	Mouth	6	9.1	60	90.9	-	-	-	-	-	-	-	-	66	100.0
C07-C08	Salivary Gland	-	-	14	100.0	-	-	-	-	-	-	-	-	14	100.0
C09	Tonsil	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C10	Oth. Oropharynx	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C11	Nasopharynx	-	-	9	100.0	-	-	-	-	-	-	-	-	9	100.0
C12-C13	Hypopharynx	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	1	4.8	20	95.2	-	-	-	-	-	-	-	-	21	100.0
C16	Stomach	-	-	32	74.4	10	23.3	-	-	1	2.3	-	-	43	100.0
C17	Small Intestine	-	-	1	50.0	1	50.0	-	-	-	-	-	-	2	100.0
C18	Colon	2	3.2	52	82.5	6	9.5	-	-	2	3.2	1	1.6	63	100.0
C19-C20	Rectum	-	-	75	93.8	5	6.3	-	-	-	-	-	-	80	100.0
C21	Anus & Anal Canal	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C22	Liver	-	-	18	72.0	6	24.0	-	-	1	4.0	-	-	25	100.0
C23-C24	Gallbladder etc.	-	-	20	71.4	7	25.0	-	-	1	3.6	-	-	28	100.0
C25	Pancreas	2	6.1	12	36.4	18	54.5	1	3.0	-	-	-	-	33	100.0
C30-C31	Nose, Sinuses etc.	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C32	Larynx	-	-	12	100.0	-	-	-	-	-	-	-	-	12	100.0
C33-C34	Lung etc.	-	-	64	75.3	21	24.7	-	-	-	-	-	-	85	100.0
C37-C38	Other Thoracic Organs	-	-	3	50.0	3	50.0	-	-	-	-	-	-	6	100.0
C40-C41	Bone	-	-	7	87.5	1	12.5	-	-	-	-	-	-	8	100.0
C43	Melanoma of Skin	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C44	Other Skin	-	-	17	100.0	-	-	-	-	-	-	-	-	17	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	1	5.6	15	83.3	1	5.6	-	-	-	-	1	5.6	18	100.0
C50	Breast	25	3.3	716	93.5	22	2.9	-	-	2	0.3	1	0.1	766	100.0
C51	Vulva	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C52	Vagina	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C53	Cervix Uteri	5	2.9	158	90.3	10	5.7	2	1.1	-	-	-	-	175	100.0
C54	Corpus Uteri	-	-	117	97.5	2	1.7	-	-	-	-	1	0.8	120	100.0
C55	Uterus Unspecified	-	-	20	95.2	1	4.8	-	-	-	-	-	-	21	100.0
C56	Ovary etc.	3	2.2	111	81.0	20	14.6	-	-	-	-	3	2.2	137	100.0
C57	Other Female Genital	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	17	85.0	3	15.0	-	-	-	-	-	-	20	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C67	Bladder	1	7.1	12	85.7	1	7.1	-	-	-	-	-	-	14	100.0
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C70-C72	Brain, Nervous System	-	-	35	77.8	9	20.0	-	-	-	-	1	2.2	45	100.0
C73	Thyroid	-	-	216	97.7	3	1.4	1	0.5	-	-	1	0.5	221	100.0
C74	Adrenal Gland	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C81	Hodgkins Disease	-	-	16	100.0	-	-	-	-	-	-	-	-	16	100.0
C82-C85,C96	NHL	2	2.5	74	92.5	2	2.5	-	-	-	-	2	2.5	80	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	32	91.4	1	2.9	-	-	1	2.9	1	2.9	35	100.0
C91	Lymphoid Leuk.	-	-	25	100.0	-	-	-	-	-	-	-	-	25	100.0
C92-C94	Myeloid Leukaemia	-	-	51	100.0	-	-	-	-	-	-	-	-	51	100.0
C95	Leukaemia Uns	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
O&U*	Other and Uns	2	0.7	59	21.3	21	7.6	191	69.0	-	-	4	1.4	277	100.0
	All Sites	51	1.9	2205	83.2	174	6.6	195	7.4	8	0.3	16	0.6	2649	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE TVM-7(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2009-2011 - Males

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	8	88.9	-	-	-	-	-	-	-	-	1	11.1	9	100.0
C01-C02	Tongue	108	90.0	2	1.7	2	1.7	-	-	-	-	8	6.7	120	100.0
C03-C06	Mouth	108	81.8	2	1.5	5	3.8	-	-	-	-	17	12.9	132	100.0
C07-C08	Salivary Gland	8	88.9	-	-	-	-	-	-	-	-	1	11.1	9	100.0
C09	Tonsil	12	85.7	1	7.1	1	7.1	-	-	-	-	-	-	14	100.0
C10	Oth. Oropharynx	34	64.2	4	7.5	10	18.9	-	-	-	-	5	9.4	53	100.0
C11	Nasopharynx	10	90.9	-	-	-	-	-	-	-	-	1	9.1	11	100.0
C12-C13	Hypopharynx	29	64.4	2	4.4	7	15.6	-	-	-	-	7	15.6	45	100.0
C14	Pharynx Unspecified	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C15	Oesophagus	62	80.5	-	-	4	5.2	-	-	-	-	11	14.3	77	100.0
C16	Stomach	72	80.9	2	2.2	2	2.2	-	-	-	-	13	14.6	89	100.0
C17	Small Intestine	5	83.3	-	-	1	16.7	-	-	-	-	-	-	6	100.0
C18	Colon	61	79.2	1	1.3	4	5.2	-	-	-	-	11	14.3	77	100.0
C19-C20	Rectum	81	84.4	3	3.1	-	-	-	-	-	-	12	12.5	96	100.0
C21	Anus & Anal Canal	6	100.0	-	-	-	-	-	-	-	-	-	-	6	100.0
C22	Liver	18	20.5	1	1.1	18	20.5	-	-	-	-	51	58.0	88	100.0
C23-C24	Gallbladder etc.	9	64.3	-	-	-	-	-	-	-	-	5	35.7	14	100.0
C25	Pancreas	14	29.8	1	2.1	13	27.7	-	-	-	-	19	40.4	47	100.0
C30-C31	Nose, Sinuses etc.	17	85.0	-	-	1	5.0	-	-	-	-	2	10.0	20	100.0
C32	Larynx	83	77.6	2	1.9	5	4.7	-	-	-	-	17	15.9	107	100.0
C33-C34	Lung etc.	64	23.6	25	9.2	120	44.3	-	-	-	-	62	22.9	271	100.0
C37-C38	Other Thoracic Organs	7	70.0	-	-	2	20.0	-	-	-	-	1	10.0	10	100.0
C40-C41	Bone	11	91.7	-	-	-	-	-	-	-	-	1	8.3	12	100.0
C43	Melanoma of Skin	4	80.0	-	-	1	20.0	-	-	-	-	-	-	5	100.0
C44	Other Skin	45	93.8	-	-	1	2.1	-	-	1	2.1	1	2.1	48	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	21	84.0	-	-	1	4.0	-	-	-	-	3	12.0	25	100.0
C50	Breast	16	88.9	-	-	-	-	-	-	-	-	2	11.1	18	100.0
C60	Penis	15	93.8	-	-	-	-	-	-	-	-	1	6.3	16	100.0
C61	Prostate	123	77.8	1	0.6	3	1.9	-	-	-	-	31	19.6	158	100.0
C62	Testis	15	83.3	1	5.6	-	-	-	-	-	-	2	11.1	18	100.0
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	45	86.5	-	-	4	7.7	-	-	-	-	3	5.8	52	100.0
C65	Renal Pelvis	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C66	Ureter	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C67	Bladder	58	84.1	-	-	1	1.4	-	-	-	-	10	14.5	69	100.0
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	1	50.0	-	-	-	-	-	-	-	-	1	50.0	2	100.0
C70-C72	Brain, Nervous System	46	76.7	-	-	1	1.7	-	-	-	-	13	21.7	60	100.0
C73	Thyroid	63	95.5	1	1.5	1	1.5	-	-	-	-	1	1.5	66	100.0
C74	Adrenal Gland	4	80.0	-	-	1	20.0	-	-	-	-	-	-	5	100.0
C81	Hodgkins Disease	22	91.7	-	-	-	-	-	-	-	-	2	8.3	24	100.0
C82-C85,C96	NHL	83	80.6	-	-	4	3.9	-	-	13	12.6	3	2.9	103	100.0
C88	Malig Imn.Pro D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	18	38.3	-	-	-	-	-	-	25	53.2	4	8.5	47	100.0
C91	Lymphoid Leuk.	4	12.9	-	-	-	-	1	3.2	26	83.9	-	-	31	100.0
C92-C94	Myeloid Leukaemia	7	14.0	-	-	-	-	-	-	41	82.0	2	4.0	50	100.0
C95	Leukaemia Uns	1	20.0	-	-	-	-	-	-	3	60.0	1	20.0	5	100.0
O&U *	Other and Uns	9	2.5	38	10.5	28	7.7	-	-	-	-	288	79.3	363	100.0
	All Sites	1432	57.7	87	3.5	241	9.7	1	-	109	4.4	613	24.7	2483	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE TVM-7(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2009-2011 - Females

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C01-C02	Tongue	63	98.4	-	-	-	-	-	-	-	-	1	1.6	64	100.0
C03-C06	Mouth	58	87.9	-	-	2	3.0	-	-	-	-	6	9.1	66	100.0
C07-C08	Salivary Gland	14	100.0	-	-	-	-	-	-	-	-	-	-	14	100.0
C09	Tonsil	3	75.0	-	-	1	25.0	-	-	-	-	-	-	4	100.0
C10	Oth. Oropharynx	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C11	Nasopharynx	7	77.8	1	11.1	1	11.1	-	-	-	-	-	-	9	100.0
C12-C13	Hypopharynx	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	19	90.5	-	-	1	4.8	-	-	-	-	1	4.8	21	100.0
C16	Stomach	32	74.4	-	-	-	-	-	-	-	-	11	25.6	43	100.0
C17	Small Intestine	1	50.0	-	-	-	-	-	-	-	-	1	50.0	2	100.0
C18	Colon	49	77.8	2	3.2	1	1.6	-	-	-	-	11	17.5	63	100.0
C19-C20	Rectum	74	92.5	1	1.3	-	-	-	-	-	-	5	6.3	80	100.0
C21	Anus & Anal Canal	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C22	Liver	8	32.0	1	4.0	9	36.0	-	-	-	-	7	28.0	25	100.0
C23-C24	Gallbladder etc.	16	57.1	1	3.6	3	10.7	-	-	-	-	8	28.6	28	100.0
C25	Pancreas	9	27.3	-	-	3	9.1	-	-	-	-	21	63.6	33	100.0
C30-C31	Nose, Sinuses etc.	7	87.5	-	-	1	12.5	-	-	-	-	-	-	8	100.0
C32	Larynx	9	75.0	2	16.7	1	8.3	-	-	-	-	-	-	12	100.0
C33-C34	Lung etc.	20	23.5	11	12.9	33	38.8	-	-	-	-	21	24.7	85	100.0
C37-C38	Other Thoracic Organs	2	33.3	-	-	1	16.7	-	-	-	-	3	50.0	6	100.0
C40-C41	Bone	7	87.5	-	-	-	-	-	-	-	-	1	12.5	8	100.0
C43	Melanoma of Skin	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C44	Other Skin	17	100.0	-	-	-	-	-	-	-	-	-	-	17	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	15	83.3	-	-	-	-	-	-	-	-	3	16.7	18	100.0
C50	Breast	680	88.8	7	0.9	29	3.8	-	-	-	-	50	6.5	766	100.0
C51	Vulva	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C52	Vagina	7	100.0	-	-	-	-	-	-	-	-	-	-	7	100.0
C53	Cervix Uteri	153	87.4	-	-	5	2.9	-	-	-	-	17	9.7	175	100.0
C54	Corpus Uteri	117	97.5	-	-	-	-	-	-	-	-	3	2.5	120	100.0
C55	Uterus Unspecified	19	90.5	-	-	1	4.8	-	-	-	-	1	4.8	21	100.0
C56	Ovary etc.	91	66.4	4	2.9	16	11.7	-	-	-	-	26	19.0	137	100.0
C57	Other Female Genital	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	16	80.0	-	-	1	5.0	-	-	-	-	3	15.0	20	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C67	Bladder	12	85.7	-	-	-	-	-	-	-	-	2	14.3	14	100.0
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C70-C72	Brain, Nervous System	33	73.3	-	-	1	2.2	-	-	1	2.2	10	22.2	45	100.0
C73	Thyroid	210	95.0	2	0.9	4	1.8	-	-	-	-	5	2.3	221	100.0
C74	Adrenal Gland	3	75.0	-	-	1	25.0	-	-	-	-	-	-	4	100.0
C81	Hodgkins Disease	16	100.0	-	-	-	-	-	-	-	-	-	-	16	100.0
C82-C85,C96	NHL	60	75.0	-	-	5	6.3	-	-	9	11.3	6	7.5	80	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	5	14.3	-	-	1	2.9	-	-	26	74.3	3	8.6	35	100.0
C91	Lymphoid Leuk.	3	12.0	-	-	-	-	-	-	22	88.0	-	-	25	100.0
C92-C94	Myeloid Leukaemia	11	21.6	-	-	-	-	3	5.9	37	72.5	-	-	51	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	5	100.0	-	-	5	100.0
O&U*	Other and Uns	12	4.3	25	9.0	22	7.9	-	-	-	-	218	78.7	277	100.0
	All Sites	1902	71.8	57	2.2	143	5.4	3	0.1	100	3.8	444	16.8	2649	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE TVM-8(a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2009-2011 – Males

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	0.20
C01-C02	Tongue	-	-	-	-	-	-	1	1	2	4	6	6	3	6	4	9	-	42	4.29
C03-C06	Mouth	-	-	-	-	-	-	-	-	-	2	4	6	3	5	8	10	-	38	3.88
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	3	0.31
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	0.20
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	1	1	2	2	4	1	2	1	-	14	1.43
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	0.20
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	-	3	3	3	3	4	4	2	-	22	2.25
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.10
C15	Oesophagus	-	-	-	-	-	-	-	-	-	1	6	3	9	8	8	5	-	40	4.09
C16	Stomach	-	-	-	-	-	-	-	-	-	5	4	4	12	4	4	3	-	36	3.68
C17	Small Intestine	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	4	0.41
C18	Colon	-	-	-	-	-	1	1	-	-	1	1	1	3	1	5	2	-	16	1.63
C19-C20	Rectum	-	-	-	-	-	-	-	1	-	3	3	2	5	6	4	1	-	25	2.55
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	0.20
C22	Liver	-	-	-	-	-	1	-	-	-	1	1	7	2	9	7	4	-	32	3.27
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	0.31
C25	Pancreas	-	-	-	-	-	-	-	-	1	1	4	6	2	3	-	2	-	19	1.94
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	4	0.41
C32	Larynx	-	-	-	-	-	-	-	-	3	-	5	4	7	9	7	1	-	36	3.68
C33-C34	Lung etc.	-	-	-	-	-	1	1	1	7	7	17	18	23	17	20	20	-	132	13.48
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2	-	4	0.41
C40-C41	Bone	-	-	-	2	-	-	-	1	-	1	-	1	-	-	-	-	-	5	0.51
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	0.20
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	5	0.51
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	-	-	-	1	-	-	-	-	1	-	-	-	1	1	1	-	-	5	0.51
C50	Breast	-	-	-	-	-	-	-	-	-	-	-	2	3	1	1	-	-	7	0.72
C60	Penis	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-	4	0.41
C61	Prostate	-	-	-	-	-	-	-	-	-	-	-	2	6	3	4	16	-	31	3.17
C62	Testis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.10
C64	Kidney etc.	-	-	-	-	-	-	-	-	1	1	2	1	1	2	3	1	-	12	1.23
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	1	2	1	2	2	2	4	-	14	1.43
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, NS	-	1	2	-	-	1	-	1	3	2	4	-	2	-	2	1	-	19	1.94
C73	Thyroid	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	1	-	5	0.51
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	0.20
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.10
C82-C85, C96	NHL	-	-	-	1	-	-	1	1	3	6	2	8	3	1	3	5	-	34	3.47
C88	Malignant Imm. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	2	-	2	-	3	1	1	-	9	0.92
C91	Lymphoid Leuk.	1	-	1	1	2	-	-	-	-	-	-	2	2	1	1	1	-	12	1.23
C92-C94	Myeloid Leukaemia	-	-	2	1	-	1	2	2	2	1	2	2	2	2	1	2	-	22	2.25
C95	Leukaemia Uns	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	0.10
O&U*	Other and Uns	-	-	1	1	1	2	2	5	7	18	28	31	33	50	54	76	-	309	31.56
	All Sites	1	1	6	7	4	7	9	14	31	65	104	117	135	147	154	177	-	979	100.00

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE TVM-8(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10): 2009-2011 – Females

%= Relative Proportion of Cancers of All Sites.

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	-	-	-	-	-	-	1	-	-	-	-	1	2	2	1	1	-	8	1.08
C03-C06	Mouth	-	-	-	-	-	-	-	1	-	1	-	3	1	-	3	3	-	12	1.62
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.13
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	4	0.54
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.13
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	3	-	10	1.35
C16	Stomach	-	-	-	-	-	1	-	-	1	3	2	3	-	4	1	1	-	16	2.16
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	1	1	-	1	3	3	2	3	2	2	-	18	2.43
C19-C20	Rectum	-	-	-	-	-	-	-	-	-	4	2	-	3	1	1	1	-	12	1.62
C21	Anus & Anal Canal	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	2	0.27
C22	Liver	-	-	-	-	-	-	1	-	-	1	2	-	-	3	-	3	-	10	1.35
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	1	1	-	6	-	-	-	-	8	1.08
C25	Pancreas	-	-	-	-	-	1	-	-	-	2	1	2	3	-	-	3	-	12	1.62
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	0.27
C33-C34	Lung etc.	-	-	-	-	-	-	-	2	2	5	5	11	3	10	5	8	-	51	6.88
C37-C38	Other Thoracic Organs	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	3	0.40
C40-C41	Bone	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.13
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	0.27
C44	Other Skin	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-	4	0.54
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	1	2	2	-	1	-	2	-	-	-	8	1.08
C50	Breast	-	-	-	-	-	-	4	8	11	21	13	32	18	17	13	8	-	145	19.57
C51	Vulva	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.13
C52	Vagina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.13
C53	Cervix Uteri	-	-	-	-	-	-	-	-	2	5	6	6	6	5	5	4	-	39	5.26
C54	Corpus Uteri	-	-	-	-	-	-	-	-	2	1	2	2	4	3	1	3	-	18	2.43
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	4	0.54
C56	Ovary etc.	-	-	-	-	-	-	-	3	2	3	9	4	10	3	6	3	-	43	5.80
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	2	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	5	0.67
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	0.27
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, NS	-	-	1	-	-	-	1	-	-	1	-	2	3	-	-	1	-	9	1.21
C73	Thyroid	-	-	-	-	-	-	-	-	1	2	2	1	1	1	1	3	-	12	1.62
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	2	0.27
C82-C85,C96	NHL	-	-	-	-	-	-	-	1	1	2	4	2	4	1	2	2	-	19	2.56
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	1	-	1	3	4	3	2	1	-	15	2.02
C91	Lymphoid Leuk.	2	-	1	1	-	-	1	1	-	-	1	-	1	-	-	1	-	9	1.21
C92-C94	Myeloid Leukaemia	2	-	1	1	-	-	-	2	-	3	1	2	-	1	1	-	-	14	1.89
C95	Leukaemia Uns	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.13
O&U*	Other and Uns	1	-	-	1	-	3	-	6	3	17	15	25	34	15	42	55	-	217	29.28
	All Sites	7	1	4	3	2	5	9	27	31	79	75	108	108	77	93	112	-	741	100.00

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE TVM-9(a): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2009-2011 - Males

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	1.0	-	-	-	-	2.3	0.1	0.1	0.07	0.2
C01-C02	-	-	-	-	-	-	0.7	0.7	1.6	2.8	5.8	7.6	4.9	11.8	11.3	20.8	2.4	2.1	0.33	3.5
C03-C06	-	-	-	-	-	-	-	-	-	1.4	3.9	7.6	4.9	9.9	22.6	23.1	2.2	2.0	0.32	2.5
C07-C08	-	-	-	-	-	-	-	-	-	-	-	-	1.6	2.0	-	2.3	0.2	0.2	0.10	0.2
C09	-	-	-	-	-	-	-	-	-	-	-	-	-	3.9	-	-	0.1	0.1	0.08	-
C10	-	-	-	-	-	-	-	-	0.8	0.7	1.9	2.5	6.5	2.0	5.6	2.3	0.8	0.8	0.21	1.8
C11	-	-	-	-	-	-	-	-	-	-	1.9	-	-	-	-	-	0.1	0.1	0.07	0.3
C12-C13	-	-	-	-	-	-	-	-	-	2.1	2.9	3.8	4.9	7.9	11.3	4.6	1.3	1.2	0.25	2.0
C14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.8	-	0.1	0.1	0.06	-
C15	-	-	-	-	-	-	-	-	-	0.7	5.8	3.8	14.6	15.8	22.6	11.6	2.3	2.2	0.35	3.4
C16	-	-	-	-	-	-	-	-	-	3.5	3.9	5.1	19.5	7.9	11.3	6.9	2.1	2.0	0.34	4.5
C17	-	-	-	-	-	-	-	-	-	0.7	1.0	-	-	-	5.6	-	0.2	0.2	0.10	0.3
C18	-	-	-	-	-	0.8	0.7	-	-	0.7	1.0	1.3	4.9	2.0	14.1	4.6	0.9	0.9	0.22	1.1
C19-C20	-	-	-	-	-	-	-	0.7	-	2.1	2.9	2.5	8.1	11.8	11.3	2.3	1.4	1.4	0.28	2.4
C21	-	-	-	-	-	-	-	-	-	-	-	1.3	-	2.0	-	-	0.1	0.1	0.08	0.2
C22	-	-	-	-	-	0.8	-	-	-	0.7	1.0	8.9	3.3	17.8	19.8	9.3	1.8	1.7	0.31	1.9
C23-C24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.6	2.3	0.2	0.2	0.09	-
C25	-	-	-	-	-	-	-	-	0.8	0.7	3.9	7.6	3.3	5.9	-	4.6	1.1	1.0	0.23	2.3
C30-C31	-	-	-	-	-	-	-	-	-	-	-	-	-	2.0	-	6.9	0.2	0.2	0.10	-
C32	-	-	-	-	-	-	-	-	2.3	-	4.8	5.1	11.4	17.8	19.8	2.3	2.1	2.0	0.34	3.4
C33-C34	-	-	-	-	-	0.8	0.7	0.7	5.4	4.9	16.4	22.8	37.4	33.5	56.5	46.3	7.6	7.1	0.62	12.5
C37-C38	-	-	-	-	-	-	-	0.7	-	-	-	-	1.6	-	-	4.6	0.2	0.2	0.10	0.3
C40-C41	-	-	-	1.4	-	-	-	0.7	-	0.7	-	1.3	-	-	-	-	0.3	0.3	0.12	0.4
C43	-	-	-	-	-	-	-	-	-	-	-	-	1.6	-	2.8	-	0.1	0.1	0.09	0.2
C44	-	-	-	-	-	-	-	-	-	-	1.0	1.3	1.6	2.0	-	2.3	0.3	0.3	0.12	0.5
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	0.7	-	-	-	-	0.8	-	-	-	1.6	2.0	2.8	-	0.3	0.3	0.13	0.4
C50	-	-	-	-	-	-	-	-	-	-	-	2.5	4.9	2.0	2.8	-	0.4	0.4	0.16	1.0
C60	-	-	-	-	-	-	0.7	-	-	-	1.0	-	-	3.9	-	-	0.2	0.2	0.11	0.2
C61	-	-	-	-	-	-	-	-	-	-	-	2.5	9.8	5.9	11.3	37.0	1.8	1.6	0.30	1.6
C62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C63	-	-	-	-	-	-	-	-	-	-	1.0	-	-	-	-	-	0.1	-	0.05	0.2
C64	-	-	-	-	-	-	-	-	0.8	0.7	1.9	1.3	1.6	3.9	8.5	2.3	0.7	0.6	0.18	1.0
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	0.7	1.9	1.3	3.3	3.9	5.6	9.3	0.8	0.7	0.20	1.0
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	0.8	1.3	-	-	0.8	-	0.7	2.3	1.4	3.9	-	3.3	-	5.6	2.3	1.1	1.0	0.24	1.9
C73	-	-	-	-	-	-	-	-	-	1.4	-	-	-	-	5.6	2.3	0.3	0.2	0.11	0.3
C74	-	-	-	-	-	-	-	-	-	0.7	1.0	-	-	-	-	-	0.1	0.1	0.06	0.3
C81	-	-	-	-	-	-	-	-	-	-	-	1.3	-	-	-	-	0.1	0.1	0.05	0.2
C82-C85,C96	-	-	-	0.7	-	-	0.7	0.7	2.3	4.2	1.9	10.1	4.9	2.0	8.5	11.6	2.0	1.7	0.29	3.6
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	1.4	-	2.5	-	5.9	2.8	2.3	0.5	0.5	0.16	0.6
C91	0.7	-	0.7	0.7	1.5	-	-	-	-	-	-	2.5	3.3	2.0	2.8	2.3	0.7	0.7	0.21	0.7
C92-C94	-	-	1.3	0.7	-	0.8	1.5	1.4	1.6	0.7	1.9	2.5	3.3	3.9	2.8	4.6	1.3	1.1	0.25	1.8
C95	-	-	-	-	0.8	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.06	-
O&U *	-	-	0.7	0.7	0.8	1.5	1.5	3.6	5.4	12.6	27.0	39.3	53.7	98.7	152.5	175.8	17.9	16.3	0.93	20.5
All	0.7	0.8	4.0	5.0	3.1	5.3	6.7	10.0	24.1	45.3	100.2	148.3	219.5	290.0	434.9	409.3	56.6	52.1	1.68	79.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE TVM-9(b): Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2009-2011 - Females

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	-	-	-	-	-	-	0.6	-	-	-	-	1.3	2.8	3.0	2.2	1.7	0.4	0.4	0.13	0.5
C03-C06	-	-	-	-	-	-	-	0.6	-	0.7	-	3.9	1.4	-	6.7	5.0	0.7	0.5	0.15	0.9
C07-C08	-	-	-	-	-	-	-	-	-	0.7	-	-	-	-	-	-	0.1	-	0.04	0.1
C09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	-	-	-	-	-	-	-	-	-	-	1.0	1.3	-	-	-	3.4	0.2	0.2	0.09	0.3
C12-C13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.2	-	0.1	-	0.04	-
C14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	-	-	-	-	-	-	-	-	-	-	1.0	-	1.4	3.0	6.7	5.0	0.5	0.4	0.14	0.3
C16	-	-	-	-	-	0.7	-	-	0.7	2.1	2.0	3.9	-	6.1	2.2	1.7	0.9	0.7	0.19	1.4
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	0.6	0.6	-	0.7	3.0	3.9	2.8	4.5	4.5	3.4	1.0	0.8	0.20	1.6
C19-C20	-	-	-	-	-	-	-	-	-	2.7	2.0	-	4.1	1.5	2.2	1.7	0.7	0.6	0.16	1.4
C21	-	-	-	-	-	-	-	0.6	-	-	-	1.3	-	-	-	-	0.1	0.1	0.06	0.3
C22	-	-	-	-	-	-	0.6	-	-	0.7	2.0	-	-	4.5	-	5.0	0.5	0.4	0.13	0.5
C23-C24	-	-	-	-	-	-	-	-	-	0.7	1.0	-	8.3	-	-	-	0.4	0.4	0.15	1.4
C25	-	-	-	-	-	0.7	-	-	-	1.4	1.0	2.6	4.1	-	-	5.0	0.7	0.6	0.16	1.3
C30-C31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	-	-	-	-	-	-	-	1.3	-	1.5	-	-	0.1	0.1	0.07	0.2
C33-C34	-	-	-	-	-	-	-	1.2	1.4	3.4	5.0	14.5	4.1	15.2	11.2	13.4	2.8	2.3	0.33	4.4
C37-C38	-	-	-	-	0.7	-	-	-	-	0.7	-	-	-	-	2.2	-	0.2	0.1	0.08	0.1
C40-C41	-	-	0.7	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.07	-
C43	-	-	-	-	-	-	-	-	-	-	2.0	-	-	-	-	-	0.1	0.1	0.07	0.3
C44	-	-	-	-	-	-	-	-	-	0.7	-	1.3	-	-	-	3.4	0.2	0.2	0.08	0.3
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	0.6	1.4	1.4	-	1.3	-	3.0	-	-	-	0.4	0.3	0.12	0.8
C50	-	-	-	-	-	-	2.5	4.8	7.7	14.4	13.0	42.1	24.8	25.8	29.0	13.4	7.9	6.7	0.56	15.9
C51	-	-	-	-	-	-	-	-	-	-	1.0	-	-	-	-	-	0.1	0.1	0.05	0.2
C52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.7	0.1	-	0.03	-
C53	-	-	-	-	-	-	-	-	1.4	3.4	6.0	7.9	8.3	7.6	11.2	6.7	2.1	1.8	0.29	4.0
C54	-	-	-	-	-	-	-	-	1.4	0.7	2.0	2.6	5.5	4.5	2.2	5.0	1.0	0.8	0.20	1.8
C55	-	-	-	-	-	-	-	-	0.7	0.7	-	1.3	-	-	2.2	-	0.2	0.2	0.09	0.4
C56	-	-	-	-	-	-	-	1.8	1.4	2.1	9.0	5.3	13.8	4.5	13.4	5.0	2.3	2.0	0.31	4.9
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	1.5	-	-	-	-	-	-	-	0.7	-	-	-	2.8	-	-	-	0.3	0.3	0.16	0.5
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.2	1.7	0.1	0.1	0.06	-
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	-	0.7	-	-	-	0.6	-	-	0.7	-	2.6	4.1	-	-	1.7	0.5	0.4	0.15	1.0
C73	-	-	-	-	-	-	-	-	0.7	1.4	2.0	1.3	1.4	1.5	2.2	5.0	0.7	0.5	0.15	1.1
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	0.7	-	-	-	0.7	-	-	-	-	-	-	-	0.1	0.1	0.07	0.1
C82-C85,C96	-	-	-	-	-	-	-	0.6	0.7	1.4	4.0	2.6	5.5	1.5	4.5	3.4	1.0	0.9	0.21	2.2
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	0.7	-	1.0	3.9	5.5	4.5	4.5	1.7	0.8	0.7	0.19	1.5
C91	1.5	-	0.7	0.8	-	-	0.6	0.6	-	-	1.0	-	1.4	-	-	1.7	0.5	0.5	0.19	0.5
C92-C94	1.5	-	0.7	0.8	-	-	-	1.2	-	2.1	1.0	2.6	-	1.5	2.2	-	0.8	0.8	0.21	1.1
C95	-	0.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.09	-
O&U *	0.8	-	-	0.8	-	2.0	-	3.6	2.1	11.7	15.0	32.9	46.9	22.7	93.7	92.1	11.8	9.7	0.67	16.1
All	5.4	0.9	2.9	2.4	1.4	3.3	5.7	16.2	21.6	54.1	75.1	142.2	148.9	116.7	207.5	187.6	40.4	34.2	1.28	67.4

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE TVM-10(a): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu. Risk) of individual sites (ICD-10) based on age specific rates (from 0-64 years and from 0-74 Years) 2009-2011 - Males

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	0.1	0.1
C01-C02	Tongue	0.5	0.5	0.8	0.8
C03-C06	Mouth	0.4	0.4	0.9	0.9
C07-C08	Salivary Gland	-	-	0.1	0.1
C09	Tonsil	0.1	0.1	0.1	0.1
C10	Oth. Oropharynx	0.2	0.2	0.3	0.3
C11	Nasopharynx	-	-	0.1	0.1
C12-C13	Hypopharynx	0.1	0.1	0.3	0.3
C14	Pharynx Unspecified	-	-	-	-
C15	Oesophagus	0.3	0.3	0.6	0.6
C16	Stomach	0.3	0.3	0.6	0.6
C17	Small Intestine	-	-	-	-
C18	Colon	0.3	0.3	0.5	0.5
C19-C20	Rectum	0.3	0.3	0.6	0.6
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	0.3	0.3	0.6	0.6
C23-C24	Gallbladder etc.	-	-	0.1	0.1
C25	Pancreas	0.2	0.2	0.3	0.3
C30-C31	Nose, Sinuses etc.	0.1	0.1	0.1	0.1
C32	Larynx	0.4	0.4	0.7	0.7
C33-C34	Lung etc.	0.9	0.8	1.8	1.8
C37-C38	Other Thoracic Organs	-	-	0.1	0.1
C40-C41	Bone	-	-	-	-
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.2	0.2	0.3	0.3
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	0.1	0.1	0.1	0.1
C50	Breast	0.1	0.1	0.1	0.1
C60	Penis	-	-	0.1	0.1
C61	Prostate	0.3	0.3	1.1	1.1
C62	Testis	0.1	0.1	0.1	0.1
C63	Other Male Genital	-	-	-	-
C64	Kidney etc.	0.2	0.2	0.3	0.3
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	0.2	0.2	0.5	0.5
C68	Uns. Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.2	0.2	0.3	0.3
C73	Thyroid	0.2	0.2	0.3	0.3
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	0.1	0.1	0.1	0.1
C82-C85,C96	NHL	0.4	0.4	0.6	0.6
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	0.2	0.2	0.3	0.3
C91	Lymphoid Leuk.	0.1	0.1	0.2	0.2
C92-C94	Myeloid Leukaemia	0.2	0.2	0.3	0.3
C95	Leukaemia Uns	-	-	-	-
O&U*	Other and Uns	0.9	0.9	2.3	2.4
	All Sites	7.90	7.59	16.10	14.87

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

TABLE TVM-10(b): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu. Risk) of individual sites (ICD-10) based on age specific rates (from 0-64 years and from 0-74 Years) 2009-2011 - Females

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-C02	Tongue	0.2	0.2	0.4	0.4
C03-C06	Mouth	0.1	0.1	0.4	0.4
C07-C08	Salivary Gland	0.1	0.1	0.1	0.1
C09	Tonsil	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-
C11	Nasopharynx	-	-	-	-
C12-C13	Hypopharynx	-	-	-	-
C14	Pharynx Unspecified	-	-	-	-
C15	Oesophagus	-	-	0.1	0.1
C16	Stomach	0.1	0.1	0.2	0.2
C17	Small Intestine	-	-	-	-
C18	Colon	0.2	0.2	0.4	0.4
C19-C20	Rectum	0.2	0.2	0.4	0.4
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	0.1	0.1	0.1	0.1
C23-C24	Gallbladder etc.	0.1	0.1	0.2	0.2
C25	Pancreas	0.1	0.1	0.2	0.2
C30-C31	Nose, Sinuses etc.	-	-	-	-
C32	Larynx	0.1	0.1	0.1	0.1
C33-C34	Lung etc.	0.2	0.2	0.5	0.5
C37-C38	Other Thoracic Organs	-	-	-	-
C40-C41	Bone	-	-	-	-
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	-	-	0.1	0.1
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	0.1	0.1	0.1	0.1
C50	Breast	2.9	2.8	3.9	4.0
C51	Vulva	-	-	-	-
C52	Vagina	-	-	-	-
C53	Cervix Uteri	0.6	0.6	1.0	1.0
C54	Corpus Uteri	0.5	0.4	0.7	0.7
C55	Uterus Unspecified	0.1	0.1	0.1	0.1
C56	Ovary etc.	0.5	0.5	0.7	0.7
C57	Other Female Genital	-	-	-	-
C58	Placenta	-	-	-	-
C64	Kidney etc.	0.1	0.1	0.1	0.1
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	-	-	0.1	0.1
C68	Uns.Urinary Organs	-	-	-	-
C69	Eye	-	-	-	-
C70-C72	Brain, Nervous System	0.2	0.2	0.2	0.2
C73	Thyroid	0.8	0.8	0.9	0.9
C74	Adrenal Gland	-	-	-	-
C81	Hodgkins Disease	0.1	0.1	0.1	0.1
C82-C85,C96	NHL	0.3	0.3	0.4	0.4
C88	Malig Imn.Prol D	-	-	-	-
C90	Multiple Myeloma	0.1	0.1	0.2	0.2
C91	Lymphoid Leuk.	0.1	0.1	0.1	0.1
C92-C94	Myeloid Leukaemia	0.2	0.2	0.2	0.2
C95	Leukaemia Uns	-	-	-	-
O&U *	Other and Uns	0.8	0.8	1.5	1.5
	All Sites	9.01	8.61	13.90	12.97

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)