

Bid Document/ बिड दस्तावेज़

| Bid Details/बिड विवरण | |
|--|--|
| Bid End Date/Time/बिड बंद होने की तारीख/समय | 07-03-2024 17:00:00 |
| Bid Opening Date/Time/बिड खुलने की तारीख/समय | 07-03-2024 17:30:00 |
| Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से) | 180 (Days) |
| Ministry/State Name/मंत्रालय/राज्य का नाम | Ministry Of Health And Family Welfare |
| Department Name/विभाग का नाम | Department Of Health Research |
| Organisation Name/संगठन का नाम | Indian Council Of Medical Research (icmr) |
| Office Name/कार्यालय का नाम | Icmr National Institute For Research In Reproductive Health, Mumbai |
| Total Quantity/कुल मात्रा | 1 |
| Item Category/मद केटेगरी | Horizontal Rectangular High Pressure High Vacuum Steam Bio medical waste sterilizer (Q3) |
| Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष | 3 Year (s) |
| MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है | Yes |
| Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है | Yes |
| Document required from seller/विक्रेता से मांगे गए दस्तावेज़ | Experience Criteria,Past Performance,Bidder Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| Past Performance/विगत प्रदर्शन | 50 % |
| Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया | No |
| Type of Bid/बिड का प्रकार | Two Packet Bid |

Bid Details/बिड विवरण

| | |
|---|-----------------------------|
| Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय | 3 Days |
| Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No |
| Evaluation Method/मूल्यांकन पद्धति | Total value wise evaluation |

EMD Detail/ईएमडी विवरण

| | |
|-------------------|----|
| Required/आवश्यकता | No |
|-------------------|----|

ePBG Detail/ईपीबीजी विवरण

| | |
|--|---------------------|
| Advisory Bank/एडवाइजरी बैंक | State Bank of India |
| ePBG Percentage(%) / ईपीबीजी प्रतिशत (%) | 5.00 |
| Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने). | 62 |

(a). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

Director
ICMR National Institute For Research In Reproductive and Child Health, Mumbai, Department of Health Research,
Indian Council of Medical Research (ICMR), Ministry of Health and Family Welfare, J. M. Street, Parel, Mumbai-
400012
(Director, Icmr-nirrh)

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

| | |
|--|-----|
| MII Purchase Preference/एमआईआई खरीद वरीयता | Yes |
|--|-----|

MSE Purchase Preference/एमएसई खरीद वरीयता

| | |
|---|-----|
| MSE Purchase Preference/एमएसई खरीद वरीयता | Yes |
|---|-----|

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
4. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
5. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023
[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Horizontal Rectangular High Pressure High Vacuum Steam Bio Medical Waste Sterilizer (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Buyer Specification
Document/क्रेता विशिष्टि दस्तावेज़

[Download](#)

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1 | Vikas Dnyaneshwar Dighe | 401208, Plot No. 80-1A, Sasunavghar (Maljipada), Taluka Vasai, District Thane, Pin code - 401208 | 1 | 30 |

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Experience Certificate for the supply of the same to any Govt/ PSU/ any renowned private organisation along with Supply/ Purchase Order.
2. If the agency is registered under MSME or NSIC, then EMD exemption certificate needs to be enclosed.
3. Make in india specific authorisation certificate needs to be enclosed.

4. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. The manufacturer should have ISO 9001:2015 (Quality management) and ISO 13485 (Medical devices), BIS certification. (Bidder should attach certificate with the bid)
2. The sterilizer should be European CE certified with four digit notified body number / USFDA certified (Bidder should attach certificate with the bid)
3. Should have service facility in Mumbai / Maharashtra
4. Equipment shall conform to HTM 2010 or equivalent standards.
5. Components shall conform to EN 285 standards, where applicable.
6. Necessary operational training / day-to-day maintenance training shall be imparted to our staff after commissioning of the equipment at site.
7. SS 316 / SS 304 quality material should be tested from NABL accredited lab and produce a sample certificate along with offer.
8. Jacket and chamber to be tested hydraulically and for its safety as a pressure vessel directive.
9. User manual in English, Hydraulic test certificate, Material test certificate, IQ, OQ, DQ & PQ documents, Leak Test certificate, Gauge calibration certificate, Master Gauge calibration certificate and Warranty certificate should be submitted.

10. Three (3) year Comprehensive warranty and Post Two (2) year Non Comprehensive Annual Maintenance Service.
11. The duration of warranty period will begin after, proper installation of the equipment and submitting user satisfactory report.
12. Item/Equipment quoted should not be a second hand/refurbished/on verge of obsolescence/outdated model. Similarly, after award of contract, the item supplied should be a newly manufactured item and not the old item already manufactured and stocked for more than 1 month.
13. Past experience of the bidders in terms of quality of supplied equipments, after sales service and application support will be taken into consideration while technical evaluation. Bidders who has unsatisfactory past experience in last 2- 3 years, in terms of quality of supplied equipments, after sales service and application support, bids of such bidders may liable to be rejected.
14. The bidder should have at least 3 years' experience in supply of material to central government /any state Government /CPSU /SPSU /Government Autonomous organizations /Public Sector Companies
15. The bidder or the manufacturer should not have been blacklisted by any State Government / Central Government / PSU for any reason in the last three financial years as on bid calling date. A letter of undertaking on the letter heads of the Bidder/ Manufacturer should be submitted separately stating that they have not been blacklisted by any State Government /Central Government / PSU for any reason in the last three years and should be signed by an Officer competent and having the power of attorney (with Company stamp) to bind the bidding Firm / Manufacturer(s). The letter of undertaking should be submitted along with the quotation.
16. After opening of the Technical bid, Physical demonstration of the quoted model may have to be shown/ arranged by the bidder, if requested by the Institute. Physical demonstration may be shown at one of the end user's site/Principle company's application lab/manufacturing site located in Mumbai/Navi Mumbai/Thane cities within 10 days from the date of request. Physical Demonstration may be requested to confirm the availability of any or all technical features as mentioned/stated in the technical bid. Physical Demonstration will also be a part of technical evaluation process. If the bidder does not comply, such bids are liable to be disqualified. (Demonstration of quoted model is to be shown and not the demonstration of similar models with different technical specifications and features)
17. Unpacking and Shifting the consignment to the installation site is to be included in the scope of supply. Bidder/manufacturer/authorized service provider should take responsibility to lift/shift the consignment from unloading site to the installation site. If needed, Bidder has to arrange for the labourers at no charge to ICMR-NIRRH. (Before submitting the quotation, bidders may visit Site to know unloading site and installation site).
18. Installation, Commissioning and Training is included in the scope of supply. Bidder, Manufacturer and/or its authorized representative should undertake installation and commissioning of the equipment.
19. Complete system should be installed, tested for its performance as per manufacturer's SOP/guidelines and demonstrated to the Institute's Users. In depth training should be provided to the Institute's users for maintenance, usage and applications.
20. Manufacturer/bidder should clearly indicate typical life span / Life expectancy of the quoted equipment.
21. Item/Equipment quoted should not be a second hand/refurbished/on verge of obsolescence/outdated model. Similarly, after award of contract, the item supplied should be a newly manufactured item and not the old item already manufactured and stocked for more than

1 month.

22. Estimated cost Rs.40,00,000/-

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process.
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action

in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

---Thank You/धन्यवाद---



Horizontal Rectangular High Pressure High Vacuum Steam Bio medical waste sterilizer

Estimated Cost: Rs.40,00,000/-

TECHNICAL SPECIFICATIONS

| Sr. No. | Technical Specifications / Scope of supply | Compliance | Remarks (to provide details) |
|------------|--|------------|---------------------------------|
| 1 | Type: Vacuum Type, Automatic with Documentation confirming to all the specifications mentioned in the Bio-Medical Wastes (Management and Handling) Rules 1998. | | |
| 2 | Steam sterilizer, horizontal shape, with pneumatically operated Vertically sliding double doors, inner chamber volume of around 540 to 550 liters; Minimum Inner chamber dimensions - 660 mm width x 660 mm height x 1250 mm depth. | | |
| 3 | Vacuum pump - Should have inbuilt water-ring type vacuum pump of 5 HP to provide pre-vacuum and post-vacuum pulses, to withstand negative pressure and create high vacuum of 26"hg; The sound level of vacuum pump shall be <80DP and no vibration. Vacuum pump brand shall be New Genre OR Vindi vak. This should also be fitted with suitable stainless steel condenser and pipings. | | |
| 4 | Material: Inner chamber - Stainless steel SS 316 L quality with a minimum thickness of 6 mm; Both the doors – Stainless steel SS 316 L quality with a minimum thickness of 6 mm; Inbuilt steam generator – made of stainless steel SS 304 quality; All connecting pipes shall be made of good quality stainless steel; Jacket-boiler quality steel; stand-mild steel with anticorrosion paint / stainless steel. (Bidder should submit sample MoC certificates for this) | | |
| 5 | Electrical immersion type heaters of minimum 36 KW, equipment should be operated on 400-440 V, 3 phase with neutral, AC supply. | | |
| 6 | Should provide heat resistant SILICON door gasket withstand upto 140°C. | | |
| 7 | The sterilizer shall have to draw the water, automatically through a feed water pump, when needed in the inbuilt boiler.; preferably Crompton make water pump. | | |
| 8 | Insulation of Glass wool thickness shall be 50 - 75 mm. Insulation cover shall be made of good quality stainless steel 304 quality. | | |
| 9 | Should provide analog gauges for chamber pressure and Jacket pressure; Necessary calibration certificates to be submitted during supply. | | |
| 10 | The sterilizer shall be fitted with Pressure switch, Contactor, solenoid valves, pressure transmitter, steam trap, water reading glass, safety valve, plug screen, vacuum drier etc. as needed. | | |

| | | | |
|----|--|--|--|
| 11 | Working temperature of sterilizer is 121°C to 134°C and the corresponding pressure is 1.2 to 2.1 kg/cm². | | |
| 12 | Validation Port shall be provided. | | |
| 13 | Should have microprocessor-based controls, with touch screen display of minimum 4 inches; Minimum of six programmable cycles, Bowie Dick test cycle, Leak test cycle should be provided; Preferred make of HMI and PLC: Siemens / Allen Bradley / Mitsubishi. | | |
| 14 | Shall have digital displays of Chamber Pressure, Chamber temperature, Cycle no., Batch no., Time & Date, Alarm indicator, Error code, Low water indicator etc. | | |
| 15 | Shall have provision for RS 232 port for data communication, In-built Real Time Clock with date and time function and Fo value. | | |
| 16 | Should be supplied with a suitable printer that will automatically and continuously monitor and record dates, time of day, load, identification no. and operating parameters i.e. temperature, pressure and residence time, throughout the length of the autoclave cycles. | | |
| 17 | Shall have necessary safety features that both doors should not open at time; Door should not open when the process is ON; Process should not start if either side door is open; Sterile door will open finally after completion of cycle; | | |
| 18 | SECONDARY STERILIZATION SYSTEM (INBUILT): The equipment should have an inbuilt 'Secondary sterilization system'. In this system, the air pockets and steam during pre-vacuum and before sterilization is passed through another chamber for secondary sterilization and then connected to the main drain outlet. | | |
| 19 | Testing : Biological Indicator for autoclave will be Bacillus stearothermophilus spores using vials or spore strips; with at least 1 x 10 ⁶ spores per milli litre. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure, a temperature less than 121°C or a pressure less than 15 PSI. | | |
| 20 | Should have suitable alarm / indications – for chamber temperature overshoots, for low water, low pressure, vacuum pump trip, cycle completion alarm buzzer, chamber leak test failed, chamber temperature rises above the set value, sterilization timer stop in case of temperature drop, sterilization time reset in case of temperature drop etc.. | | |
| 21 | Should be provided with suitable Air compressor and Pneumatic piston valve. | | |
| 22 | Accessories: Qty – 1 No. Stainless Steel loading / unloading carriage made of SS 316 quality and Qty - 2 Nos. Stainless steel transfer trolley made of SS 304 quality. | | |
| 23 | The manufacturer should have ISO 9001:2015 (Quality management) and ISO 13485 (Medical devices), BIS certification. (Bidder should attach certificate with the bid) | | |
| 24 | The sterilizer should be European CE certified with four digit notified body number / USFDA certified (Bidder should attach certificate with the bid) | | |
| 25 | Should have service facility in Mumbai / Maharashtra | | |
| 26 | Equipment shall conform to HTM 2010 or equivalent standards. | | |

| | | | |
|----|---|--|--|
| 27 | Components shall conform to EN 285 standards, where applicable. | | |
| 28 | Controls (e.g switches, knobs) shall be visible and clearly identified. | | |
| 29 | Labels and markings shall be clear and visible. | | |
| 30 | Necessary operational training / day-to-day maintenance training shall be imparted to our staff after commissioning of the equipment at site. | | |
| 31 | SS 316 / SS 304 quality material should be tested from NABL accredited lab and produce a | | |
| 32 | sample certificate along with offer. | | |
| 33 | Jacket and chamber to be tested hydraulically and for its safety as a pressure vessel directive. | | |
| 34 | Documents: User manual in English, Hydraulic test certificate, Material test certificate, IQ, OQ, DQ & PQ documents, Leak Test certificate, Gauge calibration certificate, Master Gauge calibration certificate and Warranty certificate should be submitted. | | |
| 35 | 3 Years Comprehensive and 2 Year Non-comprehensive warranty. | | |
| 36 | The duration of warranty period will begin after, proper installation of the equipment and submitting user satisfactory report. | | |
| | Important terms to be noted by the bidders: | | |
| 37 | Read the above scope of supply carefully and quote accordingly. Incomplete and /or partially complete offers are liable to be rejected | | |
| 38 | Manufacturer/bidder should clearly indicate typical life span / Life expectancy of the quoted equipment. | | |
| 39 | Item/Equipment quoted should not be a second hand/refurbished/on verge of obsolescence/outdated model. Similarly, after award of contract, the item supplied should be a newly manufactured item and not the old item already manufactured and stocked for more than 1 month. | | |
| 40 | Past experience of the bidders in terms of quality of supplied equipments, after sales service and application support will be taken into consideration while technical evaluation. Bidders who has unsatisfactory past experience in last 2- 3 years, in terms of quality of supplied equipments, after sales service and application support, bids of such bidders may liable to be rejected. | | |
| 41 | Complete and detailed information should be provided in respect to each point specified in the specifications. Technical bids that are incomplete in any respect are liable to be rejected. Provide relevant supportive information, publications, catalogue, etc. Bidders providing misleading or wrong information are liable to be rejected. All technical claims should be printed in the technical brochure of the equipment | | |
| 42 | If any contradictory statements /figures/information is observed in the compliance chart and in the technical bid, then the technical information mentioned in the product literature/brochure will be considered true and further evaluation will be done based on the information given in the product literature/brochure. Regarding the | | |

| | | | |
|----|---|--|--|
| | warranty and free AMC terms, information quoted in the technical bid will only be taken as valid terms. | | |
| 43 | Compliance column may be filled with relevant data, figures, range etc. as applicable. Do not just mention "YES / NO / Complied". | | |
| 44 | The bidder should have at least 3 years' experience in supply of material to central government /any state Government /CPSU /SPSU /Government Autonomous organizations /Public Sector Companies | | |
| 45 | The bidder or the manufacturer should not have been blacklisted by any State Government / Central Government / PSU for any reason in the last three financial years as on bid calling date. A letter of undertaking on the letter heads of the Bidder/ Manufacturer should be submitted separately stating that they have not been blacklisted by any State Government /Central Government / PSU for any reason in the last three years and should be signed by an Officer competent and having the power of attorney (with Company stamp) to bind the bidding Firm / Manufacturer(s). The letter of undertaking should be submitted along with the quotation. | | |
| 46 | After opening of the Technical bid, Physical demonstration of the quoted model may have to be shown/ arranged by the bidder, if requested by the Institute. Physical demonstration may be shown at one of the end user's site/Principle company's application lab/manufacturing site located in Mumbai/Navi Mumbai/Thane cities within 10 days from the date of request. Physical Demonstration may be requested to confirm the availability of any or all technical features as mentioned/stated in the technical bid. Physical Demonstration will also be a part of technical evaluation process. If the bidder does not comply, such bids are liable to be disqualified. (Demonstration of quoted model is to be shown and not the demonstration of similar models with different technical specifications and features) | | |
| | Declaration by the bidder | | |
| 47 | We have quoted for all the items meeting the description/scope of supply in the Financial bid as per prescribed format of the Tender documents and we agree that Partial/incomplete offers are liable for rejection. | | |